PB84-135797

Investigation of Soil and Water Contamination at Western Processing Inc. King County, Washington. Part 2

(U.S.) Environmental Protection Agency
Seattle, WA

May 83

U.S. Department of Commerce
National Technical Information Service
NTIS

910/9-83-104b

PB84-135797

United States
Environmental Protection
Agency

Region 10
1200 Sixth Avenue
Seattle WA 98101

Part 2

Environmental Services Division

May 1983

EPA

Investigation of Soil And Water Contamination At Western Processing, King County, Washington

September to November, 1982



REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

50272-101

REPORT DOCUMENTATION PAGE

1. REPORT NO. 9-
EPA 910/83-104b

2.

3. Recipient's Accession No.
PB84 135797

4. Title and Subtitle
Investigation of Soil and Water Contamination at Western Processing Inc., King Co., WA Part II of II

5. Report Date
May 1983

6.

7. Author(s)

8. Performing Organization Rept. No.

9. Performing Organization Name and Address
Environmental Services Division
U.S. Environmental Protection Agency - Region X
1200 Sixth Avenue
Seattle, Washington 98101

10. Project/Task/Work Unit No.

11. Contract(C) or Grant(G) No.
(C)
(G)

12. Sponsoring Organization Name and Address
same as above

13. Type of Report & Period Covered
Sept. - Nov. 1982

14.

15. Supplementary Notes

16. Abstract (Limit: 200 words)

Western Processing, Inc., Kent, Washington, which operated as an industrial waste recycling facility, was suspected of having contaminated soil, groundwater and surface water on and around its 13-acre site.

After intensive sampling and analysis, significant levels of many toxic substances were identified in a high proportion of the soil and groundwater samples; these included 21 known carcinogens and 28 suspected carcinogens. Off site wells indicate that some of these toxic substances have migrated across the site boundaries. Contamination in the groundwater extends down to at least 30 feet from ground surface and out to at least 200 feet north of the site boundary. Groundwater levels under the site imply that contaminated groundwater will move offsite to west, east and north.

At least 19 of the soil samples and six of the groundwater samples were defined as hazardous waste by the standards of the Resource Conservation and Recovery Act (RCRA) by reason of their content of soluble toxic metal. In one well, the groundwater was so alkaline that it was a RCRA hazardous waste by reason of its corrosivity. The used wash water collected after decontamination of vehicles, personnel and equipment, contained high levels of lead and other toxic substances.

Part 2 of the report contains appendices of data.

17. Document Analysis a. Descriptors
Dumps
Industrial Waste
Soil Analysis
Water Analysis

b. Identifiers/Open-Ended Terms
Western Processing
King County
Kent, Washington

c. COSATI Field/Group

18. Availability Statement
unlimited

19. Security Class (This Report)
unclassified

20. Security Class (This Page)
unclassified

21. No. of Pages

22. Price

(See ANSI-Z39.18)

See Instructions on Reverse

OPTIONAL FORM 272 (4-77)
(Formerly NTIS-35)
Department of Commerce

INVESTIGATION OF SOIL AND WATER CONTAMINATION
AT WESTERN PROCESSING INC., KING CO., WA

PART II OF II

ENVIRONMENTAL SERVICES DIVISION
U.S. ENVIRONMENTAL PROTECTION AGENCY - REGION X
1200 SIXTH AVENUE
SEATTLE, WASHINGTON 98101

MAY 1983

DISCLAIMER

This report has been reviewed by the U.S. Environmental Protection Agency and approved for public release. Mention of trade names or commercial products does not constitute endorsement or recommendation for use by the U.S. Environmental Protection Agency.

ACKNOWLEDGEMENTS

The EPA is grateful to Hussein Aldis for editing and providing additional interpretive sections to this report and also for the assistance and critical review of many people from both the U.S. Environmental Protection Agency (EPA) Region X and the Region X Field Investigation Team of Ecology and Environment, Inc. (EEI) in Seattle particularly Thomas Tobin and Carol Mitrani. A special thanks is due to the EPA Region X Hazardous Waste Site Investigation Team and to the EEI staff members who performed the on-site study. Their hard work under difficult conditions made this report possible. Thanks are also due to Jane Gans of EEI for her assistance in typing and producing the report, and to Billie Lee of EPA for her many hours of typing assistance in the early stages of report production.

TABLE OF CONTENTS
PART I

Page

1.0 SUMMARY 1

2.0 INTRODUCTION 2

3.0 GEOLOGY AND HYDROLOGY 6

4.0 PRELIMINARY SITE INVESTIGATION AND SITE SAFETY 11

5.0 SAMPLING PROGRAM 13
  5.1 Well Installation and Soil Sampling 13
  5.2 Groundwater Sampling 16
  5.3 Wash Water and Waste Water Samples 19
  5.4 Analyses Requested 19
  5.5 Sample Documentation and Handling 19
  5.6 Quality Assurance Program 20

6.0 RESULTS AND DISCUSSION 22
  6.1 Introduction 22
  6.2 Summary of Results 23
  6.3 Inorganics 23
  6.4 Organics 24
  6.5 Carcinogens 27
  6.6 Total Contaminant Levels 27

BIBLIOGRAPHY

APPENDIX A - 129 PRIORITY POLLUTANTS LIST

APPENDIX B - SUMMARY ANALYTICAL RESULTS FOR
PRIORITY POLLUTANTS

LIST OF TABLES

Page

TABLE 1
WATER TABLE ELEVATIONS 8

TABLE 2
SUMMARY OF SOIL SAMPLING LOCATIONS 15

TABLE 3
CHLORIDE AND TOTAL DISSOLVED SOLIDS RESULTS 17

TABLE 4
CONDUCTIVITY AND PH READINGS AT WELLS 18

TABLE 5
EP TOXICITY TEST RESULTS 25

TABLE 6
BASE/NEUTRAL EXTRACTIBLES (>1ppm) 26

TABLE 7
KNOWN CARCINOGENS 28

TABLE 8
SUSPECTED CARCINOGENS 29

TABLE 9
DATA SUMMARY FOR SELECTED WELLS 31

TABLE 10
DATA SUMMARY FOR SELECTED SOIL SAMPLES 32

LIST OF FIGURES

Page

FIGURE 1
LOCATION MAP 3

FIGURE 2
SITE PLAN 4

FIGURE 3
MONITORING WELL LOCATIONS 7

FIGURE 4
WATER TABLE NOVEMBER 1982 9

FIGURE 5
WATER TABLE MAY 1983 10

FIGURE 6
AMBIENT AIR SAMPLING LOCATIONS 12

FIGURE 7
SOIL SAMPLING LOCATIONS 14

FIGURE 8
PRIORITY POLLUTANT METALS IN SOILS (ppm) 33

FIGURE 9
PRIORITY POLLUTANT METALS IN SHALLOW GROUNDWATER (mg/l) 34

FIGURE 10
TOTAL PRIORITY POLLUTANT VOLATILES IN SOILS (ppm) 35

FIGURE 11
PRIORITY POLLUTANT VOLATILES IN SHALLOW GROUNDWATER (mg/l) . . . 36

FIGURE 12
NON PRIORITY POLLUTANT SOLVENTS IN SHALLOW GROUNDWATER 37

FIGURE 13
TOTAL PRIORITY POLLUTANT ACID EXTRACTIBLES IN SOILS (ppm) . . . 39

FIGURE 14
PRIORITY POLLUTANT ACID EXTRACTIBLES IN SHALLOW GROUNDWATER . . 40

FIGURE 15
TOTAL PRIORITY POLLUTANT BASE/NEUTRAL EXTRACTIBLES
IN SOILS (ppm) 41

PART II

TABLE OF APPENDICES

APPENDIX A
GEOLOGIC WELL LOGS AND CROSS SECTIONS

APPENDIX B
ANALTYICAL DATA TABLES
- Section 1. Decontamination and Wash Water Data
- Section 2. Chlorides and Total Dissolved Solids Data
- Section 3. Conductivity and pH Data
- Section 4. Priority Pollutant Data
- Section 5. Non-Priority Pollutants Data
- Section 6. Tentatively Identified Compounds
- Section 7. Sample Identification
- Section 8. Correction Factors From Wet to Dry Weight

APPENDIX C
LIST OF 129 PRIORITY POLLUTANTS

APPENDIX D
SAMPLE DOCUMENTATION

APPENDIX E
QUALITY ASSURANCE FORMS

APPENDIX F
SITE SAFETY PLAN

1.0 SUMMARY

Western Processing, Inc., Kent, Washington, which operated as an industrial waste recycling facility, was suspected of having contaminated soil, groundwater and surface water on and around its 13-acre site.

During October 1982 a series of 32 on-site holes and six offsite holes from 15 to 30 feet deep were excavated at 30 locations in order to sample the soil and to install wells and well points. Eleven samples of surface soil and seven hand augered samples of soil from a berm on the east edge of the site were also taken. In all, 130 soil samples were taken and 35 groundwater samples were obtained from the wells and well points. Additionally, the water used to wash down personnel, vehicles and equipment coming off the site was sampled. All samples were analyzed for a wide variety of organic chemicals and metals, and groundwater was checked for acidity and alkalinity.

Significant levels of many toxic substances were found in a high proportion of the soil and groundwater samples; these included 21 known carcinogens and 28 suspected carcinogens. Off site wells indicate that some of these toxic substances have migrated across the site boundaries. Contamination in the groundwater extends down to at least 30 feet from ground surface and out to at least 200 feet north of the site boundary. Groundwater levels under the site imply that contaminated groundwater will move offsite to west, east and north.

At least 19 of the soil samples and six of the groundwater samples were defined as hazardous waste by the standards of the Resource Conservation and Recovery Act (RCRA) by reason of their content of soluble toxic metal. In one well the groundwater was so alkaline that it was a RCRA hazardous waste by reason of its corrosivity. The used wash water collected after decontamination of vehicles, personnel and equipment, contained high levels of lead and other toxic substances.

APPENDIX A

GEOLOGIC WELL LOGS AND CROSS SECTIONS

WESTERN PROCESSING WELL LOGS

Monitoring Well #1A

Date: 10-8-82 Drilling began: 0920 Drilling ended: 1010

Depth (in feet)	Materials Encountered
0-2	Gravel and coarse sand, very loose, light brown.
2-6	Medium grained sand, light brown, loose, (looks like fill material).
6-12	Silt and clay lenses, gray with rust-colored streaks, water encountered at 10 feet.

Drilling completed at 12 feet below surface elevation.

Drilling method: Backhoe

Well casing: 4-inch PVC with perforations from 12 to 9 feet.

Logged by: C. Mitrani

Elevation at top of 6-inch steel surface casing 23.38 feet AMSL *

* Above mean sea level.

WESTERN PROCESSING WELL LOGS

Monitoring Well #1B

Date: 10-19-82

Depth (in feet)	Materials Encountered
12-24	Fine brown silty sand with slight trace of water.
24-28	Grayish brown silty peat
28-30	Fine gray sand with water.

Drilling completed at 30 feet below surface elevation.

Drilling method: Cable tool.

Well Casing: 4-inch PVC with perforations from 30 to 27 feet.

Logged by: B. Dodge

Elevation of top of 6-inch steel surface casing 23.86 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #2

Date: 10-14-82 Drilling began: 1000 Drilling ended: 1045

Depth (in feet)	Materials Encountered
0-1	Dark brown sand and gravel.
1-3	Dark brown sand.
3-5	Dark brown fine sand and silt.
5-6	Light brown sand and some gravel.
6-9	Same as above with some reddish color. Water encountered at 9 feet.
9-11	Gray silt and sand.
11-15	Gray clay.

Drilling completed at 15 feet below surface elevation.

Drilling method: power auger.

Well casing: 2-inch steel equipped with drive point and 3-foot screen. Drive point placed to 12 feet below surface elevation.

Logged by: C. Mitrani

Elevation of top of 6-inch steel surface casing 24.96 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #3

Date: 10-14-82 Drilling began: 1150 Drilling ended: 1225

Depth (in feet)	Materials Encountered
0-4	Dark brown sand and gravel.
4-7	Dark reddish brown sand and silt, feels sticky. Some resistance in drilling encountered at 7'.
7-9	Dark brownish gray fine sand and silt. Water encountered at 9 feet.
9-12	No cuttings. Dark brownish gray fine sand and silt on auger.

Drilling completed at 12 feet below surface elevation.

Drilling method: Power auger.

Well casing: 2-inch steel equipped with drive point and 3-foot screen. Drive point placed at 12 feet below surface elevation.

Logged by: C. Mitrani.

Elevation of top of 6-inch steel surface casing 25.85 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #4

Date: 10-18-82 Drilling began: 1405 Drilling ended: 1445

Depth (in feet)	Materials Encountered
0-2	Light brown, mostly gravel with some sand. Encountered resistance with auger at 2 feet.
2-5	Dark gray sand.
5-8	Dark gray fine sand and silt, wet. Grain size decreasing with depth.
8-9	Gray clay.
9-12	No cuttings. Gray clay on auger.
12-15	No cuttings. Gray silt on auger. Very wet.

Drilling completed at 15 feet below surface elevation.

Drilling method: power auger.

Well casing: 2-inch steel with drive point and 3-foot screen. Drive point placed at 15 feet below surface elevation.

Logged by C. Mitrani

Elevation of top of 6-inch steel surface casing 23.71 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #5

Date: 10-18-82 Drilling began: 1215 Drilling ended: 1245

Depth (in feet)	Materials Encountered
0-3	Dark brown sand and gravel.
3-8	Very few cuttings. Dark reddish brown sand and some silt, sticky.
8-9	Dark brown sticky fine sand (had oily appearance). Water encountered at 9 feet.
9-13	No cuttings. Dark brown, wet fine sand on auger. Soil sample at 12 feet taken from auger.
13-15	No cuttings. Gray clay on auger.

Drilling completed at 15 feet below surface elevation.

Drilling method: power auger.

Well casing: 2-inch steel equipped with drive point and 3-foot screen. Drive point placed at 12 feet below surface elevation.

Logged by: C. Mitrani

Elevation of top of 6-inch steel surface casing 26.17 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #6

Date: 10-18-82 Drilling began: 1020 Drilling ended: 1110

Depth (in feet)	Materials Encountered
0-3	Light brown sand and gravel.
3-4	Gravel.
4-5	Dark brown sand, some gravel.
5-7	Gravel.
7-9	Dark brown sand. Water encountered at 8 feet.
9-12	No cuttings. Dark brown fine sand and silt on auger.
12-15	No cuttings. Gray clay on auger.

Drilling completed at 15 feet below surface elevation.

Drilling method: power auger.

Well casing: 2-inch steel equipped with drive point and 3-foot screen. Drive point placed at 12 feet below surface elevation.

Logged by: C. Mitrani

Elevation of top of 6-inch steel surface casing 25.78 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #7

Date: 10-14-82 Drilling began: 1345 Drilling ended: 1445

Depth (in feet)	Materials Encountered
0-1.5	Light brown fine sand. Encountered resistance with auger at 1.5 feet.
1.5-3	Sand and gravel. Encountered more resistance at 3 feet, unable to drill any further.
DRILLING SITE MOVED SOUTH APPROXIMATELY 5 FEET	
0-5	Light brown sand and gravel.
5-8	Gray silt with some clay. Water encountered at 8 feet.
8-9	Light brown, fine sand and silt.
9-12	Few cuttings, unable to collect soil sample at 12 feet. Material on auger was gray silt with some clay.
12-15	No cuttings. Material on auger was gray clay.

Drilling completed at 15 feet below surface elevation.

Drilling method: Power auger.

Well casing: 2-inch steel equipped with drive point and 3-foot screen. Drive point placed at 12 feet below surface elevation.

Logged by: C. Mitrani

Elevation of top of 6-inch steel surface casing 25.93 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #8

Date: 10-19-82

Depth (in feet)	Materials Encountered
0-16	Fine brown silty sand. Trace of water at 12 feet.

Drilling completed at 16 feet below surface elevation.

Drilling method: Cable tool.

Well Casing: 4-inch PVC with perforations from 16 to 13 feet.

Logged by: B. Dodge

Elevation of top of 6-inch steel surface casing 24.31 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #9

Date: 10-19-82 Drilling began: 1015 Drilling ended: 1045

Depth (in feet)	Materials Encountered
0-2	Brown sand and gravel.
2-4	Brown sand
4-6	Brownish gray fine sand and silt, slightly wet.
6-9	Gray silty clay, wet.
9-12	Few cuttings. Brownish gray fine sand and silt on auger. Very wet.
12-15	Brownish gray fine sand and silt.

Drilling completed at 15 feet below surface elevation.

Drilling method: Power auger.

Well casing: 2-inch steel equipped with drive point and 3-foot screen. Drive point placed at 15 feet below surface elevation.

Logged by: C. Mitrani

Elevation of top of 6-inch steel surface casing 22.27 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #10

Date: 10-19-82 Drilling began: 1225 Drilling ended: 1405

Depth (in feet)	Materials Encountered
0-2	Brown sand with some gravel. Encountered resistance with auger at 2 feet.
2-3	Brown sand
3-6	Brownish gray fine sand and silt, feels sticky. wet.
6-6.5	Browish gray clay with some silt.
6.5-11	Brown fine sand and silt. Very wet.
11-12	Gray clay.
12-15	Brownish gray fine sand. Very wet.

Drilling completed at 15 feet below surface elevation.

Drilling method: Power auger.

Well casing: 2-inch steel equipped with drive point and 3-foot screen. Drive point placed at 15 feet below surface elevation.

Logged by: C. Mitrani

Elevation of top of 6-inch steel surface casing 23.34 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #11A

Date: 10-8-82 Drilling began: 1105 Drilling ended: 1230

Depth (in feet)	Materials Encountered
0-1	Dark brown sandy soil, some cobbles and debris, sheet of black plastic encountered at 1 foot.
1-3	Very hard packed greenish-yellow material (sand sized particles).
3-8	Abrupt change to dark gray sand (looks like fill material).
8-12	Gray clay with rust colored streaks. Water encountered at 10 feet (had oily appearance).

Drilling completed at 12 feet below surface elevation.

Drilling method: Backhoe

Well Casing: 4-inch PVC with perforations from 12 to 9 feet.

Logged by: C. Mitrani

Elevation of top of 6-inch steel surface casing 25.16 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #11B

Date: 10-18-82

Depth (in feet)	Materials Encountered
12-20	Grayish brown silty sand.
20-26	Dark gray silty sand with peat.
26-30	Dark brown silty sand with strong trace of water.

Drilling completed at 30 feet below surface elevation.

Drilling method: Cable tool.

Well Casing: 4-inch PVC with perforations from 29 to 26 feet.

Logged by: B. Dodge

Elevation of top of 6-inch steel surface casing 25.03 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #12

Date: 10-25-82 Drilling began: 1115 Drilling ended: 1245

Depth (in feet)	Materials Encountered
0-3	Brown sand with some gravel.
3-5	Brown sand, very loose.
5-6	Greenish brown sand, very loose.
6-7	Greenish brown silt and clay. Water encountered at 7 feet.
7-9	Gray silt and clay with rust colored streaks.
9-11	Grayish brown fine sand and silt. Very wet.
11-13	Gray clay.
13-15	Brownish gray fine sand and silt. Very wet.

Drilling completed at 15 feet below surface elevation.

Drilling method: Power auger.

Well casing: 2-inch steel with drive point and 3-foot screen.
Drive point placed at 11 feet below surface elevation.

Logged by: C. Mitrani

Elevation of top of 6-inch steel surface casing 25.10 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #13

Date: 10-27-82 Drilling began: 1300 Drilling ended: 1400

Depth (in feet)	Materials Encountered
0-4	Light brown fine sand and silt. Water encountered at 4 feet.
4-6	Dark brown sand with lenses of rust-colored silt. Wet.
6-7	Dark brown, fine sand and silt. Wet.
7-9	Gray clay with rust streaks.

Drilling completed at 9 feet below surface elevation.

Drilling method: Power auger.

Well casing: 2-inch steel with drive point and 3-foot screen.
Drive point placed at 6 feet below surface elevation.

Logged by: C. Mitrani

Elevation of top of steel surface casing 17.81 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #14

Date: 10-20-82 Drilling began: 0940 Drilling ended: 1120

Depth (in feet)	Materials Encountered
0-2	Brown sand. Encountered some resistance with auger at 2 feet.
2-3	Dark brown medium to fine sand (had oily appearance).
3-5	Light brown fine sand and silt.
5-7	Brownish gray silt and clay with streaks of dark brown and rust.
7-12	Light brown fine sand and silt. Grain size decreases with depth. Water encountered at 8 feet.
12-14	Gray silt and clay.
14-15	Brownish gray fine sand.

Drilling completed at 15 feet below surface elevation.

Drilling method: Power auger.

Well casing: 2-inch steel equipped with drive point and 3-foot screen. Drive point placed at 15 feet below surface elevation.

Logged by: C. Mitrani

Elevation of top of 6-inch steel surface casing 24.56 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #15

Date: 10-21-82

Depth (in feet)	Materials Encountered
0-2	Hard, crusty, sandstone-like multi-colored layer (blue, green, brown).
2-12	Fine, brown silty sand with trace of gravel.
12-16	Dark grayish brown silty sand with trace of water.

Drilling completed at 16 feet below surface elevation.

Drilling method: Cable tool.

Well Casing: 4-inch PVC with perforations from 16 to 13 feet.

Logged by: B. Dodge

Elevation of top of 6-inch steel surface casing 25.96 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #16

Date: 10-20-82 Drilling began: 1300 Drilling ended: 1430

Depth (in feet)	Materials Encountered
0-3	Reddish brown pieces of plastic.
3-6	Reddish brown pieces of plastic mixed with dark brown sand.
6-8	Brownish gray fine sand and silt. Trace of water at 8 feet.
8-9	Silt and gray clay with rust colored streaks.
9-10	Brown, fine sand and silt.
10-12	Brownish gray silt and very fine sand. Water increasing with depth.
12-15	Dark brownish gray sand, very wet.

Drilling completed at 15 feet below surface elevation.

Drilling method: Power auger.

Well casing: 2-inch steel equipped with drive point and 3-foot screen. Drive point placed at 15 feet below surface elevation.

Logged by: C. Mitrani

Elevation of top of 6-inch steel surface casing 27.07 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #17A

Date: 10-11-82 Drilling began: 1200 Drilling ended: 1300

Depth (in feet)	Materials Encountered
0-3	Brown sand and gravel.
3-6	Brownish gray fine sand and silt.
6-9	Brownish gray silt.
9-15	Brownish gray silt and clay. Water encountered at 12 feet.

Drilling completed at 15 feet below surface elevation.

Drilling method: Cable tool.

Well casing: 4-inch PVC with perforations from 15 to 12 feet.

Logged by: C. Mitrani

Elevation of top of 6-inch steel surface casing 24.31 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #17B

Date: 10-13-82 Drilling began: 1315 Drilling ended: 1430

Depth (in feet)	Materials Encountered
0-15	See log for well #17A.
15-18	Brownish gray fine sand and silt.
18-21	Brownish gray fine sand and silt. Decrease in grain size with dept. Some clay encountered at 21 feet.
21-24	Brownish gray, mostly silt with some clay.
24-27	Dark brownish gray silty sand.
27-30	Dark gray fine sand and silt with some gravel. Amount of water increased at 28 feet.

Drilling completed at 30 feet below surface elevation.

Drilling method: Cable tool.

Well casing: 4-inch PVC with perforations from 30 to 27 feet.

Logged by: C. Mitrani

Elevation of top of 6-inch steel surface casing 24.15 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #18

Date: 10-21-82

Depth (in feet)	Materials Encountered
0-1	Black sand.
1-14	Fine brown silty sand.
14-16	Darker brownish gray silty sand with trace of water.

Drilling completed at 16 feet below surface elevation.

Drilling method: Cable tool.

Well Casing: 4-inch PVC with perforations from 16 to 13 feet.

Logged by: B. Dodge

Elevation of top of 6-inch steel surface casing 24.00 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #19

Date: 10-27-82 Drilling began: 0950 Drilling ended: 1120

Depth (in feet)	Materials Encountered
0-1	Light brown fine sand and silt.
1-3	Grayish brown silt and clay. Water encountered at 3 feet.
3-6	Gray medium to fine sand with rust streaks. Very wet.
6-8	Gray clay with rust streaks. At 8 feet water encountered under artesian conditions.
8-12	Gray, fine sand and silt. Wet.

Drilling completed at 12 feet below surface elevation.

Drilling method: Power auger.

Well casing: 2-inch steel with drive point and 3-foot screen.
Drive point placed at 6 feet below surface elevation.

Logged by: C. Mitrani

Elevation of top of 6-inch steel surface casing 18.27 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #20

Date: 10-21-82 Drilling began: 0930 Drilling ended: 1120

Depth (in feet)	Materials Encountered
0-3	Brown, mostly rounded gravel with some sand.
3-6	Brown sand and gravel.
6-7	Gray clay with rust colored streaks.
7-9	Brownish gray fine sand and silt. Some clay at 9 feet. Water encountered at 8 feet.
9-11	Brownish gray sand with some silt. Very wet.
11-12	Gray silt.
12-15	Dark brownish gray fine sand and silt.

Drilling completed at 15 feet below surface elevation.

Drilling method: Power auger.

Well casing: 2-inch steel with drive point and 3-foot screen.
Drive point placed at 15 feet below surface elevation.

Logged by: C. Mitrani

Elevation of top of 6-inch steel surface casing 24.88 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #21

Date: 10-21-82 Drilling began: 1250 Drilling ended: 1545

Depth (in feet)	Materials Encountered
0-1	Encountered resistance with auger. Unable to drill any further.

DRILLING SITE MOVED SOUTHWEST APPROXIMATELY 5 FEET.

0-1	Black sand, oily.
1-4	Dark brown sand. At 4 feet encountered resistance. Unable to drill any further.

DRILLING SITE MOVED SOUTH APPROXIMATELY 8 FEET.

0-3	Dark brown coarse sand, oily. Some gravel.
3-6	Dark brown medium sand and gravel. Some finer grained sand, felt sticky. Encountered some resistance with auger at 6 feet.
6-9	Dark brown medium sand and gravel with some fine sand. Water encountered at 8 feet.
9-11	Dark gray fine sand and silt.
11-13	Gray silt and clay. Some dark brown pieces of wood-like material.
13-15	Brown sand. Very wet.

Drilling completed at 15 feet below surface elevation.

Drilling method: Power auger.

Well casing: 2-inch steel with drive point and 3-foot screen.
Drive point placed at 15 feet below surface elevation.

Logged by: C. Mitrani

Elevation of top of 6-inch steel surface casing 25.64 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #22A

Date: 10-12-82 Drilling began: 1000 Drilling ended: 1100

Depth (in feet)	Materials Encountered
0-1	Black-brown plastic pieces, looks like battery casings.
1-3	Dark brown gravel and sand.
3-6	Mostly dark gray sand with some gravel.
6-9	Dark gray fine sand and silt with some gravel. Water encountered at 8 feet.
9-15	Same as above.

Drilling completed at 15' below surface elevation.

Drilling method: Cable tool.

Well casing: 4-inch PVC with perforations from 15 to 12 feet.

Logged by: C. Mitrani

Elevation of top of 6-inch steel surface casing 28.07 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #22B

Date: 10-14-82

Depth (in feet)	Materials Encountered
15-24	Fine grayish brown silty sand and a fair amount of shredded battery casings.
24-30	Clayey, silty sand and peat.

Drilling completed at 30 feet below surface elevation.

Drilling method: Cable tool.

Well Casing: 4-inch PVC with perforations from 26.5 to 23.5 feet.

Logged by: B. Dodge

Elevation of top of 6-inch steel surface casing 28.27 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #23

Date: 10-20-82

Depth (in feet)	Materials Encountered
0-6	Fill material consisting mostly of chunks of concrete.
6-16	Bluish gray silty sand with trace of water.

Drilling completed at 16 feet below surface elevation.

Drilling method: Cable tool.

Well Casing: 4-inch PVC with perforations from 15 to 12 feet.

Logged by: B. Dodge

Elevation of top of 6-inch steel surface casing 23.80 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #24

Date: 10-22-82 Drilling began: 0940 Drilling ended: 1050

Depth (in feet)	Materials Encountered
0-3	Dark brown sand with some gravel (has oily appearance).
3-4	Light brown sand and gravel. Slight resistance encountered at 4 feet.
4-6	Light brown sand. Very loose.
6-8	Brown fine sand. Water encountered at 8 feet.
8-13	Brownish gray fine sand and silt with rust colored streaks. Very wet.
13-15	Dark gray coarse sand.

Drilling completed at 15 feet below surface elevation.

Drilling method: Power auger.

Well casing: 2-inch steel with drive point and 3-foot screen.
Drive point placed at 15 feet below surface elevation.

Logged by: C. Mitrani

Elevation of top of 6-inch steel surface casing 26.84 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #25A

Date: 10-20-82

Depth (in feet)	Materials Encountered
0-12	Fine gray silty sand.
12-16	Fine dark gray silty sand with traces of oil and water.

Drilling completed at 16 feet below surface elevation.

Drilling method: Cable tool.

Well Casing: 4-inch PVC with perforations from 16 to 13 feet.

Logged by: B. Dodge

Elevation of top of 6-inch steel surface casing 22.81 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #25B

Date: 10-14-82

Depth (in feet)	Materials Encountered
0-18	Fine silty sand. Trace of oil encountered at 18 feet. Water encountered at 12 feet.
18-28	Fine silty sand with silt layers. Waterbearing.
28-30	Brown silty peat.

Drilling completed at 30 feet below surface elevation.

Drilling method: Cable tool.

Well Casing: 4-inch PVC with perforations from 26 to 23 feet.

Logged by: B. Dodge

Elevation of top of 6-inch steel surface casing 22.85 feet AMSL

WESTERN PROCESSING WELL LOGS

Monitoring Well #26

Date: 10-20-82

Depth (in feet)	Materials Encountered
0-4	Fine brown silty sand.
4-15.5	Fine dark brown silt with traces of water.

Drilling completed at 15.5 feet below surface elevation.

Drilling method: Cable tool.

Well Casing: 4-inch PVC with perforations from 15.5 to 12.5 feet.

Logged by: B. Dodge

Elevation of top of 6-inch steel surface casing 24.23 feet AMSL

WELL LOG

Monitoring Well #27

Depth (ft.)	Materials Encountered
0-2	Sandy gravel, dry, gray-brown
2-6	Silty sand, brown, damp
6-12	Silty sand, dark brown, wet

Drilling completed at 12 feet below surface elevation.

Drilling Method: Power auger

Well Casing: 2 inch steel with drive point and 3-foot stainless screen placed 12 foot below surface elevation.

Logged by: Fred Wolf

Elevation of top of 2-inch casing 22.71 feet AMSL

WELL LOG

Monitoring Well #28

Depth (ft.)	Materials Encountered
0-3	Brown soil, sandy with organic detritus (damp)
3-12	Brown siltly sand (moist) red Staining

Drilling completed at 12 feet below surface elevation.

Drilling Method: Power auger

Well Casing: 2 inch steel with drive point and 3-foot stainless screen placed 12 foot below surface elevation.

Logged by: Fred Wolf

Elevation of top of 2-inch casing 20.09 feet AMSL

WELL LOG

Monitoring Well #29

Depth (ft.)	Materials Encountered
0-2	Brown sand and silt (moist)
2-3	Siltly clay (wet)
3-12	Gray-brown silty sand

Drilling completed at 12 feet below surface elevation.

Drilling Method: Power auger

Well Casing: 2 inch steel with drive point and 3-foot stainless screen placed 12 foot below surface elevation.

Logged by: Fred Wolf

Elevation of top of 2-inch casing 18.18 feet AMSL

WELL LOG

Monitoring Well #30

Depth (ft.)	Materials Encountered
0-3	Dark brown sand, dry
3-12	Dark brown sand, moist to damp
12-15	Dark brown sand, wet

Drilling completed at 15 feet below surface elevation.

Drilling Method: Power auger

Well Casing: 2 inch steel with drive point and 3-foot stainless screen placed 12 foot below surface elevation.

Logged by: Fred Wolf

WESTERN PROCESSING WELL LOGS

Soil Sampling Hole #8

Date: 10-25-82 Drilling began: 1400 Drilling ended: 1440

Depth (in feet)	Materials Encountered
0-3	Dark brown sand and gravel, very loose.
3-4	Greenish brown sand.
4-6	Reddish brown sand and silt.
6-7.5	Reddish brown sand, silt and clay with streaks of rust. Water encountered at 7.5 feet.
7.5-9	Clay and silt. Wet.

Drilling completed at 9 feet below surface elevation.

Drilling method: Power auger.

Logged by: C. Mitrani

WESTERN PROCESSING WELL LOGS

Soil Sampling Hole #15

Date: 10-25-82 Drilling began: 1505 Drilling ended: 1545

Depth (in feet)	Materials Encountered
0-3	Dark brown sand; oily. Water encountered at 3 feet. (Ground heaving as auger was raised.)
3-6	Dark brown sand with reddish brown streaks. Wet.
6-9	Dark brown sand with white, red and green streaks. Wet.

Drilling completed at 9 feet below surface elevation.

Drilling method: Power auger.

Logged by: C. Mitrani

WESTERN PROCESSING WELL LOGS

Soil Sampling Hole #18

Date: 10-26-82 Drilling began: 0945 Drilling ended: 1030

Depth (in feet)	Materials Encountered
0-3	Brown sand and gravel. Loose.
3-4	Gravel, some cobbles.
4-6	Brown sand and silt with some clay lenses. Streaked with dark gray. Water encountered at 6 feet.
6-8	Dark brown sand. Wet.
8-9	Dark brown fine sand.

Drilling completed at 9 feet below surface elevation.

Drilling method: Power auger.

Logged by: C. Mitrani

WESTERN PROCESSING WELL LOGS

Soil Sampling Hole #23

Date: 10-26-82 Drilling began: 1110 Drilling ended: 1200

Depth (in feet)	Materials Encountered
0-1	Encountered resistance at 1 foot. Metal shavings in cuttings.
	DRILLING SITE MOVED NORTH APPROXIMATELY 5 FEET.
0-6	Dark brown sand and gravel with some cobbles. Material had oily appearance. Water encountered at 6 feet.
6-7	Dark brown sand. Wet.
7-9	Dark brown fine sand. Wet.

Drilling completed at 9 feet below surface elevation.

Drilling method: Power auger.

Logged by: C. Mitrani

WESTERN PROCESSING WELL LOGS

Soil Sampling Hole #25

Date: 10-26-82 Drilling began: 1330 Drilling ended: 1400

Depth (in feet)	Materials Encountered
0-4	Dark brown sand. Water encountered at 4 feet.
4-5	Black, fine sand and silt. Wet and oily.
5-7	Gray silt and clay.
7-9	Dark gray fine sand and silt. Very wet.

Drilling completed at 9 feet below surface elevation.

Drilling method: Power auger.

Logged by: C. Mitrani

WESTERN PROCESSING WELL LOGS

Soil Sampling Hole #26

Date: 10-26-82 Drilling began: 1415 Drilling ended: 1450

Depth (in feet)	Materials Encountered
0-4	Light brown sand with some gravel encountered at 1 foot. Water encountered at 4 feet.
4-5	Gray, fine sand and silt. Wet.
5-7	Gray clay.
7-9	Gray medium to fine sand. Very wet.

Drilling completed at 9 feet below surface elevation.

Drilling method: Power auger.

Logged by: C. Mitrani

GEOLOGIC CROSS SECTIONS


South 196th Street
N
A
1A
1B
2
3
B'
5
6
B
4
8
12
7
9
10
11A
11B
15
C
16
14
C'
18
17A
17B
28
20
D
21
22A
22B
23
D'
24
25A
25B
26
A'

developed from aerial photograph

scale: 1" = 200'

LOCATION OF
GEOLOGIC CROSS SECTIONS
WESTERN PROCESSING COMPANY, INC.

WESTERN PROCESSING COMPANY, INC.

GEOLOGIC CROSS SECTION A-A'


Elev. (ft.)
A
A'
30
25
20
15
10
5
msl
5
10
W1A
W1B
TD-30'
B8
TD-9'
tanks
W11A
W11B
TD-30'
lagoons
W 17A
W 17B
TD-30'
W 22A
W 22B
TD-30'
W25A
W25B
TD-30'

EXPLANATION

Horizontal scale: 1:1200
Vertical scale: 1:120

- ▨ Debris, man-made materials
- ☐ Gravel, sand & gravel (coarse grained material)
- ▨ Sand, silty sand (medium grained material)
- ▨ Silt, clayey silt (fine grained material)
- ■ Clay

∇ = Ground water level
msl = Mean sea level
W = Monitoring well
B = Bore hole
TD = Total depth

WESTERN PROCESSING COMPANY, INC.

GEOLOGIC CROSS SECTION B-B'


Elevation (ft.)
B
B'
30
25
20
15
10
5
msl
W4
W6
W5
TD-15'
TD-15
TD-15

EXPLANATION

Horizontal scale: 1:600
Vertical scale: 1:120

░ Debris, man-made materials

☐ Gravel, sand & gravel (coarse grained material)

▒ Sand, silty sand (medium grained material)

▓ Silt, clayey silt (fine grained material)

■ Clay

∇ = Ground water level
msl = Mean sea level
W = Monitoring well
B = Bore hole
TD = Total depth

WESTERN PROCESSING COMPANY, INC.

GEOLOGIC CROSS SECTION C-C'


Elevation (ft.)
C
C'
30
25
20
15
10
5
msl
W 16
W 14
B 18
lagoon
TD-15'
TD-15'
TD-9'

Horizontal scale: 1:600
Vertical scale: 1:120

EXPLANATION

▨ Debris, man-made materials

☐ Gravel, sand & gravel (coarse grained material)

▨ Sand, silty sand (medium grained material)

▨ Silt, clayey silt (fine grained material)

■ Clay

∇ = Ground water level
msl = Mean sea level
W = Monitoring well
B = Bore hole
TD = Total depth

WESTERN PROCESSING COMPANY, INC.

GEOLOGIC CROSS SECTION D-D'


Elevation (ft.)
D
D'
35
30
25
20
15
10
5
msl
5
10
W 21
TD-15'
W 22A & B
TD-30'
W 23
TD-16'
EXPLANATION
Horizontal scale: 1:600
Vertical scale: 1:120
Debris, man-made materials
Gravel, sand & gravel (coarse grained material)
Sand, silty sand (medium grained material)
Silt, clayey silt (fine grained material)
Clay
∇ = Ground water level
msl = Mean sea level
W = Monitoring well
B = Bore hole
TD = Total depth

APPENDIX B
SECTION 1

DECONTAMINATION WASH WATER

DECONTAMINATION WASH WATER
(All Measurements in ug/l)

Compounds EPA Lab Number:	41021	43030	46154	46155	46156	48125
Date Collected:	10/16/82	10/25/82	11/18/82	11/18/82	11/18/82	11/24/82
Arsenic	---	42.5	20	17.5	47.5	15
Cadmium	860	226	22	1,115	832	17
Chromium	13,600*	4,700	447	743	2,694	393
Copper	5,150	1,390	455	877	816	505
Lead	108,000	8,800	1,880	1,500	5,000	1,040
Mercury	4.75	0.98	.39	.39	.61	.42
Nickel	2,170	610	10	6,220	17,450	92
Zinc	14,500	18,850	3,960	68,650	170,800	7,510
Iron	503,000	69,000	---	---	---	---
PCB 1254	39	5.6	0.7	0.84	0.7	0.64
PCB 1260	21	.5u	.04u	.06u	.06u	.06u
Acenaphthene	---	---	---	1.5	---	.06u
1,2,4-Trichlorobenzene	---	---	---	---	---	0.05u
1,2-Dichlorobenzene	---	---	---	7.3	15	0.2
1,3-Dichlorobenzene	---	---	---	---	---	5.4
1,4-Dichlorobenzene	---	5.3	---	---	---	0.74
Fluoranthene	50	---	1.3	---	1.6	0.1
Isophorone	---	---	---	15	3.5	8.8
Naphthalene	---	---	.05u	1.0	5.5	1.4
Butylbenzylphthalate	---	---	.05u	.05	.05u	1.8
Di-n-butylphthalate	---	---	.05u	3.5	.05u	4.3
Diethylphthalate	---	---	.05u	0.1	.05u	1.6
Chrysene/benzo(a)anthracene	20	2.5	.05u	.05u	.05u	.05u
Anthracene	120†	---	.05u	5.2	.05u	.05u
Fluorene	---	---	.05u	2.2	4.8	.05u
Phenanthrene	---	---	.05u	15	.05u	.05u
Pyrene	60	7.1	.05u	0.5u	.05u	.05u
2,4,6-Trichlorophenol§	---	---	.1u	46	.05u	2.1
2,4-Dichlorophenol§	---	---	0.2u	1,200	.1u	---
2,4-Dimethylphenol§	---	---	.1u	2,600	.2u	---
Phenol§	---	---	.5u	1,700	640	---
					890	---

--- undetected, u = below limit of quantification, *underlined numbers exceed EP Toxicity Standards

†Anthracene/Phenathrene, § = values may be low, only base/neutral extraction performed

APPENDIX B
SECTION 2

CHLORIDES AND TOTAL DISSOLVED SOLIDS DATA

Cl AND TDS RESULTS

Well#		Depth	Lab #	Cl(mg/l)	TDS (mg/l)
01	Water	Shallow	45150	101	1232
01	Water	Deep	45151	77	563
02	Water	Shallow	44154	224	2146
03	Water	Shallow	46153	1500	19832
04	Water	Shallow	44155	127	1716
05	Water	Shallow	44156	1737	20356
06	Water	Shallow	44157	599	6300
07	Water	Shallow	44158	388	2574
08	Water	Shallow	45152	136	3288
09	Water	Shallow	44160	1899	10828
10	Water	Shallow	44161	5968	33074
11	Water	Shallow	45153	1508	12580
11	Water	Deep	45154	1819	14650
12	Water	Shallow	44159	150	1952
13	Water	Shallow	44150	49	568
14	Water	Shallow	44163	2553	19852
15	Water	Shallow	45164	1670	9406
16	Water	Shallow	44164	1144	14712
17	Water	Shallow	45155	3394	19652
17	Water	Deep	45156	782	4636
18	Water	Shallow	45163	386	2254
19	Water	Shallow	44151	205	1782
20	Water	Shallow	44165	739	3340
21	Water	Shallow	44166	1202	4626
22	Water	Shallow	45157	396	2062
22	Water	Deep	45158	2202	6128
23	Water	Shallow	45162	590	3456
24	Water	Shallow	44167	11	652
25	Water	Shallow	45159	303	1170
25	Water	Deep	45160	34	280
26	Water	Shallow	45161	814	2026
27	Water	Shallow	46150	768	3544
28	Water	Shallow	46151	5447	18564
29	Water	Shallow	46152	2548	10780
30	Water	Shallow	51150	5	144
Transfer Blank			44152	1 u	5
Transport Blank			44153	1 u	8

Shallow = 6-16'
Deep = 26-30'

APPENDIX B
SECTION 3

CONDUCTIVITY AND PH DATA

CONDUCTIVITY AND PH READINGS AT WESTERN PROCESSING COMPANY MONITORING WELLS
KENT, WASHINGTON
TDD F10-8203-04E

Well #	pH	Conductivity (Micromhos)
1A	6.70	2000
1B	7.55	1400
2	6.58	35.5
3	13.00	>7500
4	6.68	1700
5	9.36	>7500
6	7.50	>7500
7	No Data	No Data
8	No Data	No Data
9	6.80	4800
10	4.58	>7500
11A	4.84	5500
11B	4.79	>7500
12	No Data	No Data
13*	6.42	No Data
14	5.15	>7500
15	No Data	No Data
16	5.61	>7500
17A	6.26	1100
17B	5.02	4000
18	No Data	No Data
19*	6.30	No Data
20	7.53	3300
21	No Data	No Data
22A	6.55	420
22B	5.96	4500
23	6.79	4500
24	No Data	No Data
25A	6.47	1600
25B	6.68	300
26	6.33	1700

*Off-site wells.

A indicates shallow well (12-16')
B indicates deep well (28-30')

APPENDIX B
SECTION 4

PRIORITY POLLUTANTS DATA

INORGANICS -- METALS

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000
* NON-PRIORITY POLLUTANT

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	ITR NUM	DATE	TIME	METALS PARAMETERS AL*	CR	BA*	BE	CO*	CU	FE*	NI
	01	3	S	MJ9301	821007	0900	840	1 M	10 M	0.5 M	5 M	5 M	400	4 M
	01	6	S	MJ9302	821007	0915	840	36	10 M	0.5 M	5 M	130	180	14
	01	9	S	MJ9303	821007	0930	2700	11.0	24	0.5 M	5 M	150	730	52
	01	12	S	MJ9304	821007	0945	1800	14	33	0.5 M	5 M	20	1900	15
	01	SHAL	W	MJ9312	821108	1330	240	70	100 U	5 U	50 U	120	50 U	110
	01	DEEP	W	MJ9311	821108	1400	200 U	10 U	100 U	5 U	50 U	50 U	160	40 U
	02	3	S	MJ9313	821014	1025	770	10	104	0.5 U	5 U	210	2200	55
	02	6	S	MJ9314	821014	1030	1200	1 U	17	0.5 U	5 U	7.0	990	4 U
	02	9	S	MJ9315	821014	1035	800	92	10 U	0.5 U	5 U	44	1600	4.8
	02	12	S	MJ9316	821014	1040	1200	21	10 U	0.5 U	5 U	83	750	25
	02	15	S	MJ9317	821014	1045	1700	27	28	0.5 U	5 U	79	1220	14
	02	SHAL	W	MJ9318	821102	1100	200 U	10 U	100 U	5 U	50 U	50 U	140	200
	03	3	S	MJ9319	821014	1155	1200	23	76	0.5 U	5 U	210	4600	72
	03	6	S	MJ9320	821014	1205	2400	370	100	0.5 U	5 U	380	4400	120
	03	9	S	MJ9321	821014	1210	1600	93	84	0.5 U	5 U	148	7500	71
	03	SHAL	W	MJ9324	821115	1200		2200		3.0		3800		3600
	04	3	S	MJ9325	821018	1415	1800	12	42	0.5 M	5 M	15	2300	4 M
	04	6	S	MJ9326	821018	1430	2700	1.5	27	0.5 M	5 M	17	3800	4 M
	04	9	S	MJ9327	821018	1435	2300	16	23	0.5 M	5 M	46	2900	4 M
	04	SHAL	W	MJ9330	821102	1500	200 U	10 U	100 U	5 U	50 U	50 U	540	160
	05	3	S	MJ9331	821018	1330	1500	38	147	0.5 M	5 M	140	4900	4 M
	05	6	S	MJ9332	821018	1330	2700	400	18	0.5 M	5 M	600	4300	133
	05	9	S	MJ9333	821018	1330	860	70	31	0.5 M	5 M	250	3500	74
	05	12	S	MJ9334	821018	1330	5300	1300	28	0.5 M	5 M	570	8000	270
	05	SHAL	W	MJ9336	821103	1400	2300	400	100 U	5 U	2300	13 K	1900	25 K
	06	3	S	MJ9337	821018	1035	2100	6.24	10 M	0.5 M	5 M	26	4100	5.6
	06	6	S	MJ9338	821018	1045	2300	130	76	0.5 M	5 M	100	4900	9.7
	06	9	S	MJ9339	821018	1050	2200	560	24	0.5 M	5 M	198	3100	21
	06	12	S	MJ9340	821018	1100	2100	69	36	0.5 M	5 M	78	2600	32
	06	SHAL	W	MJ9342	821103	1100	200 U	40	100 U	5 U	50 U	51	340	1100
	07	3	S	MJ9343	821014	1415	2400	12	27	0.5 U	5 U	28	4500	4.8
	07	6	S	MJ9344	821014	1425	2200	64	37	0.5 U	5 U	350	1110	27
	07	9	S	MJ9345	821014	1430	2100	150	10 U	0.5 U	5 U	160	1900	18
	07	SHAL	W	MJ9348	821103	1430	5800	260	100 U	5 U	50 U	390	920	600
	08	3	S	MJ9349	821025	1410	4400	24	32	0.5 U	5 U	40	8500	11.2
	08	6	S	MJ9350	821025	1425	4700	1170	49	0.5 U	5 U	170	8500	4 U
	08	9	S	MJ9051	821025	1440	2200	192	10 U	0.5 U	5 U	87	1700	4 U
	08	SHAL	W	MJ9054	821108	1500	2300	26	100 U	5 U	150	340	120	570
	09	3	S	MJ9055	821019	1020	640	25	10 U	0.5 U	5 U	25	45	4 U
	09	6	S	MJ9056	821019	1030	1180	15	10 U	0.5 U	5 U	50	380	41
	09	9	S	MJ9057	821019	1040	2100	6.6	30	0.5 U	5 U	21	2440	22
	09	12	S	MJ9058	821019	1045	870	1.5	10 U	0.5 U	5 U	5 U	410	12.3
	09	SHAL	W	MJ9060	821103	1500	380	13	100 U	5 U	72	50 U	245 K	140

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - MG/KG (PPM) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

INORGANICS -- METALS

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000
* NON-PRIORITY POLLUTANT

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	ITR NUM	DATE	TIME	METALS PARAMETERS							
							AL*	CR	BA*	BE	CO*	CU	FE*	NI
	10	3	S	MJ9061	821019	1235	2900	660	23	0.5 U	5 U	210	2400	41
	10	6	S	MJ9062	821019	1250	2000	42	10 U	0.5 U	5 U	220	550	270
	10	9	S	MJ9063	821019	1310	1800	148	10 U	0.5 U	5 U	280	2300	148
	10	12	S	MJ9064	821019	1340	4700	850	10 U	0.5 U	5 U	1240	2900	320
	10	15	S	MJ9065	821019	1405	1700	270	16	0.5 U	5 U	7.2	2700	140
	10	SHAL	W	MJ9066	821104	1000	430 K	17 K	100 U	5 U	5500	6300	480 K	280 K
	11	3	S	MJ9067	821008	1100	540	140	10 M	0.5 M	5 M	19	330	6.2
	11	6	S	MJ9068	821008	1115	1320	340	17	0.5 M	5 M	105	1300	17
	11	8	S	MJ9069	821008	1130	970	220	10 M	0.5 M	5 M	80	770	12.1
	11	10	S	MJ9070	821008	1145	3300	36	17	0.5 M	5 M	460	1000	74
	11	12	S	MJ9071	821008	1200	570	100	36	0.5 M	5 M	79	1800	43
	11	SHAL	W	MJ9072	821109	1030	510 K	1400	100 U	5 U	2400	4200	410 K	77 K
	11	DEEP	W	MJ9078	821109	1100	420 K	770	100 U	5 U	2200	3600	425 K	69 K
	12	3	S	MJ9079	821025	1130	4400	15	41	0.5 U	5 U	77	5800	4 U
	12	6	S	MJ9080	821025	1140	1100	300	21	0.5 U	5 U	65	2200	4 U
	12	9	S	MJ9081	821025	1200	3900	220	45	0.5 U	5 U	124	3400	4 U
	12	12	S	MJ9082	821025	1230	2800	48	36	0.5 U	5 U	55	5500	25
	12	15	S	MJ9083	821025	1240	3200	79	38	0.5 U	5 U	46	5000	9.7
	12	SHAL	W	MJ9084	821103	1200	1900	57	100 U	5 U	50 U	120	150	620
	13	3	S	MJ9085	821027	1310	1800	48	41	0.5 U	5 U	123	1800	11.2
	13	6	S	MJ9086	821027	1325	1400	7.5	17	0.5 U	5 U	14	1600	4 U
	13	9	S	MJ9087	821027	1400	2600	3.2	45	44	5 U	5 U	6400	4 U
	13	SHAL	W	MJ9090	821101	1500	200 U	10 U	100	5 U	50 U	50 U	130	390
	14	3	S	MJ9091	821020	0945	1700	190	71	0.5 U	7.6	137	5000	150
	14	6	S	MJ9092	821020	1020	2000	210	27	0.5 U	5 U	60	1600	23
	14	9	S	MJ9093	821020	1040	1300	130	10 U	0.5 U	5 U	23	1200	15
	14	12	S	MJ9094	821020	1100	1700	200	10 U	0.5 U	5 U	110	2200	49
	14	15	S	MJ9095	821020	1145	2300	360	19	0.5 U	5 U	130	2200	70
	14	SHAL	W	MJ9096	821104	1400	66 K	65 K	100 U	5 U	1800	4300	39 K	76 K
	15	3	S	MJ9097	821025	1500	1200	110	130	0.5 U	8.6	3700	8600	170
	15	6	S	MJ9098	821025	1510	19.5K	7600	180	0.5 U	10.1	5100	10.4K	400
	15	9	S	MJ9099	821025	1520	17.9K	6500	150	0.5 U	12.4	5700	9800	500
	15	SHAL	W	MJ9102	821112	1230	930	170	100 U	5 U	50 U	3400	160	360
	16	3	S	MJ9103	821020	1310	216	19	10 U	0.5 U	5 U	150	380	13
	16	6	S	MJ9104	821020	1325	2400	600	20	0.5 U	5 U	260	1900	76
	16	9	S	MJ9105	821020	1345	2100	240	10 U	0.5 U	5 U	59	1700	41
	16	12	S	MJ9106	821020	1405	1800	200	26	0.5 U	5 U	72	2900	32
	16	15	S	MJ9107	821020	1430	2600	620	10 U	0.5 U	5 U	24	1200	7.8
	16	SHAL	W	MJ9108	821104	1100	6300	600	100 U	5 U	310	360	850	2500
	17	3	S	MJ9109	821011	1100	1900	150	10 U	0.5 U	5 U	52	3500	20
	17	6	S	MJ9110	821011	1120	3300	250	15	0.5 U	5 U	112	5200	46
	17	9	S	MJ9111	821011	1150	3700	140	21	0.5 U	5 U	66	7000	40
	17	12	S	MJ9112	821011	1230	2200	150	10 U	0.5 U	5 U	45	3900	20

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - MG/KG (PPM) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

INORGANICS -- METALS

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000
* NON-PRIORITY POLLUTANT

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	ITR NUM	DATE	TIME	METALS PARAMETERS AL*	CR	BA*	BE	CO*	CU	FE*	NI
	17	15	S	MJ9113	821011	1300	2600	220	33	0.5 U	5 U	48	13600	29
	17	18	S	MJ9114	821013	1330	2800	450	33	0.5 U	5 U	77	14500	31
	17	21	S	MJ9116	821013	1350	4700	370	25	0.5 U	5 U	64	15500	29
	17	24	S	MJ9117	821013	1400	2900	58	20	0.5 U	5 U	33	15100	12.0
	17	27	S	MJ9118	821013	1405	2500	16.1	10 U	0.5 U	5 U	14	14900	4 U
	17	30	S	MJ9119	821013	1420	2800	37	35	0.5 U	5 U	23	15100	7.6
	17	SHAL	W	MJ8042	821110	1000	330 K	32 K	100 U	5 U	1400	7200	410 K	26 K
	17	DEEP	W	MJ9120	821110	1100	65 K	680	100 U	5 U	490	240	180 K	3200
	18	3	S	MJ9121	821026	1000	4800	320	48	0.5 U	5 U	56	13400	6.7
	18	6	S	MJ9122	821026	1020	5100	980	25	0.5 U	5 U	325	16400	39
	18	9	S	MJ9123	821026	1030	3600	140	47	0.5 U	5 U	221	13000	20
	18	SHAL	W	MJ9126	821112	1130	4000	10 U	100 U	5 U	80	50 U	6800	530
	19	3	S	MJ9127	821027	1000	2300	5.8	10 U	0.5 U	5 U	5 U	1340	13.4
	19	6	S	MJ9128	621027	1015	1700	20	19	0.5 U	5 U	5 U	1800	8.5
	19	9	S	MJ9129	821027	1045	1300	5.1	19	0.5 U	5 U	10.8	11700	4 U
	19	12	S	MJ9130	821027	1120	980	10.7	10 U	0.5 U	5 U	15	960	4 U
	19	SHAL	W	MJ9132	821101	1600	12 K	15	100 U	5 U	120	50 U	190	860
	20	3	S	MJ9133	821021	0940	260	97	22	0.5 U	5 U	87	11300	8.7
	20	6	S	MJ9134	821021	1010	2400	150	10 U	0.5 U	5 U	85	700	9.2
	20	9	S	MJ9135	821021	1030	1500	30	24	0.5 U	5 U	9.2	900	15
	20	12	S	MJ9136	821021	1055	1500	7.9	25	0.5 U	5 U	11.8	12600	26
	20	15	S	MJ9137	821021	1120	1600	1 U	10 U	0.5 U	5 U	9.6	12500	4 U
	20	SHAL	W	MJ9138	821104	1330	11 K	52	100 U	5 U	50 U	410	57 K	470
	21	3	S	MJ9139	821021	1400	1800	370	56	0.5 U	5 U	500	14300	37
	21	6	S	MJ9140	821021	1445	4500	570	50	0.5 U	5 U	450	13000	1900
	21	9	S	MJ9141	821021	1510	4600	340	48	0.5 U	5 U	388	13000	31
	21	12	S	MJ9142	821021	1535	2500	54	10 U	0.5 U	5 U	45	11800	17
	21	15	S	MJ9143	821021	1545	1500	31	18	0.5 U	5 U	25	11900	7.8
	21	SHAL	W	MJ9144	821105	1030	480	160	100 U	5 U	50 U	50 U	65 K	320
	22	3	S	MJ9145	821012	0900	1050	1150	25	0.5 U	5 U	103	15600	500
	22	6	S	MJ9146	821012	0930	2600	2400	100	0.5 U	5 U	149	18200	219
	22	9	S	MJ9147	821012	1000	5300	3900	148	0.5 U	5 U	535	13.4K	390
	22	12	S	MJ9148	821012	1030	5000	560	50	0.5 U	5 U	122	16000	87
	22	15	S	MJ9149	821012	1100	20 U	1 U	10 U	0.5 U	5 U	5 U	38	4 U
	22	SHAL	W	MJ9150	821110	1200	700	78	150	5 U	50 U	50 U	4000	130
	22	DEEP	W	MJ9156	821110	1300	850	22	100 U	5 U	100	50 U	27 K	280
	23	3	S	MJ9157	821026	1130	2500	230	27	0.5 U	5 U	60	14800	63
	23	6	S	MJ9158	821026	1150	4000	510	39	0.5 U	5 U	63	17800	31
	23	9	S	MJ9159	821026	1200	4800	550	38	0.5 U	5 U	60	10.5K	32
	23	SHAL	W	MJ9162	821026	1430	3800	400	150	5 U	50 U	51	40 K	64
	24	3	S	MJ9163	821022	0950	1500	6.7	19	0.5 U	5 U	34	12200	56
	24	6	S	MJ9164	821022	1000	2000	5.2	20	0.5 U	5 U	18	12000	4 U
	24	9	S	MJ9165	821022	1020	1400	2.7	10 U	0.5 U	5 U	20	11400	5.8

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - MG/KG (PPM) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

INORGANICS -- METALS

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000
* NON-PRIORITY POLLUTANT

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	ITR NUM	DATE	TIME	METALS PARAMETERS AL*	CR	BA*	BE	CO*	CU	FE*	NI
	24	12	S	MJ9166	821022	1045	3100	4.2	21	0.5 U	5 U	24	16000	7.7
	24	15	S	MJ9167	821022	1055	1180	1 U	10 U	0.5 U	5 U	5 U	1800	4 U
	24	SHAL	W	MJ9168	821105	1130	3500	10 U	100 U	5 U	50 U	50 U	4100	40 U
	25	3	S	MJ9169	821026	1340	2200	5.2	17	0.5 U	5 U	5 U	2000	4 U
	25	6	S	MJ9170	821026	1355	6100	22	47	0.5 U	5 U	21	17200	6.6
	25	9	S	MJ9171	821026	1440	5700	13.5	45	0.5 U	5 U	8.8	18000	7.4
	25	SHAL	W	MJ9174	821111	1130	200 U	10 U	100 U	5 U	50 U	50 U	1700	40 U
	25	DEEP	W	MJ9180	821110	1500	845	10 U	100 U	5 U	50 U	50 U	2700	40 U
	26	3	S	MJ9181	821026	1425	3900	3.0	30	0.5 U	5 U	12	14500	4 U
	26	6	S	MJ9182	821026	1440	6200	5.4	61	0.5 U	5 U	25	10.2K	4 U
	26	9	S	MJ9183	821026	1450	5000	8.4	49	0.5 U	5 U	24	19200	5.5
	26	SHAL	W	MJ9186	821111	1230	200 U	10 U	340	5 U	80	50 U	3200	49
	27	SHAL	W	MJ8046	821116	1100	12 K	10 U	100 U	5 U	360	50 U	200	6400
	28	SHAL	W	MJ8047	821116	1230	38 K	6100	180	5 U	3600	590	54 K	77 K
	29	SHAL	W	MJ8045	821115	1300	900	15	100 U	5 U	400	50 U	410 K	960
	30	SHAL	W	MJ8033	821220	1100	200 U	10 U	100 U	5 U	50 U	50 U	4600	210
BERM #1		1	S	MJ9187	821025	1000	1600	54	130	0.5 U	8.5	190	17500	140
BERM #2		1	S	MJ9188	821025	1015	1300	102	150	0.5 U	8.8	210	17800	140
BERM #3		1	S	MJ9189	821025	1030	990	110	66	0.5 U	10	140	10 K	200
BERM #4		1	S	MJ9190	821025	1045	1900	250	28	0.5 U	12	180	18.9K	240
BERM #5		1	S	MJ9191	821025	1100	1400	98	46	0.5 U	9.1	570	10.4K	180
BERM #6		1	S	MJ9192	821025	1115	850	36	88	0.5 U	16	105	10.4K	290
BERM #7		1	S	MJ9193	821025	1130	4700	160	39	0.5 U	12	250	15.3K	160
BERM #8		1	S	MJ9194	821025	1145	3000	1600	37	0.5 U	5 U	590	18400	24
BERM #9		1	S	MJ9195	821025	1200	2600	5300	31	0.5 U	5 U	890	18900	34
BLANK			S	MJ9197	821008		20 M	1 M	10 M	0.5 M	5 M	5 M	5 M	4 M
DRILLER'S WATER			W	MJ9199	821012		20 U	1 U	10 U	0.5 U	5 U	5 U	5 U	4 U
PEA GRAVEL			S	MJ9198	821012		180	1 U	10 U	0.5 U	5 U	5 U	160	4 U
SS#2		0	S	MJ9328	821118	0952	1300	1100	100	0.5 U	5 U	320	13700	78
SS#3		0	S	MJ9329	821118	0956	1000	78	10 U	0.5 U	5 U	70	11600	21
SS#4		0	S	MJ9335	821118	1002	430	68	10 U	0.5 U	5 U	84	11300	17
SS#5		0	S	MJ9341	821118	1008	710	190	140	0.5 U	5 U	580	19200	57
SS#6		0	S	MJ9346	821118	1027	830	210	84	0.5 U	5 U	340	12600	58
SS#7		0	S	MJ9347	821118	1036	850	46	49	0.5 U	5 U	240	13300	49
SS#8		0	S	MJ9059	821118	1041	1000	60	25	0.5 U	5 U	220	15000	49
SS#9		0	S	MJ9073	821118	1044	550	31	37	0.5 U	5 U	86	13700	740
SS#10		0	S	MJ9074	821118	1048	810	55	25	0.5 U	5 U	880	13000	64
SS#11		0	S	MJ9075	821118	1050	200	39	10 U	0.5 U	5 U	200	260	18
SS#12		0	S	MJ9076	821118	1053	1100	450	71	0.5 U	7.1	560	13700	74
TRANSFER BLANK			W	MJ8043	821101	1100	200 U	10 U	100 U	5 U	50 U	50 U	120	40 U
TRANSPORT BLANK			W	MJ8044	821101	1100	200 U	10 U	100 U	5 U	50 U	50 U	160	40 U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - MG/KG (PPM) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

INORGANICS -- METALS

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000
* NON-PRIORITY POLLUTANT

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	ITR NUM	DATE	TIME	METALS PARAMETERS															
							MN*		ZN		B*		V*		AG		AS		SB		SE	
	01	3	S	MJ9301	821007	0900	2.9	I	130	I	29	I	20	MI	1	MI	1	MI	2	MI	0.2	MI
	01	6	S	MJ9302	821007	0915	5.6	I	160	I	29	I	20	MI	1	MI	1	MI	2	MI	0.2	MI
	01	9	S	MJ9303	821007	0930	9.4	I	381	I	35	I	20	MI	1	MI	3.7	I	2	MI	0.2	MI
	01	12	S	MJ9304	821007	0945	6.4	I	150	I	44	I	20	MI	1	MI	1	MI	2	MI	0.2	MI
	01	SHAL	W	MJ9312	821108	1330	1100	I	1000	I	2900	I	200	UI	10	UI	10	UI	20	UI	2	UI
	01	DEEP	W	MJ9311	821108	1400	1300	I	48	I	860	I	200	UI	10	UI	10	UI	20	UI	2	UI
	02	3	S	MJ9313	821014	1025	610	I	260	I	10	UI	20	UI	1	UI	1	UI	2	UI	0.2	UI
	02	6	S	MJ9314	821014	1030	36	I	88	I	10	UI	20	UI	1	UI	1.3	I	2	UI	0.2	UI
	02	9	S	MJ9315	821014	1035	42	I	71	I	10	UI	20	UI	1	UI	1	UI	2	UI	0.2	UI
	02	12	S	MJ9316	821014	1040	64	I	200	I	10	UI	20	UI	1	UI	1	UI	2	UI	0.2	UI
	02	15	S	MJ9317	821014	1045	130	I	99	I	10	UI	20	UI	1	UI	1.6	I	2	UI	0.2	UI
	02	SHAL	W	MJ9318	821102	1100	7600	I	110	I	5700	I	200	UI	10	UI	10	UI	20	UI	2	UI
	03	3	S	MJ9319	821014	1155	670	I	420	I	10	UI	20	UI	1	UI	1	UI	2	UI	0.2	UI
	03	6	S	MJ9320	821014	1205	1800	I	1500	I	17	I	20	UI	1	UI	2.1	I	2	UI	0.2	UI
	03	9	S	MJ9321	821014	1210	1400	I	440	I	14	I	20	UI	1	UI	2.2	I	2	UI	0.2	UI
	03	SHAL	W	MJ9324	821115	1200		I	5900	I		I		I	12	I	600	I	108	I		I
	04	3	S	MJ9325	821018	1415	70	I	75	I	10	MI	20	MI	1	MI	2.8	I	2	MI	0.2	MI
	04	6	S	MJ9326	821018	1430	146	I	24	I	10	MI	20	MI	1	MI	4.4	I	2	MI	0.2	MI
	04	9	S	MJ9327	821018	1435	112	I	46	I	10	MI	20	MI	1	MI	2.5	I	2	MI	0.2	MI
	04	SHAL	W	MJ9330	821102	1500	6500	I	38	I	4000	I	200	UI	10	UI	10	UI	20	UI	2	UI
	05	3	S	MJ9331	821018	1330	2800	I	510	I	10	MI	20	MI	1	MI	1.7	I	2	MI	0.2	MI
	05	6	S	MJ9332	821018	1330	1300	I	1300	I	13	I	20	MI	1	MI	2.7	I	2	MI	0.2	MI
	05	9	S	MJ9333	821018	1330	300	I	350	I	10	MI	20	MI	1	MI	1	MI	2	MI	0.2	MI
	05	12	S	MJ9334	821018	1330	700	I	2000	I	15	I	20	MI	1	MI	4.8	I	2	MI	0.2	MI
	05	SHAL	W	MJ9336	821103	1400	54	I	650	I	11	K I	200	UI	10	UI	10	UI	20	UI	2	UI
	06	3	S	MJ9337	821018	1035	150	I	79	I	10	MI	20	MI	1	MI	6.3	I	2	MI	0.2	MI
	06	6	S	MJ9338	821018	1045	153	I	131	I	10	MI	20	MI	1	MI	3.9	I	2	MI	0.2	MI
	06	9	S	MJ9339	821018	1050	57	I	176	I	10	MI	20	MI	1	MI	2.8	I	2	MI	0.2	MI
	06	12	S	MJ9340	821018	1100	114	I	262	I	10	MI	20	MI	1	MI	2.2	I	2	MI	0.2	MI
	06	SHAL	W	MJ9342	821103	1100	2800	I	190	I	10	K I	200	UI	10	UI	10	UI	20	UI	2	UI
	07	3	S	MJ9343	821014	1415	220	I	57	I	10	UI	20	UI	1	UI	5.2	I	2	UI	0.2	UI
	07	6	S	MJ9344	821014	1425	90	I	330	I	10	UI	20	UI	1	UI	2.2	I	2	UI	0.2	UI
	07	9	S	MJ9345	821014	1430	66	I	210	I	10	UI	20	UI	1	UI	1.9	I	2	UI	0.2	UI
	07	SHAL	W	MJ9348	821103	1430	3200	I	700	I	6400	I	200	UI	10	UI	10	UI	20	UI	2	UI
	08	3	S	MJ9349	821025	1410	260	I	640	I	69	I	20	UI	1	UI	1	UI	2	UI	0.2	UI
	08	6	S	MJ9350	821025	1425	50	I	36	I	170	I	20	UI	1	UI	1	UI	2	UI	0.2	UI
	08	9	S	MJ9051	821025	1440	33	I	40	I	140	I	20	UI	1	UI	1	UI	2	UI	0.2	UI
	08	SHAL	W	MJ9054	821108	1500	15	K I	2800	I	3400	I	200	UI	10	UI	10	UI	20	UI	2	UI
	09	3	S	MJ9055	821019	1020	1.5	UI	41	I	10	UI	20	UI	1.4	I	1	UI	2	UI	0.2	UI
	09	6	S	MJ9056	821019	1030	38	I	390	I	10	UI	20	UI	1	UI	1	UI	2	UI	0.2	UI
	09	9	S	MJ9057	821019	1040	62	I	280	I	16	I	20	UI	1	UI	2.2	I	2	UI	0.2	UI
	09	12	S	MJ9058	821019	1045	128	I	190	I	17	I	20	UI	1	UI	1	UI	2	UI	0.2	UI
	09	SHAL	W	MJ9060	821103	1500	35	K I	1500	I	18	K I	200	UI	10	UI	10	UI	20	UI	10	UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - MG/KG (PPM) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

INORGANICS -- METALS

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000
* NON-PRIORITY POLLUTANT

	STA	WELL		ITR			METALS PARAMETERS															
STATION DESCRIPTION	NUM	DEPTH	M	NUM	DATE	TIME	MN*		ZN		B*		V*		AG		AS		SB		SE	
	10	3	S	MJ9061	821019	1235	45		610		16		20	U	1	U	3.4		2	U	0.2	U
	10	6	S	MJ9062	821019	1250	122		2600		74		20	U	1	U	1.9		2	U	0.2	U
	10	9	S	MJ9063	821019	1310	71		1500		62		20	U	1	U	2.2		2	U	0.2	U
	10	12	S	MJ9064	821019	1340	135		3100		145		20	U	1	U	6.8		2	U	0.2	U
	10	15	S	MJ9065	821019	1405	60		1400		65		20	U	1	U	1.8		2	U	0.2	U
	10	SHAL	W	MJ9066	821104	1000	290	K	400	K	110	K	200	U	10	U	21		20	U	2	U
	11	3	S	MJ9067	821008	1100	1.5	M	72		80		20	M	1	M	1	M	2	M	0.2	M
	11	6	S	MJ9068	821008	1115	3.1		180		41		20	M	1	M	1	M	2	M	0.2	M
	11	8	S	MJ9069	821008	1130	3.6		150		37		20	M	1	M	1	M	2	M	0.2	M
	11	10	S	MJ9070	821008	1145	8.5		1200		52		20	M	1	M	5.6		2	M	0.2	M
	11	12	S	MJ9071	821008	1200	26		410		37		20	M	1	M	1	M	2	M	0.2	M
	11	SHAL	W	MJ9072	821109	1030	475	K	350	K	14	K			10	U	22		20	U	2	U
	11	DEEP	W	MJ9078	821109	1100	480	K	375	K	12	K	200	U	10	U	20		20	U	2	U
	12	3	S	MJ9079	821025	1130	250		340		120		20	U	1	U	1	U	2	U	0.2	U
	12	6	S	MJ9080	821025	1140	10.6		93		96		20	U	1	U	1	U	2	U	0.2	U
	12	9	S	MJ9081	821025	1200	91		117		130		20	U	1	U	1	U	2	U	0.2	U
	12	12	S	MJ9082	821025	1230	210		180		140		20	U	1	U	1	U	2	U	0.2	U
	12	15	S	MJ9083	821025	1240	104		91		140		20	U	1	U	1	U	2	U	0.2	U
	12	SHAL	W	MJ9084	821103	1200	4000		8400		6000		200	U	10	U	10	U	20	U	2	U
	13	3	S	MJ9085	821027	1310	37		360		117		20	U	1	U	1	U	2	U	0.2	U
	13	6	S	MJ9086	821027	1325	36		96		93		20	U	1	U	1	U	2	U	0.2	U
	13	9	S	MJ9087	821027	1400	160		61		94		20	U	1	U	1	U	2	U	0.2	U
	13	SHAL	W	MJ9090	821101	1500	960		10	U	1300		200	U	10	U	10	U	20	U	2	U
	14	3	S	MJ9091	821020	0945	2000		1700		80		20	U	1	U	2.2		2	U	0.2	U
	14	6	S	MJ9092	821020	1020	240		700		16		20	U	1	U	2.4		2	U	0.2	U
	14	9	S	MJ9093	821020	1040	150		440		16		20	U	1	U	1.3		2	U	0.2	U
	14	12	S	MJ9094	821020	1100	96		730		17		20	U	1	U	1.6		2	U	0.2	U
	14	15	S	MJ9095	821020	1145	98		1040		15		20	U	1	U	3.0		2	U	0.2	U
	14	SHAL	W	MJ9096	821104	1400	27	K	380	K	29	K	200	U	10	U	18		20	U	2	U
	15	3	S	MJ9097	821025	1500	1390		3800		115		20	U	1	U	1	U	2	U	0.2	U
	15	6	S	MJ9098	821025	1510	880		6800		210		76		1	U	5.8		2	U	1.8	
	15	9	S	MJ9099	821025	1520	1260		9100		240		76		1	U	5.4		2	U	1.4	
	15	SHAL	W	MJ9102	821112	1230	530		260		10	K	200	U	10	U	10	U	20	U	2	U
	16	3	S	MJ9103	821020	1310	13		210		12		20	U	1	U	102		2	U	0.2	U
	16	6	S	MJ9104	821020	1325	87		130		29		20	U	1	U	15		28		0.2	U
	16	9	S	MJ9105	821020	1345	300		240		70		20	U	1	U	3.0		2	U	0.2	U
	16	12	S	MJ9106	821020	1405	96		234		56		20	U	1	U	3.1		3.4		0.2	U
	16	15	S	MJ9107	821020	1430	21		105		27		20	U	1	U	3.7		2	U	0.2	U
	16	SHAL	W	MJ9108	821104	1100	21	K	64	K	33	K	200	U	10	U	11		20	U	2	U
	17	3	S	MJ9109	821011	1100	110		1100		18		20	U	1	U	1	U	2	U	0.2	U
	17	6	S	MJ9110	821011	1120	111		1600		52		20	U	1	U	1	U	2	U	0.2	U
	17	9	S	MJ9111	821011	1150	113		1900		40		20	U	1	U	4.4		2	U	0.2	U
	17	12	S	MJ9112	821011	1230	57		1000		16		20	U	1	U	2.0		2	U	0.2	U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - MG/KG (PPM) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

INORGANICS -- METALS

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000
* NON-PRIORITY POLLUTANT

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	ITR NUM	DATE	TIME	MN*		ZN		B*		V*		AG		AS		SB		SE	
	17	15	S	MJ9113	821011	1300	66	I	1190	I	24	I	20	UI	1	UI	1	UI	2	UI	0.2	UI
	17	18	S	MJ9114	821013	1330	87	I	1370	I	26	I	20	UI	1	UI	1	UI	2	UI	0.2	UI
	17	21	S	MJ9116	821013	1350	121	I	1030	I	23	I	20	UI	1	UI	1	UI	2	UI	0.2	UI
	17	24	S	MJ9117	821013	1400	162	I	400	I	10	UI	20	UI	1	UI	1	UI	2	UI	0.2	UI
	17	27	S	MJ9118	821013	1405	109	I	169	I	10	UI	20	UI	1	UI	1	UI	2	UI	0.2	UI
	17	30	S	MJ9119	821013	1420	131	I	280	I	10	UI	20	UI	1	UI	1	UI	2	UI	0.2	UI
	17	SHAL	W	MJ8042	821110	1000	410	K I	360	K I	30	K I	200	UI	10	UI	32	I	20	UI	2	UI
	17	DEEP	W	MJ9120	821110	1100	210	K I	160	K I	8400	I	200	UI	10	UI	10	UI	20	UI	2	UI
	18	3	S	MJ9121	821026	1000	85	I	3300	I	110	I	20	UI	1	UI	1	UI	2	UI	0.2	UI
	18	6	S	MJ9122	821026	1020	62	I	7000	I	150	I	20	UI	1	UI	1	UI	2	UI	0.2	UI
	18	9	S	MJ9123	821026	1030	59	I	2700	I	140	I	20	UI	1	UI	2	UI	2	UI	0.2	UI
	18	SHAL	W	MJ9126	821112	1130	6700	I	510	K I	3300	I	200	UI	10	UI	10	UI	20	UI	2	UI
	19	3	S	MJ9127	821027	1000	76	I	1200	I	84	I	20	UI	1	UI	1	UI	2	UI	0.2	UI
	19	6	S	MJ9128	821027	1015	77	I	1900	I	72	I	20	UI	1	UI	1	UI	2	UI	0.2	UI
	19	9	S	MJ9129	821027	1045	146	I	430	I	60	I	20	UI	1	UI	1	UI	2	UI	0.2	UI
	19	12	S	MJ9130	821027	1120	62	I	860	I	58	I	20	UI	1	UI	1	UI	2	UI	0.2	UI
	19	SHAL	W	MJ9132	821101	1600	10	K I	100	K I	4400	I	200	UI	10	UI	10	UI	20	UI	2	UI
	20	3	S	MJ9133	821021	0940	330	I	13.3	K I	10	UI	20	UI	1	UI	1	UI	2	UI	0.2	UI
	20	6	S	MJ9134	821021	1010	61	I	1750	I	10	UI	20	UI	1	UI	3.8	I	2	UI	0.2	UI
	20	9	S	MJ9135	821021	1030	38	I	1300	I	10	UI	20	UI	1	UI	1.3	I	2	UI	0.2	UI
	20	12	S	MJ9136	821021	1055	92	I	2100	I	10	UI	20	UI	1	UI	1.8	I	2	UI	0.2	UI
	20	15	S	MJ9137	821021	1120	78	I	360	I	10	UI	20	UI	1	UI	1.4	I	2	UI	0.2	UI
	20	SHAL	W	MJ9138	821104	1330	21	K I	11	K I	2600	I	200	UI	10	UI	10	UI	20	UI	2	UI
	21	3	S	MJ9139	821021	1400	1550	I	40.5	K I	82	I	20	UI	1	UI	6.5	I	6.7	I	0.2	UI
	21	6	S	MJ9140	821021	1445	560	I	10.9	K I	30	I	20	UI	1	UI	2.6	I	2	UI	0.2	UI
	21	9	S	MJ9141	821021	1510	340	I	6500	I	22	I	20	UI	1	UI	7.6	I	2	UI	0.2	UI
	21	12	S	MJ9142	821021	1535	100	I	460	I	10	UI	20	UI	1	UI	2.9	I	2	UI	0.2	UI
	21	15	S	MJ9143	821021	1545	64	I	312	I	10	UI	20	UI	1	UI	1.5	I	2	UI	0.2	UI
	21	SHAL	W	MJ9144	821105	1030	5600	I	390	I	1200	I	200	UI	10	UI	10	UI	20	UI	2	UI
	22	3	S	MJ9145	821012	0900	870	I	2300	I	10	UI	20	UI	1	UI	19	I	130	I	0.2	UI
	22	6	S	MJ9146	821012	0930	1390	I	5700	I	38	I	20	UI	1	UI	13.1	I	69	I	30.5	I
	22	9	S	MJ9147	821012	1000	1620	I	11.2	K I	33	I	20	UI	1	UI	1	UI	109	I	0.2	UI
	22	12	S	MJ9148	821012	1030	910	I	2900	I	10	UI	20	UI	1	UI	1	UI	11.3	I	0.2	UI
	22	15	S	MJ9149	821012	1100	1.5	UI	350	I	10	UI	20	UI	1	UI	1	UI	2	UI	0.2	UI
	22	SHAL	W	MJ9150	821110	1200	5300	I	2000	I	1800	I	200	UI	10	UI	10	UI	20	UI	2	UI
	22	DEEP	W	MJ9156	821110	1300	45	K I	30	K I	2600	I	200	UI	10	UI	32	I	26	I	4.1	I
	23	3	S	MJ9157	821026	1130	1200	I	2000	I	109	I	20	UI	1	UI	1	UI	2	UI	0.2	UI
	23	6	S	MJ9158	821026	1150	380	I	1400	I	130	I	20	UI	1	UI	1	UI	2	UI	0.2	UI
	23	9	S	MJ9159	821026	1200	280	I	520	I	160	I	20	UI	1	UI	1	UI	2	UI	0.2	UI
	23	SHAL	W	MJ9162	821026	1430	3600	I	240	I	9800	I	200	UI	10	UI	11	I	20	UI	2	UI
	24	3	S	MJ9163	821022	0950	530	I	60	I	94	I	20	UI	1	UI	1	UI	2	UI	0.2	UI
	24	6	S	MJ9164	821022	1000	390	I	120	I	41	I	20	UI	1	UI	2.2	I	2	UI	0.2	UI
	24	9	S	MJ9165	821022	1020	130	I	43	I	37	I	20	UI	1	UI	1.4	I	2	UI	0.2	UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - MG/KG (PPM) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

INORGANICS -- METALS

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000
* NON-PRIORITY POLLUTANT

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	ITR NUM	DATE	TIME	METALS PARAMETERS MN*	ZN	B*	V*	AG	AS	SB	SE
	24	12	S	MJ9166	821022	1045	240	52	48	20 U	1 U	3.6	2 U	0.2 U
	24	15	S	MJ9167	821022	1055	29	14	51	20 U	1 U	1 U	2 U	0.2 U
	24	SHAL	W	MJ9168	821105	1130	96	10 U	800	200 U	10 U	10 U	20 U	2 U
	25	3	S	MJ9169	821026	1340	33	560	87	20 U	1 U	1 U	2 U	0.2 U
	25	6	S	MJ9170	821026	1355	121	210	160	20 U	1 U	1 U	2 U	0.2 U
	25	9	S	MJ9171	821026	1440	89	290	170	20 U	1 U	1 U	2 U	0.2 U
	25	SHAL	W	MJ9174	821111	1130	2900	23	2000	200 U	10 U	10 U	20 U	2 U
	25	DEEP	W	MJ9180	821110	1500	1200	160	740	200 U	10 U	10 U	20 U	2 U
	26	3	S	MJ9181	821026	1425	38	6	120	20 U	1 U	1 U	2 U	0.2 U
	26	6	S	MJ9182	821026	1440	170	240	118	20 U	1 U	1 U	2 U	0.2 U
	26	9	S	MJ9183	821026	1450	140	1800	124	20 U	1 U	1 U	2 U	0.2 U
	26	SHAL	W	MJ9186	821111	1230	6300	34 K	2200	200 U	10 U	10 U	20 U	2 U
	27	SHAL	W	MJ8046	821116	1100	12 K	94 K	4800	200 U	45	25	20 U	2 U
	28	SHAL	W	MJ8047	821116	1230	43 K	510 K	64 K	200 U	45	25	20 U	2 U
	29	SHAL	W	MJ8045	821115	1300	33 K	350 K	20 K	200 U	19	10 U	20 U	2 U
	30	SHAL	W	MJ8033	821220	1100	1200	32	1200	200 U	10 U	10 U	20 U	2 U
BERM #1		1	S	MJ9187	821025	1000	1500	510	104	20 U	1 U	1 U	2 U	0.2 U
BERM #2		1	S	MJ9188	821025	1015	920	1700	98	20 U	1 U	1 U	2 U	0.2 U
BERM #3		1	S	MJ9189	821025	1030	850	2900	100	20 U	1 U	1 U	2 U	0.2 U
BERM #4		1	S	MJ9190	821025	1045	1080	13.3K	160	20 U	1 U	1 U	2 U	1.0
BERM #5		1	S	MJ9191	821025	1100	850	7800	102	20 U	1 U	1 U	2 U	0.2 U
BERM #6		1	S	MJ9192	821025	1115	880	1200	110	20 U	1 U	1 U	2 U	0.2 U
BERM #7		1	S	MJ9193	821025	1130	2900	16 K	120	20 U	1 U	2.4	2 U	0.9
BERM #8		1	S	MJ9194	821025	1145	82	540	170	140	1 U	1 U	2 U	0.2 U
BERM #9		1	S	MJ9195	821025	1200	48	1190	170	76	1 U	1 U	2 U	0.2 U
BLANK			S	MJ9197	821008		1.5 M	1 M	28	20 M	1 M	1 M	2 M	0.2 M
DRILLER'S WATER			W	MJ9199	821012		1.5 U	1.7	10 U	20 U	1 U	1 U	2 U	0.2 U
PEA GRAVEL			S	MJ9198	821012		10	23	10 U	20 U	1 U	1 U	2 U	0.2 U
SS#2		0	S	MJ9328	821118	0952	550	6200	60	20 U	1 U	16	34	0.2 U
SS#3		0	S	MJ9329	821118	0956	180	27.6K	61	20 U	1 U	5.8	2 U	0.2 U
SS#4		0	S	MJ9335	821118	1002	260	6800	54	20 U	1 U	36	98	0.2 U
SS#5		0	S	MJ9341	821118	1008	2600	81 K	88	20 U	6.1	17	6.0	0.2 U
SS#6		0	S	MJ9346	821118	1027	400	1400	61	20 U	1 U	1 U	2 U	0.2 U
SS#7		0	S	MJ9347	821118	1036	740	2000	60	20 U	1 U	1 U	2 U	0.2 U
SS#8		0	S	MJ9059	821118	1041	530	4700	53	20 U	1 U	8.5	2 U	0.2 U
SS#9		0	S	MJ9073	821118	1044	600	330	54	20 U	1 U	1.3	2 U	0.2 U
SS#10		0	S	MJ9074	821118	1048	620	820	47	20 U	1 U	2.0	9.5	0.2 U
SS#11		0	S	MJ9075	821118	1050	160	760	45	20 U	1 U	1 U	2 U	0.2 U
SS#12		0	S	MJ9076	821118	1053	550	2400	90	20 U	1 U	4.3	4.5	0.2 U
TRANSFER BLANK			W	MJ8043	821101	1100	15 U	140	540	200 U	10 U	10 U	20 U	2 U
TRANSPORT BLANK			W	MJ8044	821101	1100	15 U	10 U	540	200 U	10 U	10 U	20 U	2 U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - MG/KG (PPM) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

INORGANICS -- METALS

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000
* NON-PRIORITY POLLUTANT

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	ITR NUM	DATE	TIME	---- METALS TL	HG	SN*	PARAMETERS CD	---- PB	PHENOLIC	CN
	01	3	S	MJ9301	821007	0900	1 M	0.02 M	2 M	0.85	9.8		11
	01	6	S	MJ9302	821007	0915	1 M	0.02 M	2 M	8.2	4.9		5.8
	01	9	S	MJ9303	821007	0930	1 M	0.02 M	2 M	23	1.5		20
	01	12	S	MJ9304	821007	0945	1 M	0.02 M	2 M	5.4	2.7		9.2
	01	SHAL	W	MJ9312	821108	1330	10 U	0.2	20 U	1 U	5 U		10 U
	01	DEEP	W	MJ9311	821108	1400	10 U	0.63	20 U	1 U	5 U		10 U
	02	3	S	MJ9313	821014	1025	1 U	0.02 U	2 U	1.03	46		3.7
	02	6	S	MJ9314	821014	1030	1 U	0.02 U	2 U	0.38	2.3		1 U
	02	9	S	MJ9315	821014	1035	1 U	0.02 U	2 U	1.4	4.7		1 U
	02	12	S	MJ9316	821014	1040	1 U	0.02 U	2 U	13	2.2		1 U
	02	15	S	MJ9317	821014	1045	1 U	0.02 U	2 U	13	0.5 U		1 U
	02	SHAL	W	MJ9318	821102	1100	10 U	0.33	20 U	25	5 U		13
	03	3	S	MJ9319	821014	1155	1 U	0.02 U	2 U	1.8	78		1 U
	03	6	S	MJ9320	821014	1205	1 U	0.02 U	2.9	44	110		1 U
	03	9	S	MJ9321	821014	1210	1 U	0.02 U	3.0	5.7	110		1 U
	03	SHAL	W	MJ9324	821115	1200	1 U	0.53		94	13300		4400
	04	3	S	MJ9325	821018	1415	1 M	0.02 M	2 M	1.4	19		22
	04	6	S	MJ9326	821018	1430	1 M	0.02 M	2 M	0.39	9.6		1 M
	04	9	S	MJ9327	821018	1435	1 M	0.02 M	2 M	0.82	1.9		1 M
	04	SHAL	W	MJ9330	821102	1500	10 U	0.28	20 U	1 U	5 U		10 U
	05	3	S	MJ9331	821018	1330	1 M	0.02 M	2 M	2.1	91		1 M
	05	6	S	MJ9332	821018	1330	1 M	0.02 M	2 M	49	140		2.2
	05	9	S	MJ9333	821018	1330	1 M	0.02 M	2 M	7.3	66		1.1
	05	12	S	MJ9334	821018	1330	1 M	0.02 M	2 M	98	101		1 M
	05	SHAL	W	MJ9336	821103	1400	10 U	0.28	20 U	160	5 U		35 K
	06	3	S	MJ9337	821018	1035	1 M	0.02 M	2 M	0.33	20		10.1
	06	6	S	MJ9338	821018	1045	1 M	0.02 M	2 M	5.2	20		1 M
	06	9	S	MJ9339	621018	1050	1 M	0.02 M	2 M	6.0	10.9		1 M
	06	12	S	MJ9340	821018	1100	1 M	0.02 M	2 M	28	0.5 M		3.8
	06	SHAL	W	MJ9342	821103	1100	10 U	0.43	20 U	85	5 U		10 U
	07	3	S	MJ9343	821014	1415	1 U	0.02 U	2.9	0.51	19		1 U
	07	6	S	MJ9344	821014	1425	1 U	0.02 U	3.4	22	3.5		1 U
	07	9	S	MJ9345	821014	1430	1 U	0.02 U	3.2	9.2	1.11		1 U
	07	SHAL	W	MJ9348	821103	1430	10 U	0.78	20 U	120	5 U		13
	08	3	S	MJ9349	821025	1410	1 U	0.03	2 U	3.8	130		1 U
	08	6	S	MJ9350	821025	1425	1 U	0.02 U	2 U	0.1 U	0.5 U		1 U
	08	9	S	MJ9051	821025	1440	1 U	0.02 U	2 U	1 U	0.5 U		1 U
	08	SHAL	W	MJ9054	821106	1500	10 U	0.38	20 U	175	5 U		10 U
	09	3	S	MJ9055	821019	1020	1.5	0.02 U	2 U	0.1 U	0.5 U		1 U
	09	6	S	MJ9056	821019	1030	1 U	0.02 U	2 U	7.0	2.4		1 U
	09	9	S	MJ9057	821019	1040	1 U	0.02 U	2 U	4.1	1.6		1 U
	09	12	S	MJ9058	821019	1045	1 U	0.02 U	2 U	2.6	11.6		2.7
	09	SHAL	W	MJ9060	821103	1500	20 U	0.23	20 U	130	5 U		1900

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - MG/KG (PPM) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

INORGANICS -- METALS

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000
* NON-PRIORITY POLLUTANT

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	ITR NUM	DATE	TIME	---- M E T A L S TL	 HG	P A R A M E T E R S SN*	 CD	---- PB	PHENOLIC	CN
	10	3	S	MJ9061	821019	1235	1 U	0.02U	2 U	22	49		1 U
	10	6	S	MJ9062	821019	1250	1 U	0.02U	2 U	39	0.5 U		5.0
	10	9	S	MJ9063	821019	1310	1 U	0.02U	2 U	25	18		1 U
	10	12	S	MJ9064	821019	1340	1 U	0.02U	2 U	52	1.53		6.0
	10	15	S	MJ9065	821019	1405	1 U	0.02U	2 U	27	1.6		6.2
	10	SHAL	W	MJ9066	821104	1000	10 U	0.43	20 U	60 K	620		830
	11	3	S	MJ9067	821008	1100	1 M	0.02M	20 M	0.35	2.8		16
	11	6	S	MJ9068	821008	1115	1 M	0.02M	2 M	2.0	6.7		12.2
	11	8	S	MJ9069	821008	1130	1 M	0.36	2 M	1.24	7.6		6.6
	11	10	S	MJ9070	821008	1145	1 M	0.02M	2 M	6.5	23		11.7
	11	12	S	MJ9071	821008	1200	1 M	0.02M	2 M	2.1	280		22
	11	SHAL	W	MJ9072	821109	1030	10 U	1.28	20 U	4800	1600		53
	11	DEEP	W	MJ9078	821109	1100	10 U	0.43	20 U	3900	1100		36
	12	3	S	MJ9079	821025	1130	1 U	0.02U	2 U	2.1	22		1 U
	12	6	S	MJ9080	821025	1140	1 U	0.02U	2 U	0.1 U	0.5 U		1 U
	12	9	S	MJ9081	821025	1200	1 U	0.02U	2 U	5.1	8.4		1 U
	12	12	S	MJ9082	821025	1230	1 U	0.02U	2 U	22	0.5 U		1 U
	12	15	S	MJ9083	821025	1240	1 U	0.02U	2 U	8.4	0.5 U		1 U
	12	SHAL	W	MJ9084	821103	1200	10 U	0.28	20 U	210	5 U		10 U
	13	3	S	MJ9085	821027	1310	0.1 U	0.02U	2 U	5.1	12.1		5.1
	13	6	S	MJ9086	821027	1325	1 U	0.02U	2 U	1.18	2.8		1.6
	13	9	S	MJ9087	821027	1400	1 U	0.02U	2 U	0.1 U	1.2		3.6
	13	SHAL	W	MJ9090	821101	1500	10 U	0.2 U	20 U	1 U	5 U		10 U
	14	3	S	MJ9091	821020	0945	1 U	0.02U	2 U	15	340		1 U
	14	6	S	MJ9092	821020	1020	1 U	0.02U	2 U	4.8	76		2.3
	14	9	S	MJ9093	821020	1040	1 U	0.04	2 U	7.1	5.2		3.5
	14	12	S	MJ9094	821020	1100	1 U	0.03	2 U	9.5	12.5		4.8
	14	15	S	MJ9095	821020	1145	1 U	0.03	2 U	9.6	29		1 U
	14	SHAL	W	MJ9096	821104	1400	10 U	0.53	20 U	12 K	730		41
	15	3	S	MJ9097	821025	1500	1 U	0.02U	2 U	8.3	72		1 U
	15	6	S	MJ9098	821025	1510	1 U	0.02U	2 U	170	1500		55.6
	15	9	S	MJ9099	821025	1520	1 U	0.06	2 U	200	4800		5.4
	15	SHAL	W	MJ9102	821112	1230	10 U	1.1	20 U	11	5 U		1200
	16	3	S	MJ9103	821020	1310	1 U	0.03	2 U	20	84 K		1 U
	16	6	S	MJ9104	821020	1325	1 U	0.05	2 U	20	141 K		2.2
	16	9	S	MJ9105	821020	1345	1 U	0.04	2 U	6.9	850		1 U
	16	12	S	MJ9106	821020	1405	1 U	0.02U	2 U	5.5	5200		1 U
	16	15	S	MJ9107	821020	1430	1 U	0.02U	2 U	1.18	232		1 U
	16	SHAL	W	MJ9108	821104	1100	10 U	0.43	20 U	580	470		450
	17	3	S	MJ9109	821011	1100	1 U	0.02U	2 U	8.3	200		7.1
	17	6	S	MJ9110	821011	1120	1 U	0.02U	2 U	18	190		1.8
	17	9	S	MJ9111	821011	1150	1 U	0.02U	2 U	13.6	87		1 U
	17	12	S	MJ9112	821011	1230	1 U	0.02U	2 U	8.0	39		2.7

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - MG/KG (PPM) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

INORGANICS -- METALS

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000
* NON-PRIORITY POLLUTANT

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	ITR NUM	DATE	TIME	---- METALS PARAMETERS ---- TL	HG	SN*	CD	PB	PHENOLIC	CN
	17	15	S	MJ9113	821011	1300	1 U	0.02U	2 U	12.8	42		2.6
	17	18	S	MJ9114	821013	1330	1 U	0.02U	2 U	11.5	167		9.0
	17	21	S	MJ9116	821013	1350	1 U	0.02U	2 U	11.1	82		5.1
	17	24	S	MJ9117	821013	1400	1 U	0.02U	2 U	3.4	53		2.2
	17	27	S	MJ9118	821013	1405	1 U	0.02U	2 U	2.5	27		5.5
	17	30	S	MJ9119	821013	1420	1 U	0.02U	2 U	2.5	41		1 U
	17	SHAL	W	MJ8042	821110	1000	10 U	0.83	20 U	4500	1600		92
	17	DEEP	W	MJ9120	821110	1100	10 U	0.83	20 U	800	210		10 U
	18	3	S	MJ9121	821026	1000	1 U	0.03	2 U	3.5	1130		1 U
	18	6	S	MJ9122	821026	1020	1 U	0.02	2 U	3.1	4500		1 U
	18	9	S	MJ9123	821026	1030	1 U	0.04	2 U	4.3	630		1 U
	18	SHAL	W	MJ9126	821112	1130	10 U	0.2 U	20 U	240	110		10 U
	19	3	S	MJ9127	821027	1000	1 U	0.02U	2 U	8.9	1.24		3.4
	19	6	S	MJ9128	821027	1015	1 U	0.02U	2 U	8.2	0.5 U		1 U
	19	9	S	MJ9129	821027	1045	1 U	0.02U	2 U	0.64	1.01		1.7
	19	12	S	MJ9130	821027	1120	1 U	0.02U	2 U	2.0	2.4		1 U
	19	SHAL	W	MJ9132	821101	1600	10 U	0.2 U	20 U	290	5 U		10 U
	20	3	S	MJ9133	821021	0940	1 U	0.02U	2 U	58	1900		1 U
	20	6	S	MJ9134	821021	1010	1 U	0.02U	2 U	8.4	240		1 U
	20	9	S	MJ9135	821021	1030	1 U	0.02U	2 U	13	67		1 U
	20	12	S	MJ9136	821021	1055	1 U	0.02U	2 U	4.9	190		2
	20	15	S	MJ9137	821021	1120	1 U	0.02U	2 U	1.25	32		1 U
	20	SHAL	W	MJ9138	821104	1330	10 U	0.38	20 U	100	280		70
	21	3	S	MJ9139	821021	1400	1 U	0.02U	7.6	226	6400		1 U
	21	6	S	MJ9140	821021	1445	1 U	0.02U	3.0	63	1800		1 U
	21	9	S	MJ9141	821021	1510	1 U	0.02U	2 U	38	1010		1 U
	21	12	S	MJ9142	821021	1535	1 U	0.02U	2 U	2.5	28		1 U
	21	15	S	MJ9143	821021	1545	1 U	0.02U	2 U	1.8	50		1 U
	21	SHAL	W	MJ9144	821105	1030	10 U	0.28	20 U	1 U	5 U		10 U
	22	3	S	MJ9145	821012	0900	1 U	0.02U	6.4	79	16 K		3.4
	22	6	S	MJ9146	821012	0930	1 U	0.02U	7.4	134	12 K		22.6
	22	9	S	MJ9147	821012	1000	1 U	0.02U	10.0	402	24.8K		179
	22	12	S	MJ9148	821012	1030	1 U	0.02U	2 U	93	5600		113
	22	15	S	MJ9149	821012	1100	1 U	0.02U	2 U	10.6	0.5 U		5.3
	22	SHAL	W	MJ9150	821110	1200	10 U	0.2 U	20 U	18	250		360
	22	DEEP	W	MJ9156	821110	1300	10 U	46	20 U	77	5 U		36
	23	3	S	MJ9157	821026	1130	1 U	0.02	2 U	8.9	45.6K		1 U
	23	6	S	MJ9158	821026	1150	1 U	0.02	2 U	16	480		8.5
	23	9	S	MJ9159	821026	1200	1 U	0.02	2 U	7.6	121		1 U
	23	SHAL	W	MJ9162	821026	1430	10 U	0.2 U	20 U	1 U	430		10 U
	24	3	S	MJ9163	821022	0950	1 U	0.02U	2 U	0.59	11		1 U
	24	6	S	MJ9164	821022	1000	1 U	0.02U	2 U	0.86	44		1 U
	24	9	S	MJ9165	821022	1020	1 U	0.04	2 U	0.29	11.3		3.6

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - MG/KG (PPM) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

INORGANICS -- METALS

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000
* NON-PRIORITY POLLUTANT

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	ITR NUM	DATE	TIME	---- METALS TL	HG	PARAMETERS SN*	CD	PB	PHENOLIC ----	CN
	24	12	S	MJ9166	821022	1045	1 U	0.02U	2 U	0.31	4.9		1 U
	24	15	S	MJ9167	821022	1055	1 U	0.02U	2 U	0.1 U	2.0		3.6
	24	SHAL	W	MJ9168	821105	1130	10 U	0.58	20 U	1 U	5 U		19
	25	3	S	MJ9169	821026	1340	1 U	0.02U	2 U	0.1 U	0.5 U		1 U
	25	6	S	MJ9170	821026	1355	1 U	0.05	2 U	0.1 U	13.0		1 U
	25	9	S	MJ9171	821026	1440	1 U	0.02U	2 U	0.1 U	66		1 U
	25	SHAL	W	MJ9174	821111	1130	10 U	0.2 U	20 U	1 U	5 U		10 U
	25	DEEP	W	MJ9180	821110	1500	10 U	0.58	20 U	1 U	5 U		10 U
	26	3	S	MJ9181	821026	1425	1 U	0.02U	2 U	2.9	13		1 U
	26	6	S	MJ9182	821026	1440	1 U	0.02U	2 U	0.1 U	20		3.9
	26	9	S	MJ9183	821026	1450	1 U	0.02U	2 U	1.8	96		1 U
	26	SHAL	W	MJ9186	821111	1230	10 U	0.2 U	20 U	10	5 U		10 U
	27	SHAL	W	MJ8046	821116	1100	10 U	0.2 U	20 U	320	5 U		43
	28	SHAL	W	MJ8047	821116	1230	10 U	0.2 U	20 U	5600	6.5		920
	29	SHAL	W	MJ8045	821115	1300	10 U	0.2 U	20 U	76	5 U		10 U
	30	SHAL	W	MJ8033	821220	1100	10 U	0.31	20 U	1 U	21		10 U
BERM #1		1	S	MJ9187	821025	1000	1 U	0.02U	2 U	13	220		1 U
BERM #2		1	S	MJ9168	821025	1015	1 U	0.02U	2 U	8.6	470		1 U
BERM #3		1	S	MJ9189	821025	1030	1 U	0.02U	2 U	17	3300		1 U
BERM #4		1	S	MJ9190	621025	1045	1 U	0.04	2 U	49	1090		1 U
BERM #5		1	S	MJ9191	821025	1100	1 U	0.02U	2 U	30	3000		1 U
BERM #6		1	S	MJ9192	821025	1115	1 U	0.03	2 U	5.7	770		1 U
BERM #7		1	S	MJ9193	821025	1130	1 U	0.06	2 U	71	5100		1 U
BERM #8		1	S	MJ9194	821025	1145	1 U	0.14	2 U	14	230		1 U
BERM #9		1	S	MJ9195	821025	1200	1 U	0.02U	2 U	22	170		1 U
BLANK			S	MJ9197	821008		1 M	0.02M	2 M	0.1 M	0.5 M		1 M
DRILLER'S WATER			W	MJ9199	821012		1 U	0.02U	2 U	0.17	0.5 U		1 U
PEA GRAVEL			S	MJ9198	821012		1 U	0.02U	2 U	0.67	0.5 U		3.6
SS#2		0	S	MJ9328	821118	0952	1 U	0.02U	10.3	50	10.3K		4.1
SS#3		0	S	MJ9329	821118	0956	1 U	0.02U	2 U	0.89	2400		1 U
SS#4		0	S	MJ9335	821118	1002	1 U	0.02U	2 U	30	31 K		1.5
SS#5		0	S	MJ9341	821118	1008	1 U	0.02U	19	420	17 K		1 U
SS#6		0	S	MJ9346	821118	1027	1 U	0.02U	3.2	6.1	450		8.4
SS#7		0	S	MJ9347	821118	1036	1 U	0.02U	2 U	6.8	660		1 U
SS#8		0	S	MJ9059	821118	1041	1 U	0.02U	2 U	16	870		1 U
SS#9		0	S	MJ9073	821118	1044	1 U	0.02U	2 U	1.6	120		1 U
SS#10		0	S	MJ9074	821118	1048	1 U	0.02U	2 U	4.3	5900		1.2
SS#11		0	S	MJ9075	821118	1050	1 U	0.02U	2 U	1.7	190		13
SS#12		0	S	MJ9076	821118	1053	1 U	0.02U	2 U	10.1	1300		15
TRANSFER BLANK			W	MJ8043	821101	1100	10 U	0.2 U	20 U	1 U	5 U		10 U
TRANSPORT BLANK			W	MJ8044	821101	1100	10 U	0.2 U	20 U	1 U	5 U		10 U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - MG/KG (PPM) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	ACID COMPOUNDS 2,4,6 TRI CHLORO PHENOL		P-CHLORO -M- CRESOL		2-CHLORO PHENOL		2,4,DI CHLORO PHENOL		2,4,DI METHYL PHENOL		2-NITRO PHENOL		4-NITRO PHENOL		2,4,DI NITRO PHENOL	
	01	3	S	J1601	821007	0900	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	01	6	S	J1602	821007	0915	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	01	9	S	J1603	821007	0930	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	01	12	S	J1604	821007	0945	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	01	SHAL	W	J1606	821108	1330	20	U	40	U	20	U	20	U	20	U	40	U	200	U	100	U
	01	DEEP	W	J1612	821108	1400	20	U	40	U	20	U	20	U	20	U	40	U	200	U	100	U
	02	3	S	J1613	821014	1025	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	02	6	S	J1614	821014	1030	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	02	9	S	J1615	821014	1035	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	02	12	S	J1616	821014	1040	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	02	15	S	J1617	821014	1045	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	02	SHAL	W	J1618	821102	1100	20	U	40	U	20	U	20	U	20	U	40	U	200	U	100	U
	03	3	S	J1619	821014	1155	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	03	6	S	J1620	821014	1205	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	03	9	S	J1621	821014	1210	400	U	400	U	400	U	400	U	760	M	800	U	400	U	2000	U
	03	SHAL	W	J5052	821115	1200	10	KU	20	KU	10	KU	10	KU	10	KU	10	KU	90	KU	40	KU
	04	3	S	J1625	821018	1415	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	04	6	S	J1626	821018	1430	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	04	9	S	J1627	821018	1435	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	04	SHAL	W	J1630	821102	1500	10	KU	20	KU	10	KU	10	KU	10	KM	20	KU	100	KU	50	KU
	05	3	S	J1631	821018	1330	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	05	6	S	J1632	821018	1330	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	05	9	S	J1633	821018	1330	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	05	12	S	J1634	821018	1330	10	KU	20	KU	10	KU	10	KU	10	KU	20	KU	100	KU	50	KU
	05	SHAL	W	J1636	821103	1500	8800		40	U	20	U	20	U	520		40	U	200	U	100	U
	06	3	S	J1637	821018	1035	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	06	6	S	J1638	821016	1045	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	06	9	S	J1639	821018	1050	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	06	12	S	J1640	821018	1100	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	06	SHAL	W	J1642	821103	1100	20	U	40	U	20	U	20	M	20	M	150	M	200	U	100	U
	07	3	S	J1643	821014	1415	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	07	6	S	J1644	821014	1425	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	07	9	S	J1645	821014	1430	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	07	SHAL	W	J1648	821103	1430	20	U	40	U	20	U	20	U	4600		40	U	200	U	100	U
	08	3	S	J1649	821025	1410	10	KU	20	KU	10	KU	10	KU	10	KU	20	KU	100	KU	50	KU
	08	6	S	J1650	821025	1425	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	08	9	S	J1651	821025	1440	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	08	SHAL	W	J1654	821108	1500	20	U	40	U	20	U	20	U	98		40	U	200	U	100	U
	09	3	S	J1655	821019	1020	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	09	6	S	J1656	821019	1030	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	09	9	S	J1657	821019	1040	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	09	12	S	J1658	821019	1045	400	U	400	U	400	U	400	U	400	U	800	U	400	U	2000	U
	09	SHAL	W	J1660	821103	1500	20	U	40	U	20	U	20	U	20	U	40	U	200	U	100	U
	10	3	S	J1661	821019	1235	400	U	400	U	400	U	3700		440	M	800	U	400	U	2000	U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							ACID COMPOUNDS							
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	2,4,6 TRI CHLORO PHENOL	P-CHLORO -M- CRESOL	2-CHLORO PHENOL	2,4,DI CHLORO PHENOL	2,4,DI METHYL PHENOL	2-NITRO PHENOL	4-NITRO PHENOL	2,4,DI NITRO PHENOL
	10	6	S	J1662	821019	1250	400 U	400 U	400 U	7900	400 U	800 U	400 U	2000 U
	10	9	S	J1663	821019	1310	400 U	400 U	400 U	5200	400 U	800 U	400 U	2000 U
	10	12	S	J1664	821019	1340	400 U	400 U	400 U	400 U	4500	800 U	400 U	2000 U
	10	15	S	J1665	821019	1405	400 U	400 U	400 U	400 U	7900	800 U	4000 U	2000 U
	10	SHAL	W	J1666	821104	1000	10 KU	20 KU	10 KU	10 KM	10 KU	20 KU	100 KU	50 KU
	11	3	S	J1667	821008	1100	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	11	6	S	J1668	821008	1115	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	11	8	S	J1669	821008	1130	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	11	10	S	J1670	821008	1145	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	11	12	S	J1671	821008	1200	400 U	400 U	400 U	400 U	600 M	800 U	400 U	2000 U
	11	SHAL	W	J1672	821109	1030	20 U	40 U	20 U	20 U	200	40 U	200 U	100 U
	11	DEEP	W	J1678	821109	1100	20 U	40 U	20 U	20 U	45 M	40 U	200 U	100 U
	12	3	S	J1679	821025	1130	400 U	400 U	400 U	400 U	400 U	800 U	4000 U	2000 U
	12	6	S	J1680	821025	1140	400 U	400 U	400 U	400 U	400 U	800 U	4000 U	2000 U
	12	9	S	J1681	821025	1200	400 U	400 U	400 U	400 U	400 U	800 U	4000 U	2000 U
	12	12	S	J1682	821025	1230	400 U	400 U	400 U	400 U	400 M	800 U	4000 U	2000 U
	12	15	S	J1683	821025	1240	400 U	400 U	400 U	400 U	400 U	800 U	4000 U	2000 U
	12	SHAL	W	J1684	821103	1200	20 M	40 U	20 U	38 M	1100	40 U	200 U	100 U
	13	3	S	J1685	821027	1310	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	13	6	S	J1686	821027	1325	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	13	9	S	J1687	821027	1400	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	13	SHAL	W	J1690	821101	1500	20 U	40 U	20 U	20 U	20 U	40 U	200 U	100 U
	14	3	S	J1691	821020	0945	400 U	400 U	400 U	400 U	400 M	800 U	400 U	2000 U
	14	6	S	J1692	821020	1020	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	14	9	S	J1693	821020	1040	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	14	12	S	J1694	821020	1100	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	14	15	S	J1695	821020	1145	400 U	400 U	400 U	400 U	400 M	800 U	400 U	2000 U
	14	SHAL	W	J1696	821104	1400	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	15	3	S	J1697	821025	1500	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	15	6	S	J1698	821025	1510	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	15	9	S	J1699	821025	1520	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	15	SHAL	W	J1702	821112	1230	52 M	40 U	20 U	20 U	20 U	40 U	3200	100 U
	16	3	S	J1703	821020	1310	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	16	6	S	J1704	821020	1325	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	16	9	S	J1705	821020	1345	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	16	12	S	J1706	821020	1405	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	16	15	S	J1707	821020	1430	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	16	SHAL	W	J1708	821104	1100	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	17	3	S	J1709	821011	1100	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	17	6	S	J1710	821011	1120	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	17	9	S	J1711	821011	1150	400 U	400 U	400 U	400 U	440 M	800 U	4000 U	2000 U
	17	12	S	J1712	821011	1230	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	17	15	S	J1713	821011	1300	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	17	18	S	J1714	821013	1330	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							ACID COMPOUNDS							
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	2,4,6 TRI CHLORO PHENOL	P-CHLORO -M- CRESOL	2-CHLORO PHENOL	2,4,DI CHLORO PHENOL	2,4,DI METHYL PHENOL	2-NITRO PHENOL	4-NITRO PHENOL	2,4,DI NITRO PHENOL
	17	21	S	J1716	821013	1350	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	17	24	S	J1717	821013	1400	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	17	27	S	J1718	821013	1405	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	17	30	S	J1719	821013	1420	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	17	SHAL	W	J0427	821110	1000	10 KU	20 KU	10 KU	10 KU	10 KM	20 KU	100 KU	50 KU
	17	DEEP	W	J1720	821110	1100	20 U	40 U	20 U	20 U	54 M	300	200 U	100 U
	18	3	S	J1721	821026	1000	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	18	6	S	J1722	821026	1020	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	18	9	S	J1723	821026	1030	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	18	SHAL	W	J1726	821112	1130	20 U	40 U	20 U	20 U	20 U	40 U	200 U	100 U
	19	3	S	J1727	821027	1000	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	19	6	S	J1728	821027	1015	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	19	9	S	J1729	821027	1045	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	19	12	S	J1730	821027	1120	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	19	SHAL	W	J1732	821101	1600	20 U	40 U	20 U	20 U	20 U	40 U	200 U	100 U
	20	3	S	J1733	821021	0940	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	20	6	S	J1734	821021	1010	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	20	9	S	J1735	821021	1030	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	20	12	S	J1736	821021	1055	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	20	15	S	J1737	821021	1120	400 U	400 U	400 U	400 U	400 U	800 U	4000 U	2000 U
	20	SHAL	W	J1738	821104	1330	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	21	3	S	J1739	821021	1400	400 U	400 U	400 U	1900	400 U	800 U	400 U	2000 U
	21	6	S	J1740	821021	1445	400 U	400 U	400 M	4900	400 U	800 U	400 U	2000 U
	21	9	S	J1741	821021	1510	400 U	400 U	400 M	3000	400 M	800 U	400 U	2000 U
	21	12	S	J1742	821021	1535	400 U	400 U	400 U	400 U	10 K	800 U	400 U	2000 U
	21	15	S	J1743	821021	1545	400 U	400 U	400 U	400 U	2600	800 U	400 U	2000 U
	21	SHAL	W	J1744	821105	1030	20 M	40 U	36 M	34 M	1000	190	200 M	100 U
	22	3	S	J1745	821012	0900	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	22	6	S	J1746	821012	0930	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	22	9	S	J1747	821012	1000	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	22	12	S	J1748	821012	1030	10 KU	20 KU	10 KU	10 KU	10 KM	20 KU	100 KU	50 KU
	22	15	S	J1749	821012	1100	400 U	400 U	400 U	400 U	1000 M	800 U	400 U	2000 U
	22	SHAL	W	J1750	821110	1200	20 U	40 U	20 U	20 U	20 U	40 U	200 U	100 U
	22	DEEP	W	J1756	821110	1300	20 U	40 U	20 U	20 U	20 U	40 U	200 U	100 U
	23	3	S	J1757	821026	1130	400 U	400 U	400 U	400 U	400 M	800 U	400 U	2000 U
	23	6	S	J1758	821026	1150	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	23	9	S	J1759	821026	1200	10 KU	20 KU	10 KU	10 KU	10 KU	20 KU	100 KU	50 KU
	23	SHAL	W	J1762	821026	1430	20 U	40 U	20 U	20 U	280	40 U	200 U	100 U
	24	3	S	J1763	821022	0950	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	24	6	S	J1764	821022	1000	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	24	9	S	J1765	821022	1020	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	24	12	S	J1766	821022	1045	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	24	15	S	J1767	821022	1055	400 U	400 U	400 U	400 U	400 U	800 U	400 U	2000 U
	24	SHAL	W	J1768	821105	1130	20 U	40 U	20 U	20 U	20 U	40 U	200 U	100 U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	ACID COMPOUNDS 2,4,6 TRI CHLORO PHENOL		P-CHLORO -M- CRESOL		2-CHLORO PHENOL		2,4,DI CHLORO PHENOL		2,4,DI METHYL PHENOL		2-NITRO PHENOL		4-NITRO PHENOL		2,4,DI NITRO PHENOL	
	25	3	S	J1769	821026	1340	10	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	100	KUI	50	KUI
	25	6	S	J1770	821026	1355	10	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	100	KUI	50	KUI
	25	9	S	J1771	821026	1440	10	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	100	KUI	50	KUI
	25	SHAL	W	J1774	821111	1130	20	UI	40	UI	20	UI	20	UI	20	UI	40	UI	200	UI	100	UI
	25	DEEP	W	J1780	821110	1500	20	UI	40	UI	20	UI	20	UI	20	UI	40	UI	200	UI	100	UI
	26	3	S	J1781	821026	1425	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	4000	UI	2000	UI
	26	6	S	J1782	821026	1440	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	400	UI	2000	UI
	26	9	S	J1783	821026	1450	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	400	UI	2000	UI
	26	SHAL	W	J1786	821111	1230	20	UI	40	UI	20	UI	20	UI	20	UI	40	UI	200	UI	100	UI
	27	SHAL	W	J0462	821116	1100	10	KUI	20	KUI	10	KUI	10	KUI	10	KUI	1.3KK	I	100	KUI	50	KUI
	28	SHAL	W	J0463	821116	1230	20	UI	40	UI	200	MI	220	I	20	UI	40	UI	200	UI	100	UI
	29	SHAL	W	J0461	821115	1300	20	UI	40	UI	20	UI	20	UI	20	MI	40	UI	200	UI	100	UI
	30	SHAL	W	J0465	821220	1100	10K	UI	20K	UI	10K	UI	10K	UI	10K	UI	20K	UI	100K	UI	50K	UI
BERM #1		1	S	J1787	821025	1000	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	4000	UI	2000	UI
BERM #2		1	S	J1788	821025	1015	10	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	100	KUI	50	KUI
BERM #3		1	S	J1789	821025	1030	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	4000	UI	2000	UI
BERM #4		1	S	J1790	821025	1045	10	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	100	KUI	50	KUI
BERM #5		1	S	J1791	821025	1100	10	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	100	KUI	50	KUI
BERM #6		1	S	J1792	821025	1115	10	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	100	KUI	50	KUI
BERM #7		1	S	J1793	821025	1130	10	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	100	KUI	50	KUI
BERM #8		1	S	J1794	821025	1145	10	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	100	KUI	50	KUI
BERM #9		1	S	J1795	821025	1200	10K	UI	20K	UI	10K	UI	10K	UI	10K	UI	20K	UI	100K	UI	50K	UI
BLANK			S	J1797	821008		400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	400	UI	2000	UI
DRILLER'S WATER			W	J1799	821012		400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	400	UI	2000	UI
PEA GRAVEL			S	J1798	821012		400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	400	UI	2000	UI
SS#2		0	S	J1628	821118	0952	10	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	100	KUI	50	KUI
SS#3		0	S	J1629	821118	0956	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	4000	UI	2000	UI
SS#4		0	S	J1635	821118	1002	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	4000	UI	2000	UI
SS#5		0	S	J1641	821118	1008	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	4000	UI	2000	UI
SS#6		0	S	J1646	821118	1027	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	4000	UI	2000	UI
SS#7		0	S	J1647	821118	1036	400	UI	400	UI	400	UI	400	UI	510	MI	800	UI	4000	UI	2000	UI
SS#8		0	S	J1659	821118	1041	400	UI	400	UI	400	UI	400	UI	11	K I	800	UI	400	UI	2000	UI
SS#9		0	S	J1673	821118	1044	10	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	100	KUI	50	KUI
SS#10		0	S	J1674	821118	1048	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	4000	UI	2000	UI
SS#11		0	S	J1675	821118	1050	400	UI	400	UI	400	UI	400	UI	1070	I	800	UI	400	UI	2000	UI
SS#12		0	S	J1676	821118	1053	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	4000	UI	2000	UI
TRANSFER BLANK			W	J0428	821101	1100	20	UI	40	UI	20	UI	20	UI	20	UI	40	UI	200	UI	100	UI
TRANSPORT BLANK			W	J0429	821101	1100	20	UI	40	UI	20	UI	20	UI	20	UI	40	UI	200	UI	100	UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							ACID COMPOUNDS					
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	2,6,DI NITRO PHENOL		PENTA CHLORO PHENOL		PHENOL	
	01	3	S	J1601	821007	0900	800	U	800	U	400	U
	01	6	S	J1602	821007	0915	800	U	800	U	400	U
	01	9	S	J1603	821007	0930	800	U	800	U	400	U
	01	12	S	J1604	821007	0945	800	U	800	U	400	U
	01	SHAL	W	J1606	821108	1330	40	U	40	U	20	U
	01	DEEP	W	J1612	821108	1400	40	U	40	U	20	U
	02	3	S	J1613	821014	1025	800	U	800	U	400	U
	02	6	S	J1614	821014	1030	800	U	800	U	400	U
	02	9	S	J1615	821014	1035	800	U	800	U	400	U
	02	12	S	J1616	821014	1040	800	U	800	M	400	U
	02	15	S	J1617	821014	1045	800	U	800	U	400	U
	02	SHAL	W	J1618	821102	1100	40	U	40	U	20	U
	03	3	S	J1619	821014	1155	800	U	800	U	400	U
	03	6	S	J1620	821014	1205	800	U	800	U	400	M
	03	9	S	J1621	821014	1210	800	U	800	U	400	M
	03	SHAL	W	J5052	821115	1200	20	KU	25	KU	10	KM
	04	3	S	J1625	821018	1415	800	U	800	U	400	U
	04	6	S	J1626	821018	1430	800	U	800	U	400	U
	04	9	S	J1627	821018	1435	800	U	800	U	400	U
	04	SHAL	W	J1630	821102	1500	20	KU	20	KU	19	KM
	05	3	S	J1631	821018	1330	800	U	800	U	400	U
	05	6	S	J1632	821018	1330	800	U	800	U	400	U
	05	9	S	J1633	821018	1330	800	U	800	U	400	U
	05	12	S	J1634	821018	1330	20	KU	20	KU	16	KM
	05	SHAL	W	J1636	821103	1500	40	U	1400		270	K
	06	3	S	J1637	821018	1035	800	U	800	U	400	U
	06	6	S	J1638	821018	1045	800	U	800	U	400	U
	06	9	S	J1639	821018	1050	800	U	800	U	400	U
	06	12	S	J1640	821018	1100	800	U	800	U	400	U
	06	SHAL	W	J1642	821103	1100	40	U	40	U	80	M
	07	3	S	J1643	821014	1415	800	U	800	U	400	U
	07	6	S	J1644	821014	1425	800	U	800	U	400	U
	07	9	S	J1645	821014	1430	800	U	800	U	400	U
	07	SHAL	W	J1648	821103	1430	40	U	40	U	500	
	08	3	S	J1649	821025	1410	20	KU	20	KU	10	KU
	08	6	S	J1650	821025	1425	800	U	800	U	400	U
	08	9	S	J1651	821025	1440	800	U	800	U	400	U
	08	SHAL	W	J1654	821108	1500	40	U	40	U	20	U
	09	3	S	J1655	821019	1020	800	U	800	U	400	U
	09	6	S	J1656	821019	1030	800	U	800	U	400	U
	09	9	S	J1657	821019	1040	800	U	800	U	400	U
	09	12	S	J1658	821019	1045	800	U	800	U	400	U
	09	SHAL	W	J1660	821103	1500	40	U	40	U	100	K
	10	3	S	J1661	821019	1235	800	U	800	U	400	U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	ACID COMPOUNDS: 2,6,DI NITRO PHENOL		PENTA CHLORO PHENOL		PHENOL	
	10	6	S	J1662	821019	1250	800	U	800	U	19	K
	10	9	S	J1663	821019	1310	800	U	800	U	27	K
	10	12	S	J1664	821019	1340	800	U	800	U	11	K
	10	15	S	J1665	821019	1405	800	U	800	U	20	K
	10	SHAL	W	J1666	821104	1000	20	KU	20	KU	180	K
	11	3	S	J1667	821008	1100	20	KU	20	KU	10	KU
	11	6	S	J1668	821008	1115	20	KU	20	KU	10	KU
	11	8	S	J1669	821008	1130	800	U	800	U	400	U
	11	10	S	J1670	821008	1145	20	KU	20	KU	10	KU
	11	12	S	J1671	821008	1200	800	U	800	U	400	U
	11	SHAL	W	J1672	821109	1030	40	U	40	U	3000	
	11	DEEP	W	J1678	821109	1100	40	U	40	U	7200	
	12	3	S	J1679	821025	1130	800	U	800	U	400	U
	12	6	S	J1680	821025	1140	800	U	800	U	400	U
	12	9	S	J1681	821025	1200	800	U	800	U	400	U
	12	12	S	J1682	821025	1230	800	U	800	U	400	U
	12	15	S	J1683	821025	1240	800	U	800	U	400	U
	12	SHAL	W	J1684	821103	1200	40	M	40	M	120	
	13	3	S	J1685	821027	1310	800	U	800	U	400	U
	13	6	S	J1686	821027	1325	800	U	800	U	400	U
	13	9	S	J1687	821027	1400	800	U	800	U	400	U
	13	SHAL	W	J1690	821101	1500	40	U	40	U	20	U
	14	3	S	J1691	821020	0945	800	U	800	M	1100	
	14	6	S	J1692	821020	1020	800	U	800	U	640	M
	14	9	S	J1693	821020	1040	800	U	800	U	14	K
	14	12	S	J1694	821020	1100	800	U	800	U	10	K
	14	15	S	J1695	821020	1145	800	U	800	U	2900	
	14	SHAL	W	J1696	821104	1400	20	KU	20	KU	42	KM
	15	3	S	J1697	821025	1500	20	KU	20	KU	10	KU
	15	6	S	J1698	821025	1510	20	KU	20	KU	10	KU
	15	9	S	J1699	821025	1520	20	KU	20	KU	10	KU
	15	SHAL	W	J1702	821112	1230	40	U	80	M	4900	
	16	3	S	J1703	821020	1310	20	KU	20	KU	10	KU
	16	6	S	J1704	821020	1325	800	U	800	U	400	U
	16	9	S	J1705	821020	1345	800	U	800	U	400	U
	16	12	S	J1706	821020	1405	800	U	800	U	400	U
	16	15	S	J1707	821020	1430	800	U	800	U	400	M
	16	SHAL	W	J1708	821104	1100	20	KU	20	KU	10	KU
	17	3	S	J1709	821011	1100	20	KU	20	KU	15	KM
	17	6	S	J1710	821011	1120	20	KU	20	KU	15	KM
	17	9	S	J1711	821011	1150	800	U	800	U	12	K
	17	12	S	J1712	821011	1230	20	KU	20	KU	14	KM
	17	15	S	J1713	821011	1300	20	KU	20	KU	12	KM
	17	18	S	J1714	821013	1330	20	KU	20	KU	16	KM

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							ACID COMPOUNDS					
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	2,6,DI NITRO PHENOL		PENTA CHLORO PHENOL		PHENOL	
	17	21	S	J1716	821013	1350	800	U	800	U	400	U
	17	24	S	J1717	821013	1400	800	U	1700	M	440	M
	17	27	S	J1718	821013	1405	800	U	800	U	400	M
	17	30	S	J1719	821013	1420	800	U	800	U	400	M
	17	SHAL	W	J0427	821110	1000	20	KU	20	KU	91	K
	17	DEEP	W	J1720	821110	1100	40	U	40	U	380	
	18	3	S	J1721	821026	1000	20	KU	20	KU	11.5	KM
	18	6	S	J1722	821026	1020	800	U	800	U	400	U
	18	9	S	J1723	821026	1030	800	U	800	U	400	U
	18	SHAL	W	J1726	821112	1130	40	U	40	U	20	U
	19	3	S	J1727	821027	1000	800	U	800	U	400	U
	19	6	S	J1728	821027	1015	800	U	800	U	400	U
	19	9	S	J1729	821027	1045	800	U	800	U	400	U
	19	12	S	J1730	821027	1120	800	U	800	U	400	U
	19	SHAL	W	J1732	821101	1600	40	U	40	U	20	U
	20	3	S	J1733	821021	0940	800	U	800	U	400	U
	20	6	S	J1734	821021	1010	800	U	800	U	400	U
	20	9	S	J1735	821021	1030	800	U	800	U	400	U
	20	12	S	J1736	821021	1055	800	U	800	U	680	M
	20	15	S	J1737	821021	1120	800	U	800	U	400	U
	20	SHAL	W	J1738	821104	1330	20	KU	20	KU	10	KU
	21	3	S	J1739	821021	1400	800	U	800	U	400	U
	21	6	S	J1740	821021	1445	800	U	800	U	400	U
	21	9	S	J1741	821021	1510	800	U	800	U	400	U
	21	12	S	J1742	821021	1535	800	U	800	U	5.5	K
	21	15	S	J1743	821021	1545	800	U	800	U	65	K
	21	SHAL	W	J1744	821105	1030	40	M	40	U	10	K
	22	3	S	J1745	821012	0900	20	KU	20	KU	10	KM
	22	6	S	J1746	821012	0930	20	KU	20	KU	10	KM
	22	9	S	J1747	821012	1000	20	KU	20	KU	10	KM
	22	12	S	J1748	821012	1030	20	KU	20	KU	10	KM
	22	15	S	J1749	821012	1100	800	U	800	U	460	M
	22	SHAL	W	J1750	821110	1200	40	U	40	U	20	U
	22	DEEP	W	J1756	821110	1300	40	U	40	U	20	U
	23	3	S	J1757	821026	1130	800	U	800	U	400	U
	23	6	S	J1758	821026	1150	20	KU	20	KU	10	KU
	23	9	S	J1759	821026	1200	20	KU	20	KU	10	KU
	23	SHAL	W	J1762	821026	1430	40	U	40	U	5200	
	24	3	S	J1763	821022	0950	800	U	800	U	400	U
	24	6	S	J1764	821022	1000	800	U	800	U	400	U
	24	9	S	J1765	821022	1020	800	U	800	U	400	U
	24	12	S	J1766	821022	1045	800	U	800	U	400	U
	24	15	S	J1767	821022	1055	800	U	800	U	400	U
	24	SHAL	W	J1768	821105	1130	40	U	40	U	20	U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							ACID COMPOUNDS					
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	2,6,DI NITRO PHENOL		PENTA CHLORO PHENOL		PHENOL	
	25	3	S	J1769	821026	1340	20	KU	20	KU	10	KU
	25	6	S	J1770	821026	1355	20	KU	20	KU	10	KU
	25	9	S	J1771	821026	1440	20	KU	20	KU	10	KU
	25	SHAL	W	J1774	821111	1130	40	U	40	U	20	U
	25	DEEP	W	J1780	821110	1500	40	U	40	U	20	U
	26	3	S	J1781	821026	1425	800	U	800	U	400	U
	26	6	S	J1782	821026	1440	800	U	800	U	400	U
	26	9	S	J1783	821026	1450	800	U	800	U	400	U
	26	SHAL	W	J1786	821111	1230	40	U	40	U	20	U
	27	SHAL	W	J0462	821116	1100	20	KU	20	KU	4.1	KK
	28	SHAL	W	J0463	821116	1230	40	U	40	U	4	K
	29	SHAL	W	J0461	821115	1300	40	U	40	U	20	U
	30	SHAL	W	J0465	821220	1100	20K	U	20K	U	10K	U
BERM #1		1	S	J1787	821025	1000	800	U	800	U	400	U
BERM #2		1	S	J1788	821025	1015	20	KU	20	KU	10	KU
BERM #3		1	S	J1789	821025	1030	800	U	800	U	400	U
BERM #4		1	S	J1790	821025	1045	20	KU	20	KU	10	KU
BERM #5		1	S	J1791	821025	1100	20	KU	20	KU	10	KU
BERM #6		1	S	J1792	821025	1115	20	KU	20	KU	10	KU
BERM #7		1	S	J1793	821025	1130	20	KU	20	KU	10	KM
BERM #8		1	S	J1794	821025	1145	20	KU	20	KU	10	KU
BERM #9		1	S	J1795	821025	1200	20K	U	20K	U	10K	U
BLANK			S	J1797	821008		800	U	800	U	400	U
DRILLER'S WATER			W	J1799	821012		800	U	800	U	400	U
PEA GRAVEL			S	J1798	821012		800	U	800	U	400	U
SS#2		0	S	J1628	821118	0952	20	KU	20	KU	10	KU
SS#3		0	S	J1629	821118	0956	800	U	800	U	400	U
SS#4		0	S	J1635	821118	1002	800	U	800	U	400	U
SS#5		0	S	J1641	821118	1008	800	U	800	U	400	U
SS#6		0	S	J1646	821118	1027	800	U	800	U	400	M
SS#7		0	S	J1647	821118	1036	800	U	800	U	760	M
SS#8		0	S	J1659	821118	1041	800	U	17	K	19	K
SS#9		0	S	J1673	821118	1044	20	KU	20	KU	10	KU
SS#10		0	S	J1674	821118	1048	800	U	800	U	400	U
SS#11		0	S	J1675	821118	1050	800	U	800	U	1170	
SS#12		0	S	J1676	821118	1053	800	U	7700		2600	
TRANSFER BLANK			W	J0428	821101	1100	40	U	40	U	20	U
TRANSPORT BLANK			W	J0429	821101	1100	40	U	40	U	20	U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							PESTICIDES							
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	ALDRIN	DIELDRIN	CHLOR-DANE	4,4'-DDT	4,4'-DDE	4,4'-DDD	A-ENDO SULFAN	B-ENDO SULFAN
	01	3	S	J1601	821007	0900	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	01	6	S	J1602	821007	0915	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	01	9	S	J1603	821007	0930	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	01	12	S	J1604	821007	0945	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	01	SHAL	W	J1606	821108	1330	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|
	01	DEEP	W	J1612	821108	1400	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|
	02	3	S	J1613	821014	1025	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	02	6	S	J1614	821014	1030	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	02	9	S	J1615	821014	1035	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	02	12	S	J1616	821014	1040	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	02	15	S	J1617	821014	1045	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	02	SHAL	W	J1618	821102	1100	|	|	|	|	|	|	|	|
	03	3	S	J1619	821014	1155	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	03	6	S	J1620	821014	1205	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	03	9	S	J1621	821014	1210	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	03	SHAL	W	J5052	821115	1200	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|
	04	3	S	J1625	821018	1415	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	04	6	S	J1626	821018	1430	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	04	9	S	J1627	821018	1435	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	04	SHAL	W	J1630	821102	1500	|	|	|	|	|	|	|	|
	05	3	S	J1631	821018	1330	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	05	6	S	J1632	821018	1330	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	05	9	S	J1633	821018	1330	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	05	12	S	J1634	821018	1330	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	05	SHAL	W	J1636	821103	1500	0.01KU|	0.01KU|	0.01KU|	0.01KU|	0.01KU|	0.01KU|	0.01KU|	0.01KU|
	06	3	S	J1637	821018	1035	2.86K |	3.34K |	0.01KU|	0.01KU|	0.01KU|	0.01KU|	0.01KU|	0.01KU|
	06	6	S	J1638	821018	1045	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	06	9	S	J1639	821018	1050	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	06	12	S	J1640	821018	1100	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	06	SHAL	W	J1642	821103	1100	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|
	07	3	S	J1643	821014	1415	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	07	6	S	J1644	821014	1425	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	07	9	S	J1645	821014	1430	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	07	SHAL	W	J1648	821103	1430	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|
	08	3	S	J1649	821025	1410	0.01KU|	0.01KU|	0.01KU|	0.01KU|	0.01KU|	0.01KU|	0.01KU|	0.01KU|
	08	6	S	J1650	821025	1425	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	08	9	S	J1651	821025	1440	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	08	SHAL	W	J1654	821108	1500	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|
	09	3	S	J1655	821019	1020	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	09	6	S	J1656	821019	1030	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	09	9	S	J1657	821019	1040	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	09	12	S	J1658	821019	1045	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|
	09	SHAL	W	J1660	821103	1500	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|
	10	3	S	J1661	821019	1235	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	PESTICIDES ALDRIN	DIELDRIN	CHLOR-DANE	4,4'-DDT	4,4'-DDE	4,4'-DDD	A-ENDO SULFAN	B-ENDO SULFAN
	10	6	S	J1662	821019	1250	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	10	9	S	J1663	821019	1310	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	10	12	S	J1664	821019	1340	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	10	15	S	J1665	821019	1405	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	10	SHAL	W	J1666	821104	1000	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	11	3	S	J1667	821008	1100	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	11	6	S	J1668	821008	1115	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	11	8	S	J1669	821008	1130	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	11	10	S	J1670	821008	1145	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	11	12	S	J1671	821008	1200	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	11	SHAL	W	J1672	821109	1030	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	11	DEEP	W	J1678	821109	1100	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	12	3	S	J1679	821025	1130	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	12	6	S	J1680	821025	1140	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	12	9	S	J1681	821025	1200	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	12	12	S	J1682	821025	1230	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	12	15	S	J1683	821025	1240	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	12	SHAL	W	J1684	821103	1200	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	13	3	S	J1685	821027	1310	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	13	6	S	J1686	821027	1325	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	13	9	S	J1687	821027	1400	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	13	SHAL	W	J1690	821101	1500	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	14	3	S	J1691	821020	0945	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	14	6	S	J1692	821020	1020	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	14	9	S	J1693	821020	1040	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	14	12	S	J1694	821020	1100	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	14	15	S	J1695	821020	1145	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	14	SHAL	W	J1696	821104	1400	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	15	3	S	J1697	821025	1500	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	15	6	S	J1698	821025	1510	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI
	15	9	S	J1699	821025	1520	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	15	SHAL	W	J1702	821112	1230	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	16	3	S	J1703	821020	1310	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	16	6	S	J1704	821020	1325	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	16	9	S	J1705	821020	1345	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	16	12	S	J1706	821020	1405	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	16	15	S	J1707	821020	1430	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	16	SHAL	W	J1708	821104	1100	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	17	3	S	J1709	821011	1100	4.0 UI	4.0 UI	4.0 UI	38 I	4.0 UI	100 I	4.0 UI	4.0 UI
	17	6	S	J1710	821011	1120	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	17	9	S	J1711	821011	1150	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	17	12	S	J1712	821011	1230	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	17	15	S	J1713	821011	1300	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	17	18	S	J1714	821013	1330	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	PESTICIDES ALDRIN	DIELDRIN	CHLOR-DANE	4,4'-DDT	4,4'-DDE	4,4'-DDD	A-ENDO SULFAN	B-ENDO SULFAN
	17	21	S	J1716	821013	1350	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	17	24	S	J1717	821013	1400	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	17	27	S	J1718	821013	1405	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	17	30	S	J1719	821013	1420	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	17	SHAL	W	J0427	821110	1000	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	17	DEEP	W	J1720	821110	1100	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	18	3	S	J1721	821026	1000	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	18	6	S	J1722	821026	1020	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	18	9	S	J1723	821026	1030	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	18	SHAL	W	J1726	821112	1130	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	19	3	S	J1727	821027	1000	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	19	6	S	J1728	821027	1015	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	19	9	S	J1729	821027	1045	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	19	12	S	J1730	821027	1120	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	19	SHAL	W	J1732	821101	1600	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	20	3	S	J1733	821021	0940	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	20	6	S	J1734	821021	1010	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	20	9	S	J1735	821021	1030	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	20	12	S	J1736	821021	1055	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	20	15	S	J1737	821021	1120	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	20	SHAL	W	J1738	821104	1330	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	21	3	S	J1739	821021	1400	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	21	6	S	J1740	821021	1445	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	21	9	S	J1741	821021	1510	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	21	12	S	J1742	821021	1535	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	21	15	S	J1743	821021	1545	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	21	SHAL	W	J1744	821105	1030	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	22	3	S	J1745	821012	0900	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	22	6	S	J1746	821012	0930	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI
	22	9	S	J1747	821012	1000	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	22	12	S	J1748	821012	1030	I	I	I	I	I	I	I	I
	22	15	S	J1749	821012	1100	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	22	SHAL	W	J1750	821110	1200	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	22	DEEP	W	J1756	821110	1300	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	23	3	S	J1757	821026	1130	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	23	6	S	J1758	821026	1150	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI
	23	9	S	J1759	821026	1200	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI
	23	SHAL	W	J1762	821026	1430	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	24	3	S	J1763	821022	0950	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	24	6	S	J1764	821022	1000	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	24	9	S	J1765	821022	1020	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	24	12	S	J1766	821022	1045	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	24	15	S	J1767	821022	1055	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	24	SHAL	W	J1768	821105	1130	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							PESTICIDES							
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	ALDRIN	DIELDRIN	CHLOR-DANE	4,4'-DDT	4,4'-DDE	4,4'-DDD	A-ENDO SULFAN	B-ENDO SULFAN
	25	3	S	J1769	821026	1340	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	25	6	S	J1770	821026	1355	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	25	9	S	J1771	821026	1440	4.0 U	4.0 U	4.0 U	129	4.0 U	4.0 U	4.0 U	4.0 U
	25	SHAL	W	J1774	821111	1130	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	25	DEEP	W	J1780	821110	1500	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	26	3	S	J1781	821026	1425	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	26	6	S	J1782	821026	1440	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	26	9	S	J1783	821026	1450	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	26	SHAL	W	J1786	821111	1230	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	27	SHAL	W	J0462	821116	1100	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	28	SHAL	W	J0463	821116	1230	3.30	3.60	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	29	SHAL	W	J0461	821115	1300	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	30	SHAL	W	J0465	821220	1100	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
BERM #1		1	S	J1787	821025	1000	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
BERM #2		1	S	J1788	821025	1015	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
BERM #3		1	S	J1789	821025	1030	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
BERM #4		1	S	J1790	821025	1045	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
BERM #5		1	S	J1791	821025	1100	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
BERM #6		1	S	J1792	821025	1115	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
BERM #7		1	S	J1793	821025	1130	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
BERM #8		1	S	J1794	821025	1145	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
BERM #9		1	S	J1795	821025	1200	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
BLANK			S	J1797	821008		4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
DRILLER'S WATER			W	J1799	821012		0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
PEA GRAVEL			S	J1798	821012		4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
SS#2		0	S	J1628	821118	0952	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
SS#3		0	S	J1629	821118	0956	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
SS#4		0	S	J1635	821118	1002	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
SS#5		0	S	J1641	821118	1008	0.01KU	145	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
SS#6		0	S	J1646	821118	1027	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
SS#7		0	S	J1647	821118	1036	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
SS#8		0	S	J1659	821118	1041	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
SS#9		0	S	J1673	821118	1044	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
SS#10		0	S	J1674	821118	1048	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
SS#11		0	S	J1675	821118	1050	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
SS#12		0	S	J1676	821118	1053	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
TRANSFER BLANK			W	J0428	821101	1100								
TRANSPORT BLANK			W	J0429	821101	1100	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							PESTICIDES								
STATION DESCRIPTION	NUM	RIVER	M	NUM	DATE	TIME	ENDO SULFAN SULFATE	ENDRIN	ENDRIN ALDEHYDE	HEPTA CHLOR	HEPTA CHLOR EPOXIDE	A-BHC	B-BHC	D-BHC	G-BHC LINDANE
	01	3	S	J1601	821007	0900	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	01	6	S	J1602	821007	0915	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	01	9	S	J1603	821007	0930	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	01	12	S	J1604	821007	0945	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	01	SHAL	W	J1606	821108	1330	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	01	DEEP	W	J1612	821108	1400	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	02	3	S	J1613	821014	1025	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	02	6	S	J1614	821014	1030	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	02	9	S	J1615	821014	1035	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	02	12	S	J1616	821014	1040	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	02	15	S	J1617	821014	1045	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	02	SHAL	W	J1618	821102	1100									
	03	3	S	J1619	821014	1155	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	03	6	S	J1620	821014	1205	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	03	9	S	J1621	821014	1210	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	03	SHAL	W	J5052	821115	1200	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	04	3	S	J1625	821018	1415	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	04	6	S	J1626	821018	1430	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	04	9	S	J1627	821018	1435	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	04	SHAL	W	J1630	821102	1500									
	05	3	S	J1631	821018	1330	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	05	6	S	J1632	821018	1330	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	05	9	S	J1633	821018	1330	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	05	12	S	J1634	821018	1330	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	05	SHAL	W	J1636	821103	1500	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
	06	3	S	J1637	821018	1035	0.01KU	0.01KU	0.01KU	2.93K	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
	06	6	S	J1638	821018	1045	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	06	9	S	J1639	821018	1050	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	06	12	S	J1640	821018	1100	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	06	SHAL	W	J1642	821103	1100	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	07	3	S	J1643	821014	1415	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	07	6	S	J1644	821014	1425	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	07	9	S	J1645	821014	1430	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	07	SHAL	W	J1648	821103	1430	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	08	3	S	J1649	821025	1410	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
	08	6	S	J1650	821025	1425	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	08	9	S	J1651	821025	1440	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	08	SHAL	W	J1654	821108	1500	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	09	3	S	J1655	821019	1020	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	09	6	S	J1656	821019	1030	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	09	9	S	J1657	821019	1040	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	09	12	S	J1658	821019	1045	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	09	SHAL	W	J1660	821103	1500	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	10	3	S	J1661	821019	1235	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	NUM	RIVER	M	NUM	DATE	TIME	PESTICIDES ENDO SULFAN SULFATE	ENDRIN	ENDRIN ALDEHYDE	HEPTA CHLOR	HEPTA CHLOR EPOXIDE	A-BHC	B-BHC	D-BHC	G-BHC LINDANE
	10	6	S	J1662	821019	1250	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	10	9	S	J1663	821019	1310	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	10	12	S	J1664	821019	1340	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	10	15	S	J1665	821019	1405	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	10	SHAL	W	J1666	821104	1000	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	11	3	S	J1667	821008	1100	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	11	6	S	J1668	821008	1115	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	11	8	S	J1669	821008	1130	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	11	10	S	J1670	821008	1145	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	11	12	S	J1671	821008	1200	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	11	SHAL	W	J1672	821109	1030	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	11	DEEP	W	J1678	821109	1100	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	12	3	S	J1679	821025	1130	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	12	6	S	J1680	821025	1140	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	12	9	S	J1681	821025	1200	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	12	12	S	J1682	821025	1230	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	12	15	S	J1683	821025	1240	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	12	SHAL	W	J1684	821103	1200	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	13	3	S	J1685	821027	1310	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	13	6	S	J1686	821027	1325	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	13	9	S	J1687	821027	1400	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	13	SHAL	W	J1690	821101	1500	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	14	3	S	J1691	821020	0945	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	14	6	S	J1692	821020	1020	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	14	9	S	J1693	821020	1040	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	14	12	S	J1694	821020	1100	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	14	15	S	J1695	821020	1145	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	14	SHAL	W	J1696	821104	1400	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	15	3	S	J1697	821025	1500	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	15	6	S	J1698	821025	1510	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI	0.01KUI
	15	9	S	J1699	821025	1520	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	15	SHAL	W	J1702	821112	1230	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	16	3	S	J1703	821020	1310	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	16	6	S	J1704	821020	1325	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	16	9	S	J1705	821020	1345	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	16	12	S	J1706	821020	1405	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	16	15	S	J1707	821020	1430	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	16	SHAL	W	J1708	821104	1100	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI	0.1 UI
	17	3	S	J1709	821011	1100	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	11.8 I
	17	6	S	J1710	821011	1120	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	17	9	S	J1711	821011	1150	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	17	12	S	J1712	821011	1230	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	17	15	S	J1713	821011	1300	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI
	17	18	S	J1714	821013	1330	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI	4.0 UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							PESTICIDES								
STATION DESCRIPTION	NUM	RIVER	M	NUM	DATE	TIME	ENDO SULFAN SULFATE	ENDRIN	ENDRIN ALDEHYDE	HEPTA CHLOR	HEPTA CHLOR EPOXIDE	A-BHC	B-BHC	D-BHC	G-BHC LINDANE
	17	21	S	J1716	821013	1350	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	17	24	S	J1717	821013	1400	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	17	27	S	J1718	821013	1405	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	17	30	S	J1719	821013	1420	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	17	SHAL	W	J0427	821110	1000	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	17	DEEP	W	J1720	821110	1100	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	18	3	S	J1721	821026	1000	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	18	6	S	J1722	821026	1020	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	18	9	S	J1723	821026	1030	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	18	SHAL	W	J1726	821112	1130	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	19	3	S	J1727	821027	1000	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	19	6	S	J1728	821027	1015	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	19	9	S	J1729	821027	1045	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	19	12	S	J1730	821027	1120	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	19	SHAL	W	J1732	821101	1600	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	20	3	S	J1733	821021	0940	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	20	6	S	J1734	821021	1010	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	20	9	S	J1735	821021	1030	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	20	12	S	J1736	821021	1055	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	20	15	S	J1737	821021	1120	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	20	SHAL	W	J1738	821104	1330	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	21	3	S	J1739	821021	1400	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	21	6	S	J1740	821021	1445	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	21	9	S	J1741	821021	1510	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	21	12	S	J1742	821021	1535	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	21	15	S	J1743	821021	1545	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	21	SHAL	W	J1744	821105	1030	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	22	3	S	J1745	821012	0900	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	22	6	S	J1746	821012	0930	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
	22	9	S	J1747	821012	1000	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	22	12	S	J1748	821012	1030									
	22	15	S	J1749	821012	1100	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	22	SHAL	W	J1750	821110	1200	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	22	DEEP	W	J1756	821110	1300	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	23	3	S	J1757	821026	1130	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	23	6	S	J1758	821026	1150	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
	23	9	S	J1759	821026	1200	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
	23	SHAL	W	J1762	821026	1430	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	24	3	S	J1763	821022	0950	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	24	6	S	J1764	821022	1000	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	24	9	S	J1765	821022	1020	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	24	12	S	J1766	821022	1045	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	24	15	S	J1767	821022	1055	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	24	SHAL	W	J1768	821105	1130	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							PESTICIDES								
STATION DESCRIPTION	NUM	RIVER	M	NUM	DATE	TIME	ENDO SULFAN SULFATE	ENDRIN	ENDRIN ALDEHYDE	HEPTA CHLOR	HEPTA CHLOR EPOXIDE	A-BHC	B-BHC	D-BHC	G-BHC LINDANE
	25	3	S	J1769	821026	1340	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	25	6	S	J1770	821026	1355	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	25	9	S	J1771	821026	1440	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	25	SHAL	W	J1774	821111	1130	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	25	DEEP	W	J1780	821110	1500	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	26	3	S	J1781	821026	1425	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	26	6	S	J1782	821026	1440	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	26	9	S	J1783	821026	1450	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
	26	SHAL	W	J1786	821111	1230	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	27	SHAL	W	J0462	821116	1100	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	28	SHAL	W	J0463	821116	1230	0.1 U	0.1 U	0.1 U	3.29	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	29	SHAL	W	J0461	821115	1300	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
	30	SHAL	W	J0465	821220	1100	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
BERM #1		1	S	J1787	821025	1000	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
BERM #2		1	S	J1788	821025	1015	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
BERM #3		1	S	J1789	821025	1030	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
BERM #4		1	S	J1790	821025	1045	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
BERM #5		1	S	J1791	821025	1100	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
BERM #6		1	S	J1792	821025	1115	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
BERM #7		1	S	J1793	821025	1130	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
BERM #8		1	S	J1794	821025	1145	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
BERM #9		1	S	J1795	821025	1200	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
BLANK			S	J1797	821008		4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
DRILLER'S WATER			W	J1799	821012		0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
PEA GRAVEL			S	J1798	821012		4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
SS#2		0	S	J1628	821118	0952	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
SS#3		0	S	J1629	821118	0956	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
SS#4		0	S	J1635	821118	1002	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
SS#5		0	S	J1641	821118	1008	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	34
SS#6		0	S	J1646	821118	1027	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.03K
SS#7		0	S	J1647	821118	1036	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
SS#8		0	S	J1659	821118	1041	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU
SS#9		0	S	J1673	821118	1044	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
SS#10		0	S	J1674	821118	1048	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
SS#11		0	S	J1675	821118	1050	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
SS#12		0	S	J1676	821116	1053	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
TRANSFER BLANK			W	J0428	821101	1100									
TRANSPORT BLANK			W	J0429	821101	1100	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
@ = ALL PCBS ARE SUMED INTO PCB-1242
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	PCB							TOXA-PHENE	TCDD DIOXIN
							PCB-1242	PCB-1254	PCB-1221	PCB-1232	PCB-1248	PCB-1260	PCB-1016		
	01	3	S	J1601	821007	0900	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	01	6	S	J1602	821007	0915	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	01	9	S	J1603	821007	0930	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	01	12	S	J1604	821007	0945	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	01	SHAL	W	J1606	821108	1330	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	01	DEEP	W	J1612	821108	1400	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	02	3	S	J1613	821014	1025	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	02	6	S	J1614	821014	1030	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	02	9	S	J1615	821014	1035	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	02	12	S	J1616	821014	1040	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	02	15	S	J1617	821014	1045	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	02	SHAL	W	J1618	821102	1100									
	03	3	S	J1619	821014	1155	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	03	6	S	J1620	821014	1205	939 @	@	@	@	@	@	@	4.0 U	0.08U
	03	9	S	J1621	821014	1210	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	03	SHAL	W	J5052	821115	1200	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	04	3	S	J1625	821018	1415	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	04	6	S	J1626	821018	1430	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	04	9	S	J1627	821018	1435	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	04	SHAL	W	J1630	821102	1500									
	05	3	S	J1631	821018	1330	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	108	304	4.0 U	0.08U
	05	6	S	J1632	821018	1330	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	05	9	S	J1633	821018	1330	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	05	12	S	J1634	821018	1330	4.0 U	4.0 U	4.0 U	4.0 U	658	4.0 U	4.0 U	4.0 U	?
	05	SHAL	W	J1636	821103	1500	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.002KU
	06	3	S	J1637	821018	1035	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.002KU
	06	6	S	J1638	821018	1045	4.0 U	4.0 U	4.0 U	4.0 U	2930	4.0 U	4.0 U	4.0 U	0.08U
	06	9	S	J1639	821018	1050	4.0 U	4.0 U	4.0 U	4.0 U	586	4.0 U	4.0 U	4.0 U	0.08U
	06	12	S	J1640	821018	1100	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	06	SHAL	W	J1642	821103	1100	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	07	3	S	J1643	821014	1415	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	07	6	S	J1644	821014	1425	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	58	4.0 U	4.0 U	0.08U
	07	9	S	J1645	821014	1430	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	07	SHAL	W	J1648	821103	1430	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	08	3	S	J1649	821025	1410	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.002KU
	08	6	S	J1650	821025	1425	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	08	9	S	J1651	821025	1440	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	08	SHAL	W	J1654	821108	1500	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	09	3	S	J1655	821019	1020	4.0 U	4.0 U	4.0 U	4.0 U	1510	4.0 U	4.0 U	4.0 U	0.08U
	09	6	S	J1656	821019	1030	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	09	9	S	J1657	821019	1040	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	09	12	S	J1658	821019	1045	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	09	SHAL	W	J1660	821103	1500	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
@ = ALL PCBS ARE SUMED INTO PCB-1242
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	PCB							TOXA- PHENE	TCDD DIOXIN
							PCB-1242	PCB-1254	PCB-1221	PCB-1232	PCB-1248	PCB-1260	PCB-1016		
	10	3	S	J1661	821019	1235	4.0 U	4.0 U	4.0 U	4.0 U	1142	4.0 U	4.0 U	4.0 U	0.08U
	10	6	S	J1662	821019	1250	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	10	9	S	J1663	821019	1310	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	10	12	S	J1664	821019	1340	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	10	15	S	J1665	821019	1405	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	10	SHAL	W	J1666	821104	1000	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	11	3	S	J1667	821008	1100	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	11	6	S	J1668	821008	1115	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	11	8	S	J1669	821008	1130	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	11	10	S	J1670	821008	1145	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	11	12	S	J1671	821008	1200	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	11	SHAL	W	J1672	821109	1030	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	11	DEEP	W	J1678	821109	1100	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	12	3	S	J1679	821025	1130	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	12	6	S	J1680	821025	1140	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	12	9	S	J1681	821025	1200	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	12	12	S	J1682	821025	1230	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	12	15	S	J1683	821025	1240	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	12	SHAL	W	J1684	821103	1200	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	13	3	S	J1685	821027	1310	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	13	6	S	J1686	821027	1325	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	13	9	S	J1687	821027	1400	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	13	SHAL	W	J1690	821101	1500	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	14	3	S	J1691	821020	0945	4.0 U	407	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	?
	14	6	S	J1692	821020	1020	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	14	9	S	J1693	821020	1040	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	14	12	S	J1694	821020	1100	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	14	15	S	J1695	821020	1145	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	14	SHAL	W	J1696	821104	1400	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	15	3	S	J1697	821025	1500	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	532	4.0 U	4.0 U	0.08U
	15	6	S	J1698	821025	1510	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	1.71K	3.16K	0.01KU	0.002KU
	15	9	S	J1699	821025	1520	4.0 U	4.0 U	4.0 U	4.0 U	19.6K	4.0 U	4.0 U	4.0 U	0.08U
	15	SHAL	W	J1702	821112	1230	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	16	3	S	J1703	821020	1310	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	16	6	S	J1704	821020	1325	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	16	9	S	J1705	821020	1345	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	16	12	S	J1706	821020	1405	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	16	15	S	J1707	821020	1430	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	16	SHAL	W	J1708	821104	1100	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	17	3	S	J1709	821011	1100	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	?
	17	6	S	J1710	821011	1120	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	17	9	S	J1711	821011	1150	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	17	12	S	J1712	821011	1230	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
@ = ALL PCBS ARE SUMED INTO PCB-1242
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	PCB								
							PCB-1242	PCB-1254	PCB-1221	PCB-1232	PCB-1248	PCB-1260	PCB-1016	TOXA-PHENE	TCDD DIOXIN
	17	15	S	J1713	821011	1300	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	17	18	S	J1714	821013	1330	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	17	21	S	J1716	821013	1350	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	17	24	S	J1717	821013	1400	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	17	27	S	J1718	821013	1405	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	17	30	S	J1719	821013	1420	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	17	SHAL	W	J0427	821110	1000	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.002U|
	17	DEEP	W	J1720	821110	1100	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.002U|
	18	3	S	J1721	821026	1000	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	18	6	S	J1722	821026	1020	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	18	9	S	J1723	821026	1030	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	18	SHAL	W	J1726	821112	1130	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.002U|
	19	3	S	J1727	821027	1000	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	19	6	S	J1728	821027	1015	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	19	9	S	J1729	821027	1045	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	19	12	S	J1730	821027	1120	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	19	SHAL	W	J1732	821101	1600	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.002U|
	20	3	S	J1733	821021	0940	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	20	6	S	J1734	821021	1010	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	20	9	S	J1735	821021	1030	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	20	12	S	J1736	821021	1055	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	? |
	20	15	S	J1737	821021	1120	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	20	SHAL	W	J1738	821104	1330	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.002U|
	21	3	S	J1739	821021	1400	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	21	6	S	J1740	821021	1445	935 |	4.0 U|	4.0 U|	4.0 U|	935 |	4.0 U|	4.0 U|	4.0 U|	0.08U|
	21	9	S	J1741	821021	1510	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	21	12	S	J1742	821021	1535	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	21	15	S	J1743	821021	1545	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	21	SHAL	W	J1744	821105	1030	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.002U|
	22	3	S	J1745	821012	0900	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	22	6	S	J1746	821012	0930	0.01KU|	0.01KU|	0.01KU|	0.01KU|	0.01KU|	0.01KU|	0.01KU|	0.01KU|	0.002KU|
	22	9	S	J1747	821012	1000	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	22	12	S	J1748	821012	1030	|	1	|	|	|	|	|	|	|
	22	15	S	J1749	821012	1100	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	22	SHAL	W	J1750	821110	1200	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.002U|
	22	DEEP	W	J1756	821110	1300	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.002U|
	23	3	S	J1757	821026	1130	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	? |
	23	6	S	J1758	821026	1150	1.78K@|	@|	@|	@|	@|	@|	@|	0.01KU|	0.002KU|
	23	9	S	J1759	821026	1200	0.81K@|	@|	@|	@|	@|	@|	@|	0.01KU|	0.002KU|
	23	SHAL	W	J1762	821026	1430	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.1 U|	0.002U|
	24	3	S	J1763	821022	0950	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	24	6	S	J1764	821022	1000	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|
	24	9	S	J1765	821022	1020	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	4.0 U|	0.08U|

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
@ = ALL PCBS ARE SUMED INTO PCB-1242
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	PCB PCB-1242	PCB-1254	PCB-1221	PCB-1232	PCB-1248	PCB-1260	PCB-1016	TOXA-PHENE	TCDD DIOXIN
	24	12	S	J1766	821022	1045	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	24	15	S	J1767	821022	1055	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	24	SHAL	W	J1768	821105	1130	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	25	3	S	J1769	821026	1340	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	25	6	S	J1770	821026	1355	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	25	9	S	J1771	821026	1440	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	111	4.0 U	4.0 U	0.08U
	25	SHAL	W	J1774	821111	1130	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	25	DEEP	W	J1780	821110	1500	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	26	3	S	J1781	821026	1425	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	26	6	S	J1782	821026	1440	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	26	9	S	J1783	821026	1450	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
	26	SHAL	W	J1786	821111	1230	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	27	SHAL	W	J0462	821116	1100	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	28	SHAL	W	J0463	821116	1230	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	29	SHAL	W	J0461	821115	1300	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
	30	SHAL	W	J0465	821220	1100	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
BERM #1		1	S	J1787	821025	1000	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
BERM #2		1	S	J1788	821025	1015	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
BERM #3		1	S	J1789	821025	1030	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
BERM #4		1	S	J1790	821025	1045	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.002KU
BERM #5		1	S	J1791	821025	1100	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
BERM #6		1	S	J1792	821025	1115	137 @	@	@	@	@	@	@	4.0 U	0.08U
BERM #7		1	S	J1793	821025	1130	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
BERM #8		1	S	J1794	821025	1145	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	2030	4.0 U	4.0 U	0.08U
BERM #9		1	S	J1795	821025	1200	4.0 U	4.0 U	4.0 U	4.0 U	2046	4.0 U	4.0 U	4.0 U	0.08U
BLANK			S	J1797	821008		4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
DRILLER'S WATER			W	J1799	821012		0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U
PEA GRAVEL			S	J1798	821012		4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
SS#2		0	S	J1628	821118	0952	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.002KU
SS#3		0	S	J1629	821118	0956	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.002KU
SS#4		0	S	J1635	821118	1002	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.002KU
SS#5		0	S	J1641	821118	1008	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.002KU
SS#6		0	S	J1646	821118	1027	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.002KU
SS#7		0	S	J1647	821118	1036	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.002KU
SS#8		0	S	J1659	821118	1041	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.01KU	0.002KU
SS#9		0	S	J1673	821118	1044	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
SS#10		0	S	J1674	821118	1048	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
SS#11		0	S	J1675	821118	1050	4.0 U	3300	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
SS#12		0	S	J1676	821118	1053	4.0 U	2912	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	0.08U
TRANSFER BLANK			W	J0428	821101	1100									
TRANSPORT BLANK			W	J0429	821101	1100	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.002U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							BASE / NEUTRALS								
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	ACENAPH THENE	BEN ZIDINE	1,2,4-TRICHLOR BENZENE	HEXA CHLORO BENZENE	HEXA CHLORO ETHANE	BIS 2-CHLORO EHTYL) ETHER	2-CHLORO NAPH THALENE	1,2-DI CHLORO BENZENE	1,3-DI CHLORO BENZENE
	01	3	S	J1601	821007	0900	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	01	6	S	J1602	821007	0915	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	01	9	S	J1603	821007	0930	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	01	12	S	J1604	821007	0945	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	01	SHAL	W	J1606	821108	1330	20 UI	80 UI	20 UI	20 UI	20 UI	20 UI	20 UI	20 UI	20 UI
	01	DEEP	W	J1612	821108	1400	20 UI	80 UI	20 UI	20 UI	20 UI	20 UI	20 UI	20 UI	20 UI
	02	3	S	J1613	821014	1025	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	02	6	S	J1614	821014	1030	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	02	9	S	J1615	821014	1035	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	02	12	S	J1616	821014	1040	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	02	15	S	J1617	821014	1045	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	02	SHAL	W	J1618	821102	1100	20 UI	80 UI	20 UI	20 UI	20 UI	20 MI	20 UI	20 UI	20 UI
	03	3	S	J1619	821014	1155	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	03	6	S	J1620	821014	1205	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	03	9	S	J1621	821014	1210	400 MI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	03	SHAL	W	J5052	821115	1200	10 KUI	25 KUI	10 KUI	10 KUI	10 KUI	10 KUI	10 KUI	10 KUI	10 KUI
	04	3	S	J1625	821016	1415	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	04	6	S	J1626	821018	1430	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	04	9	S	J1627	821018	1435	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	04	SHAL	W	J1630	821102	1500	10 KUI	40 KUI	10 KUI	10 KUI	10 KUI	10 KUI	10 KUI	10 KUI	10 KUI
	05	3	S	J1631	821018	1330	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	05	6	S	J1632	821018	1330	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	05	9	S	J1633	821018	1330	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	05	12	S	J1634	821018	1330	10 KUI	40 KUI	10 KUI	10 KUI	10 KUI	10 KUI	10 KUI	10 KUI	10 KUI
	05	SHAL	W	J1636	821103	1500	20 UI	80 UI	20 UI	20 UI	20 UI	20 UI	20 UI	20 UI	20 UI
	06	3	S	J1637	821018	1035	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	06	6	S	J1638	821018	1045	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	06	9	S	J1639	821018	1050	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	06	12	S	J1640	821018	1100	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	06	SHAL	W	J1642	821103	1100	20 UI	80 UI	20 UI	20 UI	20 UI	20 UI	20 UI	20 UI	20 UI
	07	3	S	J1643	821014	1415	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	07	6	S	J1644	821014	1425	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	07	9	S	J1645	821014	1430	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	07	SHAL	W	J1648	821103	1430	20 UI	80 UI	20 UI	20 UI	20 UI	20 UI	20 UI	20 UI	20 UI
	08	3	S	J1649	821025	1410	10 KUI	40 KUI	10 KUI	10 KUI	10 KUI	10 KUI	10 KUI	10 KUI	10 KUI
	08	6	S	J1650	821025	1425	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	08	9	S	J1651	821025	1440	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	08	SHAL	W	J1654	821108	1500	20 UI	80 UI	20 UI	20 UI	20 UI	20 UI	20 UI	20 UI	20 UI
	09	3	S	J1655	821019	1020	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	09	6	S	J1656	821019	1030	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	09	9	S	J1657	821019	1040	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	09	12	S	J1658	821019	1045	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI
	09	SHAL	W	J1660	821103	1500	20 UI	80 UI	20 UI	20 UI	20 UI	20 UI	20 UI	20 UI	20 UI
	10	3	S	J1661	821019	1235	400 UI	1600 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI	400 UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	BASE / NEUTRALS ACENAPH THENE		BEN ZIDINE		1,2,4-TRICHLOR BENZENE		HEXA CHLORO BENZENE		HEXA CHLORO ETHANE		BIS 2-CHLORO EHTYL) ETHER		2-CHLORO NAPH THALENE		1,2-DI CHLORO BENZENE		1,3-DI CHLORO BENZENE	
	10	6	S	J1662	821019	1250	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	10	9	S	J1663	821019	1310	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	10	12	S	J1664	821019	1340	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	10	15	S	J1665	821019	1405	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	10	SHAL	W	J1666	821104	1000	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
	11	3	S	J1667	821008	1100	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
	11	6	S	J1668	821008	1115	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
	11	8	S	J1669	821008	1130	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	11	10	S	J1670	821008	1145	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
	11	12	S	J1671	821008	1200	8700		1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	11	SHAL	W	J1672	821109	1030	20	U	80	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
	11	DEEP	W	J1678	821109	1100	20	U	80	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
	12	3	S	J1679	821025	1130	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	12	6	S	J1680	821025	1140	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	12	9	S	J1681	821025	1200	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	12	12	S	J1682	821025	1230	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	12	15	S	J1683	821025	1240	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	12	SHAL	W	J1684	821103	1200	20	U	80	U	20	U	20	U	20	U	20	M	20	U	20	U	20	U
	13	3	S	J1685	821027	1310	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	13	6	S	J1686	821027	1325	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	13	9	S	J1687	821027	1400	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	13	SHAL	W	J1690	821101	1500	20	U	80	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
	14	3	S	J1691	821020	0945	400	U	1600	U	400	U	400	U	760	M	400	U	400	U	400	U	400	U
	14	6	S	J1692	821020	1020	400	U	1600	U	400	U	400	U	1800		400	U	400	U	400	U	400	U
	14	9	S	J1693	821020	1040	400	U	1600	U	400	U	400	U	920	M	400	U	400	U	400	U	400	U
	14	12	S	J1694	821020	1100	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	14	15	S	J1695	821020	1145	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	14	SHAL	W	J1696	821104	1400	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
	15	3	S	J1697	821025	1500	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
	15	6	S	J1698	821025	1510	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	565	K	10	KU
	15	9	S	J1699	821025	1520	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	260	K	10	KU
	15	SHAL	W	J1702	821112	1230	20	U	80	U	20	U	20	U	20	U	20	U	20	U	160		20	U
	16	3	S	J1703	821020	1310	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
	16	6	S	J1704	821020	1325	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	16	9	S	J1705	821020	1345	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	16	12	S	J1706	821020	1405	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	16	15	S	J1707	821020	1430	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	16	SHAL	W	J1708	821104	1100	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
	17	3	S	J1709	821011	1100	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
	17	6	S	J1710	821011	1120	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
	17	9	S	J1711	821011	1150	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	17	12	S	J1712	821011	1230	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
	17	15	S	J1713	821011	1300	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
	17	18	S	J1714	821013	1330	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							BASE / NEUTRALS																	
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	ACENAPH THENE		BEN ZIDINE		1,2,4- TRICHLOR BENZENE		HEXA CHLORO BENZENE		HEXA CHLORO ETHANE		BIS 2-CHLORO EHTYL) ETHER		2-CHLORO NAPH THALENE		1,2-DI CHLORO BENZENE		1,3-DI CHLORO BENZENE	
	17	21	S	J1716	821013	1350	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	17	24	S	J1717	821013	1400	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	17	27	S	J1718	821013	1405	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	17	30	S	J1719	821013	1420	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	17	SHAL	W	J0427	821110	1000	10	KUI	40	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI
	17	DEEP	W	J1720	821110	1100	20	UI	80	UI	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI
	18	3	S	J1721	821026	1000	10	KUI	40	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI
	18	6	S	J1722	821026	1020	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	18	9	S	J1723	821026	1030	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	18	SHAL	W	J1726	821112	1130	20	UI	80	UI	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI
	19	3	S	J1727	821027	1000	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	19	6	S	J1728	821027	1015	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	19	9	S	J1729	821027	1045	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	19	12	S	J1730	821027	1120	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	19	SHAL	W	J1732	821101	1600	20	UI	80	UI	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI
	20	3	S	J1733	821021	0940	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	20	6	S	J1734	821021	1010	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	20	9	S	J1735	821021	1030	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	20	12	S	J1736	821021	1055	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	20	15	S	J1737	821021	1120	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	20	SHAL	W	J1738	821104	1330	10	KUI	40	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI
	21	3	S	J1739	821021	1400	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	21	6	S	J1740	821021	1445	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	21	9	S	J1741	821021	1510	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	21	12	S	J1742	821021	1535	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	21	15	S	J1743	821021	1545	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	21	SHAL	W	J1744	821105	1030	20	UI	80	UI	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI
	22	3	S	J1745	821012	0900	10	KMI	40	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI
	22	6	S	J1746	821012	0930	10	KMI	40	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI
	22	9	S	J1747	821012	1000	10	KUI	40	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI
	22	12	S	J1748	821012	1030	10	KUI	40	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI
	22	15	S	J1749	821012	1100	430	MI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	22	SHAL	W	J1750	821110	1200	20	UI	80	UI	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI
	22	DEEP	W	J1756	821110	1300	20	UI	80	UI	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI
	23	3	S	J1757	821026	1130	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	23	6	S	J1758	821026	1150	10	KUI	40	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI
	23	9	S	J1759	821026	1200	10	KUI	40	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI
	23	SHAL	W	J1762	821026	1430	20	UI	80	UI	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI
	24	3	S	J1763	821022	0950	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	24	6	S	J1764	821022	1000	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	24	9	S	J1765	821022	1020	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	24	12	S	J1766	821022	1045	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	24	15	S	J1767	821022	1055	400	UI	1600	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI
	24	SHAL	W	J1768	821105	1130	20	UI	80	UI	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	BASE / NEUTRALS																	
							ACENAPH THENE		BEN ZIDINE		1,2,4- TRICHLOR BENZENE		HEXA CHLORO BENZENE		HEXA CHLORO ETHANE		BIS 2-CHLORO EHTYL) ETHER		2-CHLORO NAPH THALENE		1,2-DI CHLORO BENZENE		1,3-DI CHLORO BENZENE	
	25	3	S	J1769	821026	1340	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
	25	6	S	J1770	821026	1355	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
	25	9	S	J1771	821026	1440	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
	25	SHAL	W	J1774	821111	1130	20	U	80	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
	25	DEEP	W	J1780	821110	1500	20	U	80	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
	26	3	S	J1781	821026	1425	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	26	6	S	J1782	821026	1440	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	26	9	S	J1783	821026	1450	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
	26	SHAL	W	J1786	821111	1230	20	U	80	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
	27	SHAL	W	J0462	821116	1100	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
	28	SHAL	W	J0463	821116	1230	20	U	80	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
	29	SHAL	W	J0461	821115	1300	20	U	80	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
	30	SHAL	W	J0465	821220	1100	10K	U	10K	U	10K	U	10K	U	10K	U	10K	U	10K	U	10K	U	10K	U
BERM #1		1	S	J1787	821025	1000	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
BERM #2		1	S	J1788	821025	1015	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
BERM #3		1	S	J1789	821025	1030	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
BERM #4		1	S	J1790	821025	1045	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
BERM #5		1	S	J1791	821025	1100	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
BERM #6		1	S	J1792	821025	1115	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
BERM #7		1	S	J1793	821025	1130	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
BERM #8		1	S	J1794	821025	1145	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
BERM #9		1	S	J1795	821025	1200	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
BLANK			S	J1797	821008		400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
DRILLER'S WATER			W	J1799	821012		400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
PEA GRAVEL			S	J1798	821012		400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
SS#2		0	S	J1628	821118	0952	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
SS#3		0	S	J1629	821118	0956	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
SS#4		0	S	J1635	821118	1002	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
SS#5		0	S	J1641	821118	1008	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
SS#6		0	S	J1646	821118	1027	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
SS#7		0	S	J1647	821118	1036	800	M	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
SS#8		0	S	J1659	821118	1041	5090	K	1600	U	400	U	400	U	400	U	400	U	400	U	2200		400	M
SS#9		0	S	J1673	821118	1044	10	KU	40	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU
SS#10		0	S	J1674	821118	1048	400	U	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
SS#11		0	S	J1675	821118	1050	400	M	1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
SS#12		0	S	J1676	821118	1053	4700		1600	U	400	U	400	U	400	U	400	U	400	U	400	U	400	U
TRANSFER BLANK			W	J0428	821101	1100	20	U	80	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
TRANSPORT BLANK			W	J0429	821101	1100	20	U	80	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							BASE / NEUTRALS																	
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	1,4-DI CHLORO BENZENE		3,3'- DICHLORO BENZI DINE		2,4- DINITRO TOLUENE		2,6- DINITRO TOLUENE		1,2-DI PHENYLHY DRAZAINE		FLUOR ANTHENE		4-CHLORO PHENYL PHENLY ETHER		4-BROMO PHENYL PHENLY ETHER		BIS(2- CHLOROISO PROPYL) ETHER	
	01	3	S	J1601	821007	0900	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	01	6	S	J1602	821007	0915	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	01	9	S	J1603	821007	0930	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	01	12	S	J1604	821007	0945	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	01	SHAL	W	J1606	821108	1330	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	01	DEEP	W	J1612	821106	1400	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	02	3	S	J1613	821014	1025	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	02	6	S	J1614	821014	1030	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	02	9	S	J1615	821014	1035	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	02	12	S	J1616	821014	1040	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	02	15	S	J1617	821014	1045	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	02	SHAL	W	J1618	821102	1100	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	03	3	S	J1619	821014	1155	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	03	6	S	J1620	821014	1205	400	UI	800	UI	800	UI	800	UI	800	UI	400	MI	400	UI	400	UI	800	UI
	03	9	S	J1621	821014	1210	400	UI	800	UI	800	UI	800	UI	800	UI	400	MI	400	UI	400	UI	800	UI
	03	SHAL	W	J5052	821115	1200	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI
	04	3	S	J1625	821018	1415	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	04	6	S	J1626	821018	1430	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	04	9	S	J1627	821018	1435	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	04	SHAL	W	J1630	821102	1500	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
	05	3	S	J1631	821018	1330	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	05	6	S	J1632	821018	1330	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	05	9	S	J1633	821018	1330	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	05	12	S	J1634	821018	1330	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
	05	SHAL	W	J1636	821103	1500	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	06	3	S	J1637	821018	1035	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	06	6	S	J1638	821018	1045	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	06	9	S	J1639	821018	1050	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	06	12	S	J1640	821018	1100	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	06	SHAL	W	J1642	821103	1100	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	07	3	S	J1643	821014	1415	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	07	6	S	J1644	821014	1425	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	07	9	S	J1645	821014	1430	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	07	SHAL	W	J1648	821103	1430	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	08	3	S	J1649	821025	1410	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
	08	6	S	J1650	821025	1425	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	08	9	S	J1651	821025	1440	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	08	SHAL	W	J1654	821108	1500	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	09	3	S	J1655	821019	1020	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	09	6	S	J1656	821019	1030	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	09	9	S	J1657	821019	1040	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	09	12	S	J1658	821019	1045	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	09	SHAL	W	J1660	821103	1500	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	10	3	S	J1661	821019	1235	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

BASE / NEUTRALS

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	1,4-DI CHLORO BENZENE	3,3'- DICHLORO BENZI DINE	2,4- DINITRO TOLUENE	2,6- DINITRO TOLUENE	1,2-DI PHENYLHY DRAZAINE	FLUOR ANTHENE	4-CHLORO PHENYL PHENLY ETHER	4-BROMO PHENYL PHENLY ETHER	BIS(2- CHLOROISO PROPYL) ETHER
	10	6	S	J1662	821019	1250	400 UI	800 UI	800 UI	600 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	10	9	S	J1663	821019	1310	400 UI	800 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	10	12	S	J1664	821019	1340	400 UI	800 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	10	15	S	J1665	821019	1405	400 UI	800 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	10	SHAL	W	J1666	821104	1000	10 KUI	20 KUI	20 KUI	20 KUI	20 KUI	10 KUI	10 KUI	10 KUI	20 KUI
	11	3	S	J1667	821008	1100	10 KUI	20 KUI	20 KUI	20 KUI	20 KUI	10 KUI	10 KUI	10 KUI	20 KUI
	11	6	S	J1668	821008	1115	10 KUI	20 KUI	20 KUI	20 KUI	20 KUI	10 KUI	10 KUI	10 KUI	20 KUI
	11	8	S	J1669	821008	1130	400 UI	800 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	11	10	S	J1670	821008	1145	10 KUI	20 KUI	20 KUI	20 KUI	20 KUI	10 KUI	10 KUI	10 KUI	20 KUI
	11	12	S	J1671	821006	1200	400 UI	800 UI	800 UI	800 UI	800 UI	7300 I	400 UI	400 UI	800 UI
	11	SHAL	W	J1672	821109	1030	20 UI	40 UI	40 UI	40 UI	40 UI	20 UI	20 UI	20 UI	40 UI
	11	DEEP	W	J1678	821109	1100	20 UI	40 UI	40 UI	40 UI	40 UI	20 UI	20 UI	20 UI	40 UI
	12	3	S	J1679	821025	1130	400 UI	800 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	12	6	S	J1680	821025	1140	400 UI	800 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	12	9	S	J1681	821025	1200	400 UI	800 UI	800 UI	600 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	12	12	S	J1682	821025	1230	400 UI	800 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	12	15	S	J1683	821025	1240	400 UI	800 UI	600 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	12	SHAL	W	J1684	821103	1200	20 UI	40 UI	40 UI	40 UI	40 UI	20 UI	20 UI	20 UI	40 UI
	13	3	S	J1685	821027	1310	400 UI	800 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	13	6	S	J1686	821027	1325	400 UI	800 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	13	9	S	J1687	821027	1400	400 UI	800 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	13	SHAL	W	J1690	821101	1500	20 UI	40 UI	40 UI	40 UI	40 UI	20 UI	20 UI	20 UI	40 UI
	14	3	S	J1691	821020	0945	400 UI	800 UI	800 UI	800 UI	800 UI	440 MI	400 UI	400 UI	800 UI
	14	6	S	J1692	821020	1020	400 UI	600 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	14	9	S	J1693	821020	1040	400 UI	800 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	14	12	S	J1694	821020	1100	400 UI	800 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	14	15	S	J1695	821020	1145	400 UI	800 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	14	SHAL	W	J1696	821104	1400	10 KUI	20 KUI	20 KUI	20 KUI	20 KUI	10 KUI	10 KUI	10 KUI	20 KUI
	15	3	S	J1697	821025	1500	10 KUI	20 KUI	20 KUI	20 KUI	20 KUI	10 KUI	10 KUI	10 KUI	20 KUI
	15	6	S	J1698	821025	1510	10 KUI	20 KUI	20 KUI	20 KUI	20 KUI	10 KUI	10 KUI	10 KUI	20 KUI
	15	9	S	J1699	821025	1520	10 KUI	20 KUI	20 KUI	20 KUI	20 KUI	10 KUI	10 KUI	10 KUI	20 KUI
	15	SHAL	W	J1702	821112	1230	20 UI	40 UI	40 UI	40 UI	40 UI	20 UI	20 UI	20 UI	40 UI
	16	3	S	J1703	821020	1310	10 KUI	20 KUI	20 KUI	20 KUI	20 KUI	10 KUI	10 KUI	10 KUI	20 KUI
	16	6	S	J1704	821020	1325	400 UI	800 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	16	9	S	J1705	821020	1345	400 UI	800 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	16	12	S	J1706	821020	1405	400 UI	800 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	16	15	S	J1707	821020	1430	400 UI	800 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	16	SHAL	W	J1708	821104	1100	10 KUI	20 KUI	20 KUI	20 KUI	20 KUI	10 KUI	10 KUI	10 KUI	20 KUI
	17	3	S	J1709	821011	1100	10 KUI	20 KUI	20 KUI	20 KUI	20 KUI	10 KUI	10 KUI	10 KUI	20 KUI
	17	6	S	J1710	821011	1120	10 KUI	20 KUI	20 KUI	20 KUI	20 KUI	10 KUI	10 KUI	10 KUI	20 KUI
	17	9	S	J1711	821011	1150	400 UI	800 UI	800 UI	800 UI	800 UI	400 UI	400 UI	400 UI	800 UI
	17	12	S	J1712	821011	1230	10 KUI	20 KUI	20 KUI	20 KUI	20 KUI	10 KUI	10 KUI	10 KUI	20 KUI
	17	15	S	J1713	821011	1300	10 KUI	20 KUI	20 KUI	20 KUI	20 KUI	10 KUI	10 KUI	10 KUI	20 KUI
	17	18	S	J1714	821013	1330	10 KUI	20 KUI	20 KUI	20 KUI	20 KUI	10 KUI	10 KUI	10 KUI	20 KUI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	BASE / NEUTRALS																	
							1,4-DI CHLORO BENZENE		3,3'-DICHLORO BENZI DINE		2,4-DINITRO TOLUENE		2,6-DINITRO TOLUENE		1,2-DI PHENYLHY DRAZAINE		FLUOR ANTHENE		4-CHLORO PHENYL PHENLY ETHER		4-BROMO PHENYL PHENLY ETHER		BIS(2-CHLOROISO PROPYL) ETHER	
	17	21	S	J1716	821013	1350	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	17	24	S	J1717	821013	1400	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	17	27	S	J1718	821013	1405	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	17	30	S	J1719	821013	1420	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	17	SHAL	W	J0427	821110	1000	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
	17	DEEP	W	J1720	821110	1100	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	18	3	S	J1721	821026	1000	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
	18	6	S	J1722	821026	1020	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	18	9	S	J1723	821026	1030	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	18	SHAL	W	J1726	821112	1130	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	19	3	S	J1727	821027	1000	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	19	6	S	J1728	821027	1015	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	19	9	S	J1729	821027	1045	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	19	12	S	J1730	821027	1120	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	19	SHAL	W	J1732	821101	1600	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	20	3	S	J1733	821021	0940	400	UI	800	UI	800	UI	800	UI	800	UI	400	MI	400	UI	400	UI	800	UI
	20	6	S	J1734	821021	1010	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	20	9	S	J1735	821021	1030	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	20	12	S	J1736	821021	1055	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	20	15	S	J1737	821021	1120	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	20	SHAL	W	J1736	821104	1330	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
	21	3	S	J1739	821021	1400	400	UI	800	UI	800	UI	800	UI	800	UI	7700	I	400	UI	400	UI	800	UI
	21	6	S	J1740	821021	1445	400	UI	800	UI	800	UI	800	UI	800	UI	560	MI	400	UI	400	UI	800	UI
	21	9	S	J1741	821021	1510	400	UI	800	UI	800	UI	800	UI	800	UI	400	MI	400	UI	400	UI	800	UI
	21	12	S	J1742	821021	1535	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	21	15	S	J1743	821021	1545	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	21	SHAL	W	J1744	821105	1030	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	22	3	S	J1745	821012	0900	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	17	KMI	10	KUI	10	KUI	20	KUI
	22	6	S	J1746	821012	0930	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KMI	10	KUI	10	KUI	20	KUI
	22	9	S	J1747	821012	1000	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
	22	12	S	J1748	821012	1030	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KMI	10	KUI	10	KUI	20	KUI
	22	15	S	J1749	821012	1100	400	UI	800	UI	800	UI	800	UI	800	UI	660	MI	400	UI	400	UI	800	UI
	22	SHAL	W	J1750	821110	1200	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	22	DEEP	W	J1756	821110	1300	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	23	3	S	J1757	821026	1130	400	UI	800	UI	800	UI	800	UI	800	UI	400	MI	400	UI	400	UI	800	UI
	23	6	S	J1758	821026	1150	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
	23	9	S	J1759	821026	1200	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
	23	SHAL	W	J1762	821026	1430	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	24	3	S	J1763	821022	0950	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	24	6	S	J1764	821022	1000	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	24	9	S	J1765	821022	1020	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	24	12	S	J1766	821022	1045	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	24	15	S	J1767	821022	1055	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	24	SHAL	W	J1768	821105	1130	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							BASE / NEUTRALS																	
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	1,4-DI CHLORO BENZENE		3,3'-DICHLORO BENZI DINE		2,4-DINITRO TOLUENE		2,6-DINITRO TOLUENE		1,2-DI PHENYLHY DRAZAINE		FLUOR ANTHENE		4-CHLORO PHENYL PHENLY ETHER		4-BROMO PHENYL PHENLY ETHER		BIS(2-CHLOROISO PROPYL) ETHER	
	25	3	S	J1769	821026	1340	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
	25	6	S	J1770	821026	1355	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
	25	9	S	J1771	821026	1440	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
	25	SHAL	W	J1774	821111	1130	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	25	DEEP	W	J1780	821110	1500	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	26	3	S	J1781	821026	1425	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	26	6	S	J1782	821026	1440	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	26	9	S	J1783	821026	1450	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
	26	SHAL	W	J1786	821111	1230	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	27	SHAL	W	J0462	821116	1100	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
	28	SHAL	W	J0463	821116	1230	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	29	SHAL	W	J0461	821115	1300	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
	30	SHAL	W	J0465	821220	1100	10K	UI	20K	UI	20K	UI	20K	UI	20K	UI	10K	UI	10K	UI	10K	UI	20K	UI
BERM #1		1	S	J1787	821025	1000	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
BERM #2		1	S	J1788	821025	1015	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
BERM #3		1	S	J1789	821025	1030	400	UI	600	UI	800	UI	800	UI	800	UI	400	MI	400	UI	400	UI	800	UI
BERM #4		1	S	J1790	821025	1045	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
BERM #5		1	S	J1791	821025	1100	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
BERM #6		1	S	J1792	821025	1115	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
BERM #7		1	S	J1793	821025	1130	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
BERM #8		1	S	J1794	821025	1145	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
BERM #9		1	S	J1795	821025	1200	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI
BLANK			S	J1797	821008		400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
DRILLER'S WATER			W	J1799	821012		400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
PEA GRAVEL			S	J1798	821012		400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
SS#2		0	S	J1628	821118	0952	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	11	KMI	10	KUI	10	KUI	20	KUI
SS#3		0	S	J1629	821118	0956	400	UI	800	UI	800	UI	800	UI	800	UI	400	UI	400	UI	400	UI	800	UI
SS#4		0	S	J1635	821118	1002	400	UI	800	UI	800	UI	800	UI	800	UI	6300	I	400	UI	400	UI	800	UI
SS#5		0	S	J1641	821118	1006	400	UI	800	UI	800	UI	800	UI	800	UI	400	MI	400	UI	400	UI	800	UI
SS#6		0	S	J1646	821118	1027	400	UI	800	UI	800	UI	800	UI	800	UI	400	MI	400	UI	400	UI	800	UI
SS#7		0	S	J1647	821118	1036	400	MI	800	UI	800	UI	800	UI	800	UI	6000	I	400	UI	400	UI	800	UI
SS#8		0	S	J1659	821118	1041	400	UI	800	UI	800	UI	800	UI	800	UI	15	K I	400	UI	400	UI	800	UI
SS#9		0	S	J1673	821118	1044	10	KUI	20	KUI	20	KUI	20	KUI	20	KUI	29	KMI	10	KUI	10	KUI	20	KUI
SS#10		0	S	J1674	821118	1048	400	UI	800	UI	800	UI	800	UI	800	UI	59	K I	400	UI	400	UI	800	UI
SS#11		0	S	J1675	821118	1050	400	UI	800	UI	800	UI	800	UI	800	UI	234	K I	400	UI	400	UI	800	UI
SS#12		0	S	J1676	821118	1053	400	UI	800	UI	800	UI	800	UI	800	UI	16	K I	400	UI	400	UI	800	UI
TRANSFER BLANK			W	J0428	821101	1100	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI
TRANSPORT BLANK			W	J0429	821101	1100	20	UI	40	UI	40	UI	40	UI	40	UI	20	UI	20	UI	20	UI	40	UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	B A S E / N E U T R A L S BIS 2-CHLORO ETHOXY METHANE	HEXA CHLORO BUTA DIENE	HEXA CHLOROCY CLOPENT ADIENE	ISO PHORONE	NAPH THALENE	NITRO BENZENE	N-NITROSO DIMETHYL AMINE	N-NITROSO DIPHENYL AMINE	N-NITROSO DIPROPYL AMINE
	01	3	S	J1601	821007	0900	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	01	6	S	J1602	821007	0915	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	01	9	S	J1603	821007	0930	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	01	12	S	J1604	821007	0945	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	01	SHAL	W	J1606	821108	1330	40 UI	20 UI	20 UI	20 UI	20 UI	20 UI	I	20 UI	40 UI
	01	DEEP	W	J1612	821108	1400	40 UI	20 UI	20 UI	20 UI	20 UI	20 UI	I	20 UI	40 UI
	02	3	S	J1613	821014	1025	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	02	6	S	J1614	821014	1030	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	02	9	S	J1615	821014	1035	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	02	12	S	J1616	821014	1040	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	02	15	S	J1617	821014	1045	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	02	SHAL	W	J1618	821102	1100	40 UI	20 UI	20 UI	20 UI	20 UI	20 UI	I	20 MI	40 UI
	03	3	S	J1619	821014	1155	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	03	6	S	J1620	821014	1205	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	03	9	S	J1621	821014	1210	800 UI	400 UI	400 UI	400 UI	13 K I	400 UI	I	400 UI	800 UI
	03	SHAL	W	J5052	821115	1200	10 KUI	10 KUI	10 KUI	10 KUI	10 KUI	10 KUI	I	10 KUI	10 KUI
	04	3	S	J1625	821018	1415	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	04	6	S	J1626	821018	1430	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	04	9	S	J1627	821018	1435	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	04	SHAL	W	J1630	821102	1500	20 KUI	10 KUI	10 KUI	10 KUI	10 KUI	10 KUI	I	10 KUI	20 KUI
	05	3	S	J1631	821018	1330	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	05	6	S	J1632	821018	1330	800 UI	400 UI	400 UI	400 UI	400 MI	400 UI	I	400 UI	800 UI
	05	9	S	J1633	821018	1330	800 UI	400 UI	400 UI	400 UI	400 MI	400 UI	I	400 UI	800 UI
	05	12	S	J1634	821018	1330	20 KUI	10 KUI	10 KUI	10 KUI	10 KUI	10 KUI	I	10 KUI	20 KUI
	05	SHAL	W	J1636	821103	1500	40 UI	20 UI	20 UI	20 UI	20 UI	20 UI	I	20 UI	40 UI
	06	3	S	J1637	821018	1035	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	06	6	S	J1638	821018	1045	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	06	9	S	J1639	821018	1050	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	06	12	S	J1640	821018	1100	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	06	SHAL	W	J1642	821103	1100	40 UI	20 UI	20 UI	20 UI	20 UI	20 UI	I	20 UI	40 UI
	07	3	S	J1643	821014	1415	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	07	6	S	J1644	821014	1425	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	07	9	S	J1645	821014	1430	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	07	SHAL	W	J1648	821103	1430	40 UI	20 UI	20 UI	20 UI	20 UI	20 UI	I	20 UI	40 UI
	08	3	S	J1649	821025	1410	20 KUI	10 KUI	10 KUI	10 KUI	10 KUI	10 KUI	I	10 KUI	20 KUI
	08	6	S	J1650	821025	1425	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	08	9	S	J1651	821025	1440	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	08	SHAL	W	J1654	821108	1500	40 UI	20 UI	20 UI	20 UI	20 UI	20 UI	I	20 UI	40 UI
	09	3	S	J1655	821019	1020	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	09	6	S	J1656	821019	1030	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	09	9	S	J1657	821019	1040	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	09	12	S	J1658	821019	1045	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI
	09	SHAL	W	J1660	821103	1500	40 UI	20 UI	20 UI	20 UI	20 UI	20 UI	I	20 UI	40 UI
	10	3	S	J1661	821019	1235	800 UI	400 UI	400 UI	400 UI	400 UI	400 UI	I	400 UI	800 UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	BASE / NEUTRALS								
							BIS 2-CHLORO ETHOXY METHANE	HEXA CHLORO BUTA DIENE	HEXA CHLOROCY CLOPENT ADIENE	ISO PHORONE	NAPH THALENE	NITRO BENZENE	N-NITROSO DIMETHYL AMINE	N-NITROSO DIPHENYL AMINE	N-NITROSO DIPROPYL AMINE
	10	6	S	J1662	821019	1250	800 U	400 U	400 U	400 U	400 U	400 U		400 U	800 U
	10	9	S	J1663	821019	1310	800 U	400 U	400 U	400 M	400 U	400 U		400 U	800 U
	10	12	S	J1664	821019	1340	800 U	400 U	400 U	400 U	400 U	400 U		400 U	800 U
	10	15	S	J1665	821019	1405	800 U	400 U	400 U	400 M	400 U	400 U		400 U	800 U
	10	SHAL	W	J1666	821104	1000	20 KU	10 KU	10 KU	10 KU	10 KU	10 KU		10 KU	20 KU
	11	3	S	J1667	821008	1100	20 KU	10 KU	10 KU	10 KU	10 KU	10 KU		10 KU	20 KU
	11	6	S	J1668	821008	1115	20 KU	10 KU	10 KU	10 KU	10 KU	10 KU		10 KU	20 KU
	11	8	S	J1669	821008	1130	800 U	400 U	400 U	400 U	500 M	400 U		400 U	800 U
	11	10	S	J1670	821008	1145	20 KU	10 KU	10 KU	10 KU	17 KM	10 KU		10 KU	20 KU
	11	12	S	J1671	821008	1200	800 U	400 U	400 U	400 M	5200	400 U		400 U	800 U
	11	SHAL	W	J1672	821109	1030	40 U	20 U	20 U	20 M	20 M	20 U		20 U	40 U
	11	DEEP	W	J1678	821109	1100	40 U	20 U	20 U	20 U	23 M	20 U		20 U	40 U
	12	3	S	J1679	821025	1130	800 U	400 U	400 U	400 U	400 U	400 U		400 U	800 U
	12	6	S	J1680	821025	1140	800 U	400 U	400 U	400 U	400 U	400 U		480 M	800 U
	12	9	S	J1681	821025	1200	800 U	400 U	400 U	400 U	400 U	400 U		400 U	800 U
	12	12	S	J1682	821025	1230	800 U	400 U	400 U	400 U	400 U	400 U		400 U	800 U
	12	15	S	J1683	821025	1240	800 U	400 U	400 U	400 U	400 U	400 U		400 U	800 U
	12	SHAL	W	J1684	821103	1200	40 U	20 U	20 U	20 U	20 M	20 U		20 U	40 U
	13	3	S	J1685	821027	1310	800 U	400 U	400 U	400 U	400 U	400 U		400 U	800 U
	13	6	S	J1686	821027	1325	800 U	400 U	400 U	400 U	400 U	400 U		400 U	800 U
	13	9	S	J1687	821027	1400	800 U	400 U	400 U	400 U	400 U	400 U		400 U	800 U
	13	SHAL	W	J1690	821101	1500	40 U	20 U	20 U	20 U	20 U	20 U		20 U	40 U
	14	3	S	J1691	821020	0945	800 U	400 U	400 U	400 U	1800 M	400 U		400 U	800 U
	14	6	S	J1692	821020	1020	800 U	400 M	400 U	400 U	400 M	400 U		400 U	800 U
	14	9	S	J1693	821020	1040	800 U	400 U	400 U	400 M	400 U	400 U		400 U	800 U
	14	12	S	J1694	821020	1100	800 U	400 U	400 U	400 U	400 U	400 U		400 U	800 U
	14	15	S	J1695	821020	1145	800 U	400 U	400 U	400 U	400 U	400 U		400 U	800 U
	14	SHAL	W	J1696	821104	1400	20 KU	10 KU	10 KU	10 KU	10 KU	10 KU		10 KU	20 KU
	15	3	S	J1697	821025	1500	20 KU	10 KU	10 KU	10 KU	10 KU	10 KU		10 KU	20 KU
	15	6	S	J1698	821025	1510	20 KU	10 KU	10 KU	10 KU	10 KU	10 KU		10 KU	20 KU
	15	9	S	J1699	821025	1520	20 KU	10 KU	10 KU	10 KU	10 KU	10 KU		10 KU	20 KU
	15	SHAL	W	J1702	821112	1230	40 U	20 U	20 U	20 U	20 M	20 U		20 U	40 U
	16	3	S	J1703	821020	1310	20 KU	10 KU	10 KU	10 KU	10 KU	10 KU		10 KU	20 KU
	16	6	S	J1704	821020	1325	800 U	400 U	400 U	400 U	400 U	400 U		400 U	800 U
	16	9	S	J1705	821020	1345	800 U	400 U	400 U	400 U	400 U	400 U		400 U	800 U
	16	12	S	J1706	821020	1405	800 U	400 U	400 U	400 U	400 U	400 U		400 U	800 U
	16	15	S	J1707	821020	1430	800 U	400 U	400 U	400 U	400 U	400 U		400 U	800 U
	16	SHAL	W	J1708	821104	1100	20 KU	10 KU	10 KU	10 KU	10 KU	10 KU		10 KU	20 KU
	17	3	S	J1709	821011	1100	20 KU	10 KU	10 KU	10 KU	10 KU	10 KU		10 KU	20 KU
	17	6	S	J1710	821011	1120	20 KU	10 KU	10 KU	10 KU	10 KU	10 KU		10 KU	20 KU
	17	9	S	J1711	821011	1150	800 U	400 U	400 U	400 U	1700 M	400 U		400 U	800 U
	17	12	S	J1712	821011	1230	20 KU	10 KU	10 KU	10 KU	10 KU	10 KU		10 KU	20 KU
	17	15	S	J1713	821011	1300	20 KU	10 KU	10 KU	10 KU	10 KU	10 KU		10 KU	20 KU
	17	18	S	J1714	821013	1330	20 KU	10 KU	10 KU	10 KU	10 KU	10 KU		10 KU	20 KU

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	BASE / NEUTRALS																	
							BIS 2-CHLORO ETHOXY METHANE		HEXA CHLORO BUTA DIENE		HEXA CHLOROCY CLOPENT ADIENE		ISO PHORONE		NAPH THALENE		NITRO BENZENE		N-NITROSO DIMETHYL AMINE		N-NITROSO DIPHENYL AMINE		N-NITROSO DIPROPYL AMINE	
	17	21	S	J1716	821013	1350	800	U	400	U	400	U	400	U	400	M	400	U			400	U	800	U
	17	24	S	J1717	821013	1400	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	17	27	S	J1718	821013	1405	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	17	30	S	J1719	821013	1420	600	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	17	SHAL	W	J0427	821110	1000	20	KU	10	KU	10	KU	10	KU	10	KU	10	KU			10	KU	20	KU
	17	DEEP	W	J1720	821110	1100	40	U	20	U	20	U	44	M	36	M	20	U			20	U	40	U
	18	3	S	J1721	821026	1000	20	KU	10	KU	10	KU	10	KU	10	KU	10	KU			10	KU	20	KU
	18	6	S	J1722	821026	1020	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	18	9	S	J1723	821026	1030	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	18	SHAL	W	J1726	821112	1130	40	U	20	U	20	U	20	U	20	U	20	U			20	U	40	U
	19	3	S	J1727	821027	1000	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	19	6	S	J1728	821027	1015	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	19	9	S	J1729	821027	1045	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	19	12	S	J1730	821027	1120	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	19	SHAL	W	J1732	821101	1600	40	U	20	U	20	U	20	U	20	U	20	U			20	U	40	U
	20	3	S	J1733	821021	0940	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	20	6	S	J1734	821021	1010	800	U	400	U	400	U	400	U	4300		400	U			400	U	800	U
	20	9	S	J1735	821021	1030	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	20	12	S	J1736	821021	1055	800	U	400	U	400	U	400	U	400	M	400	U			400	U	800	U
	20	15	S	J1737	821021	1120	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	20	SHAL	W	J1738	821104	1330	20	KU	10	KU	10	KU	10	KU	10	KU	10	KU			10	KU	20	KU
	21	3	S	J1739	821021	1400	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	21	6	S	J1740	821021	1445	800	U	400	U	400	U	400	U	400	M	400	U			400	U	800	U
	21	9	S	J1741	821021	1510	800	U	400	U	400	U	400	U	400	M	400	U			400	U	800	U
	21	12	S	J1742	821021	1535	800	U	400	U	400	U	400	U	400	U	400	U			400	U	600	U
	21	15	S	J1743	821021	1545	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	21	SHAL	W	J1744	821105	1030	40	U	20	U	20	U	20	U	20	U	20	U			20	U	40	U
	22	3	S	J1745	821012	0900	20	KU	10	KU	10	KU	10	KU	34	KM	10	KU			10	KU	20	KU
	22	6	S	J1746	821012	0930	20	KU	10	KU	10	KU	10	KU	30	KM	10	KU			10	KU	20	KU
	22	9	S	J1747	821012	1000	20	KU	10	KU	10	KU	10	KU	13	KM	10	KU			10	KU	20	KU
	22	12	S	J1748	821012	1030	20	KU	10	KU	10	KU	10	KU	12	KM	10	KU			10	KU	20	KU
	22	15	S	J1749	821012	1100	800	U	400	U	400	U	400	U	2961		400	U			400	U	800	U
	22	SHAL	W	J1750	821110	1200	40	U	20	U	20	U	20	U	20	U	20	U			20	U	40	U
	22	DEEP	W	J1756	821110	1300	40	U	20	U	20	U	20	U	40	M	20	U			20	U	40	U
	23	3	S	J1757	821026	1130	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	23	6	S	J1758	821026	1150	20	KU	10	KU	10	KU	10	KU	10	KU	10	KU			10	KU	20	KU
	23	9	S	J1759	821026	1200	20	KU	10	KU	10	KU	10	KU	10	KU	10	KU			10	KU	20	KU
	23	SHAL	W	J1762	821026	1430	40	U	20	U	20	U	20	U	20	U	20	U			20	U	40	U
	24	3	S	J1763	821022	0950	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	24	6	S	J1764	821022	1000	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	24	9	S	J1765	821022	1020	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	24	12	S	J1766	821022	1045	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	24	15	S	J1767	821022	1055	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	24	SHAL	W	J1768	821105	1130	40	U	20	U	20	U	20	U	20	U	20	U			20	U	40	U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	BASE / NEUTRALS: BIS 2-CHLORO ETHOXY METHANE		HEXA CHLORO BUTA DIENE		HEXA CHLOROCY CLOPENT ADIENE		ISO PHORONE		NAPH THALENE		NITRO BENZENE		N- NITROSO DIMETHYL AMINE		N- NITROSO DIPHENYL AMINE		N- NITROSO DIPROPYL AMINE	
	25	3	S	J1769	821026	1340	20	KU	10	KU	10	KU	10	KU	10	KU	10	KU			10	KU	20	KU
	25	6	S	J1770	821026	1355	20	KU	10	KU	10	KU	10	KU	10	KU	10	KU			10	KU	20	KU
	25	9	S	J1771	821026	1440	20	KU	10	KU	10	KU	10	KU	10	KU	10	KU			10	KU	20	KU
	25	SHAL	W	J1774	821111	1130	40	U	20	U	20	U	20	U	20	U	20	U			20	U	40	U
	25	DEEP	W	J1780	821110	1500	40	U	20	U	20	U	20	U	20	U	20	U			20	U	40	U
	26	3	S	J1781	821026	1425	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	26	6	S	J1782	821026	1440	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	26	9	S	J1783	821026	1450	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
	26	SHAL	W	J1786	821111	1230	40	U	20	U	20	U	20	U	20	U	20	U			20	U	40	U
	27	SHAL	W	J0462	821116	1100	20	KU	10	KU	10	KU	10	KU	10	KU	10	KU			10	KU	20	KU
	28	SHAL	W	J0463	821116	1230	40	U	20	U	20	U	540		20	U	20	U			20	U	40	U
	29	SHAL	W	J0461	821115	1300	40	U	20	U	20	U	20	U	20	U	20	U			20	U	40	U
	30	SHAL	W	J0465	821220	1100	20K	U	10K	U	10K	U	10K	U	10K	U	10K	U			10K	U	20K	U
BERM #1		1	S	J1787	821025	1000	800	U	400	U	400	U	400	U	400	M	400	U			400	U	800	U
BERM #2		1	S	J1788	821025	1015	20	KU	10	KU	10	KU	10	KU	10	KU	10	KU			10	KU	20	KU
BERM #3		1	S	J1789	821025	1030	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
BERM #4		1	S	J1790	821025	1045	20	KU	10	KU	10	KU	10	KU	10	KU	10	KU			10	KU	20	KU
BERM #5		1	S	J1791	821025	1100	20	KU	10	KU	10	KU	10	KU	10	KU	10	KU			10	KU	20	KU
BERM #6		1	S	J1792	821025	1115	20	KU	10	KU	10	KU	10	KU	10	KU	10	KU			10	KU	20	KU
BERM #7		1	S	J1793	821025	1130	20	KU	10	KU	10	KU	10	KU	10	KU	10	KU			10	KU	20	KU
BERM #8		1	S	J1794	821025	1145	20	KU	10	KU	10	KU	10	KU	10	KU	10	KU			10	KU	20	KU
BERM #9		1	S	J1795	821025	1200	20	KU	10	KU	10	KU	10	KU	10	KU	10	KU			10	KU	20	KU
BLANK			S	J1797	821008		800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
DRILLER'S WATER			W	J1799	821012		800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
PEA GRAVEL			S	J1798	821012		800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
SS#2		0	S	J1628	821118	0952	20	KU	10	KU	10	KU	10	KU	10	KU	10	KU			10	KU	20	KU
SS#3		0	S	J1629	821118	0956	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
SS#4		0	S	J1635	821118	1002	800	U	400	U	400	U	400	U	7400		400	U			400	U	800	U
SS#5		0	S	J1641	821118	1008	800	U	400	U	400	U	400	U	400	U	400	U			400	U	800	U
SS#6		0	S	J1646	821118	1027	800	U	400	U	400	U	400	U	400	M	400	U			400	U	600	U
SS#7		0	S	J1647	821118	1036	800	U	400	U	400	U	400	U	4000		400	U			400	U	800	U
SS#8		0	S	J1659	821118	1041	800	U	400	U	400	U	400	U	6200	K	400	U			400	U	800	U
SS#9		0	S	J1673	821118	1044	20	KU	10	KU	10	KU	10	KU	13	KM	10	KU			10	KU	20	KU
SS#10		0	S	J1674	821118	1048	800	U	400	U	400	U	400	U	120	K	400	U			400	U	800	U
SS#11		0	S	J1675	821118	1050	800	U	400	U	400	U	400	U	627	K	400	U			400	U	800	U
SS#12		0	S	J1676	821118	1053	800	U	400	U	400	U	400	U	18	K	400	U			400	U	800	U
TRANSFER BLANK			W	J0428	821101	1100	40	U	20	U	20	U	20	U	20	U	20	U			20	U	40	U
TRANSPORT BLANK			W	J0429	821101	1100	40	U	20	U	20	U	20	U	20	M	20	U			20	U	40	U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							BASE / NEUTRALS																	
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	BIS 2-ETHYL HEXYL PHTHALAT		BENZYL BUTYL PHTHALAT		DI-N-BUTYL PHTHALAT		DI-N-OCTYL PHTHALAT		DIETHYL PHTHALAT		DIMETHYL PHTHALAT		BENZO A ANTHRA CENE		BENZO A PYRENE		BENZO B FLUORAN THENE	
	01	3	S	J1601	821007	0900	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	01	6	S	J1602	821007	0915	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	01	9	S	J1603	821007	0930	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	01	12	S	J1604	821007	0945	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	01	SHAL	W	J1606	821108	1330	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	01	DEEP	W	J1612	821108	1400	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	02	3	S	J1613	821014	1025	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	02	6	S	J1614	821014	1030	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	02	9	S	J1615	821014	1035	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	02	12	S	J1616	821014	1040	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	02	15	S	J1617	821014	1045	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	02	SHAL	W	J1618	821102	1100	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	03	3	S	J1619	821014	1155	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	03	6	S	J1620	821014	1205	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	03	9	S	J1621	821014	1210	1200	MI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	03	SHAL	W	J5052	821115	1200	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	04	3	S	J1625	821018	1415	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	04	6	S	J1626	821018	1430	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	04	9	S	J1627	821018	1435	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	04	SHAL	W	J1630	821102	1500	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	05	3	S	J1631	821018	1330	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	05	6	S	J1632	821018	1330	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	05	9	S	J1633	821018	1330	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	05	12	S	J1634	821018	1330	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	05	SHAL	W	J1636	821103	1500	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	06	3	S	J1637	821018	1035	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	06	6	S	J1638	821018	1045	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	06	9	S	J1639	821018	1050	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	06	12	S	J1640	821018	1100	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	06	SHAL	W	J1642	821103	1100	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	07	3	S	J1643	821014	1415	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	07	6	S	J1644	821014	1425	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	07	9	S	J1645	821014	1430	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	07	SHAL	W	J1648	821103	1430	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	08	3	S	J1649	821025	1410	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	08	6	S	J1650	821025	1425	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	08	9	S	J1651	821025	1440	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	08	SHAL	W	J1654	821108	1500	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	09	3	S	J1655	821019	1020	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	09	6	S	J1656	821019	1030	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	09	9	S	J1657	821019	1040	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	09	12	S	J1658	821019	1045	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	09	SHAL	W	J1660	821103	1500	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	10	3	S	J1661	821019	1235	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							BASE / NEUTRALS																	
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	BIS 2-ETHYL HEXYL PHTHALAT		BENZYL BUTYL PHTHALAT		DI-N-BUTYL PHTHALAT		DI-N-OCTYL PHTHALAT		DIETHYL PHTHALAT		DIMETHYL PHTHALAT		BENZO A ANTHRA CENE		BENZO A PYRENE		BENZO B FLUORAN THENE	
	10	6	S	J1662	821019	1250	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	10	9	S	J1663	821019	1310	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	10	12	S	J1664	821019	1340	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	10	15	S	J1665	821019	1405	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	10	SHAL	W	J1666	821104	1000	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	11	3	S	J1667	821008	1100	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	11	6	S	J1668	821008	1115	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	11	8	S	J1669	821008	1130	3100	I	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	11	10	S	J1670	821008	1145	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	11	12	S	J1671	821008	1200	29.9K	I	9100	I	400	UI	400	UI	400	UI	400	UI	840	MI	800	UI	800	UI
	11	SHAL	W	J1672	821109	1030	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	11	DEEP	W	J1678	821109	1100	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	12	3	S	J1679	821025	1130	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	12	6	S	J1680	821025	1140	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	12	9	S	J1681	821025	1200	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	12	12	S	J1682	821025	1230	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	12	15	S	J1683	821025	1240	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	12	SHAL	W	J1684	821103	1200	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	60	MI	40	MI	40	MI
	13	3	S	J1685	821027	1310	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	600	UI
	13	6	S	J1686	821027	1325	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	13	9	S	J1687	821027	1400	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	13	SHAL	W	J1690	821101	1500	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	14	3	S	J1691	821020	0945	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	14	6	S	J1692	821020	1020	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	14	9	S	J1693	821020	1040	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	14	12	S	J1694	821020	1100	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	14	15	S	J1695	821020	1145	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	14	SHAL	W	J1696	821104	1400	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	15	3	S	J1697	821025	1500	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	15	6	S	J1698	821025	1510	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	15	9	S	J1699	821025	1520	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	15	SHAL	W	J1702	821112	1230	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	16	3	S	J1703	821020	1310	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	16	6	S	J1704	821020	1325	29	K I	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	16	9	S	J1705	821020	1345	29.6K	I	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	16	12	S	J1706	821020	1405	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	16	15	S	J1707	821020	1430	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	16	SHAL	W	J1708	821104	1100	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	17	3	S	J1709	821011	1100	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	17	6	S	J1710	821011	1120	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	17	9	S	J1711	821011	1150	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	17	12	S	J1712	821011	1230	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	17	15	S	J1713	821011	1300	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	17	18	S	J1714	821013	1330	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

BASE / NEUTRALS

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	BIS 2-ETHYL HEXYL PHTHALAT		BENZYL BUTYL PHTHALAT		DI-N-BUTYL PHTHALAT		DI-N-OCTYL PHTHALAT		DIETHYL PHTHALAT		DIMETHYL PHTHALAT		BENZO A ANTHRA CENE		BENZO A PYRENE		BENZO B FLUORAN THENE	
	17	21	S	J1716	821013	1350	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	17	24	S	J1717	821013	1400	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	17	27	S	J1718	821013	1405	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	17	30	S	J1719	821013	1420	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	17	SHAL	W	J0427	821110	1000	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	17	DEEP	W	J1720	821110	1100	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	18	3	S	J1721	821026	1000	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	18	6	S	J1722	821026	1020	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	18	9	S	J1723	821026	1030	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	18	SHAL	W	J1726	821112	1130	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	19	3	S	J1727	821027	1000	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	19	6	S	J1728	821027	1015	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	19	9	S	J1729	821027	1045	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	19	12	S	J1730	821027	1120	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	19	SHAL	W	J1732	821101	1600	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	20	3	S	J1733	821021	0940	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	20	6	S	J1734	821021	1010	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	20	9	S	J1735	821021	1030	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	20	12	S	J1736	821021	1055	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	20	15	S	J1737	821021	1120	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	20	SHAL	W	J1738	821104	1330	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	21	3	S	J1739	821021	1400	3500	I	400	UI	400	UI	400	UI	400	UI	400	UI	4000	I	800	UI	800	UI
	21	6	S	J1740	821021	1445	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	MI	800	UI	800	UI
	21	9	S	J1741	821021	1510	600	MI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	21	12	S	J1742	821021	1535	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	21	15	S	J1743	821021	1545	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	21	SHAL	W	J1744	821105	1030	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	22	3	S	J1745	821012	0900	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	22	6	S	J1746	821012	0930	29	KMI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	22	9	S	J1747	821012	1000	410	K I	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	22	12	S	J1748	821012	1030	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	22	15	S	J1749	821012	1100	31	K I	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	22	SHAL	W	J1750	821110	1200	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	22	DEEP	W	J1756	821110	1300	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	23	3	S	J1757	821026	1130	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	MI	800	UI	800	UI
	23	6	S	J1758	821026	1150	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	23	9	S	J1759	821026	1200	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	23	SHAL	W	J1762	821026	1430	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI
	24	3	S	J1763	821022	0950	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	24	6	S	J1764	821022	1000	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	24	9	S	J1765	821022	1020	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	24	12	S	J1766	821022	1045	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	24	15	S	J1767	821022	1055	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	400	UI	800	UI	800	UI
	24	SHAL	W	J1768	821105	1130	20	UI	20	UI	20	UI	20	UI	20	UI	20	UI	40	UI	40	UI	40	UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							----------------- B A S E	/ N E U T R A L S																-----------------
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	BIS 2-ETHYL HEXYL PHTHALAT		BENZYL BUTYL PHTHALAT		DI-N-BUTYL PHTHALAT		DI-N-OCTYL PHTHALAT		DIETHYL PHTHALAT		DIMETHYL PHTHALAT		BENZO A ANTHRA CENE		BENZO A PYRENE		BENZO B FLUORAN THENE	
	25	3	S	J1769	821026	1340	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	20	KU	20	KU
	25	6	S	J1770	821026	1355	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	20	KU	20	KU
	25	9	S	J1771	821026	1440	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	20	KU	20	KU
	25	SHAL	W	J1774	821111	1130	20	U	20	U	20	U	20	U	20	U	20	U	40	U	40	U	40	U
	25	DEEP	W	J1780	821110	1500	20	U	20	U	20	U	20	U	20	U	20	U	40	U	40	U	40	U
	26	3	S	J1781	821026	1425	400	U	400	U	400	U	400	U	400	U	400	U	400	U	800	U	800	U
	26	6	S	J1782	821026	1440	400	U	400	U	400	U	400	U	400	U	400	U	400	U	800	U	800	U
	26	9	S	J1783	821026	1450	400	U	400	U	400	U	400	U	400	U	400	U	400	U	800	U	800	U
	26	SHAL	W	J1786	821111	1230	20	U	20	U	20	U	20	U	20	U	20	U	40	U	40	U	40	U
	27	SHAL	W	J0462	821116	1100	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	20	KU	20	KU
	28	SHAL	W	J0463	821116	1230	20	U	20	U	20	U	20	U	20	U	20	U	40	U	40	U	40	U
	29	SHAL	W	J0461	821115	1300	20	U	20	U	20	U	20	U	20	U	20	U	40	U	40	U	40	U
	30	SHAL	W	J0465	821220	1100	544K		10K	U	10K	U	10K	U	10K	U	10K	U	10K	U	20K	U	20K	U
BERM #1		1	S	J1787	821025	1000	400	U	400	U	400	U	400	U	400	U	400	U	400	U	800	U	800	U
BERM #2		1	S	J1788	821025	1015	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	20	KU	20	KU
BERM #3		1	S	J1789	821025	1030	400	U	400	U	400	U	400	U	400	U	400	U	400	U	800	U	800	U
BERM #4		1	S	J1790	821025	1045	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	20	KU	20	KU
BERM #5		1	S	J1791	821025	1100	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	20	KU	20	KU
BERM #6		1	S	J1792	821025	1115	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	20	KU	20	KU
BERM #7		1	S	J1793	821025	1130	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	20	KU	20	KU
BERM #8		1	S	J1794	821025	1145	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	20	KU	20	KU
BERM #9		1	S	J1795	821025	1200	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	20	KU	20	KU
BLANK			S	J1797	821008		400	U	400	U	400	U	400	U	400	U	400	U	400	U	800	U	800	U
DRILLER'S WATER			W	J1799	821012		400	U	400	U	400	U	400	U	400	U	400	U	400	U	800	U	800	U
PEA GRAVEL			S	J1798	821012		400	U	400	U	400	U	400	U	400	U	400	U	400	U	800	U	800	U
SS#2		0	S	J1628	821118	0952	74	K	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	20	KU	20	KU
SS#3		0	S	J1629	821118	0956	400	U	400	U	400	U	400	U	400	U	400	U	400	U	800	U	800	U
SS#4		0	S	J1635	821118	1002	410	K	400	U	400	U	29	K	400	U	400	U	400	M	800	U	800	U
SS#5		0	S	J1641	821118	1008	400	U	400	U	400	U	400	U	400	U	400	U	400	U	800	U	800	U
SS#6		0	S	J1646	821118	1027	1000	M	400	U	400	U	400	U	400	U	400	U	400	U	800	U	800	U
SS#7		0	S	J1647	821118	1036	4600		400	U	400	U	400	U	400	U	400	U	720	M	800	U	800	U
SS#8		0	S	J1659	821118	1041	400	U	400	U	400	U	400	U	400	U	400	U	884	K	800	U	200	K
SS#9		0	S	J1673	821118	1044	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	10	KU	20	KU	20	KU
SS#10		0	S	J1674	821118	1048	500	K	400	U	400	U	400	U	400	U	400	U	400	U	800	U	800	U
SS#11		0	S	J1675	821118	1050	860	K	400	U	400	U	400	U	400	U	400	U	76	K	800	U	800	U
SS#12		0	S	J1676	821118	1053	12	K	400	U	2600		400	U	400	U	400	U	4400		800	U	800	U
TRANSFER BLANK			W	J0428	821101	1100	20	U	20	U	20	U	20	U	20	U	20	U	40	U	40	U	40	U
TRANSPORT BLANK			W	J0429	821101	1100	20	U	20	U	20	U	20	U	20	U	20	U	40	U	40	U	40	U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							B A S E / N E U T R A L S																	
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	BENZO K FLUORAN THENE		CHRYSENE		ACENAPH THYLENE		ANTHRA CENE		BENZO GHI PERYLENE		FLUORENE		PHENAN THRENE		DIBENZO A,H ANTH RACENE		INDENO 1,2,3-CD PYRENE	
	01	3	S	J1601	821007	0900	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	01	6	S	J1602	821007	0915	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	01	9	S	J1603	821007	0930	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	01	12	S	J1604	821007	0945	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	01	SHAL	W	J1606	821108	1330	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI
	01	DEEP	W	J1612	821108	1400	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI
	02	3	S	J1613	821014	1025	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	02	6	S	J1614	821014	1030	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	02	9	S	J1615	821014	1035	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	02	12	S	J1616	821014	1040	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	02	15	S	J1617	821014	1045	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	02	SHAL	W	J1618	821102	1100	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI
	03	3	S	J1619	821014	1155	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	03	6	S	J1620	821014	1205	600	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	MI	800	UI	800	UI
	03	9	S	J1621	821014	1210	800	UI	400	UI	400	UI	400	UI	800	UI	400	MI	6500	I	800	UI	800	UI
	03	SHAL	W	J5052	821115	1200	20	KUI	10	KUI	10	KUI	10	KUI	25	KUI	10	KUI	10	KUI	25	KUI	25	KUI
	04	3	S	J1625	821016	1415	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	04	6	S	J1626	821018	1430	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	04	9	S	J1627	821016	1435	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	04	SHAL	W	J1630	821102	1500	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	05	3	S	J1631	821016	1330	600	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	MI	800	UI	800	UI
	05	6	S	J1632	821018	1330	800	UI	400	MI	400	UI	400	UI	800	UI	400	UI	400	MI	800	UI	800	UI
	05	9	S	J1633	821018	1330	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	MI	800	UI	800	UI
	05	12	S	J1634	821018	1330	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	05	SHAL	W	J1636	821103	1500	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI
	06	3	S	J1637	821018	1035	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	06	6	S	J1638	821018	1045	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	06	9	S	J1639	821018	1050	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	06	12	S	J1640	821018	1100	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	600	UI
	06	SHAL	W	J1642	821103	1100	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI
	07	3	S	J1643	821014	1415	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	07	6	S	J1644	821014	1425	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	600	UI	800	UI
	07	9	S	J1645	821014	1430	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	07	SHAL	W	J1648	821103	1430	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI
	08	3	S	J1649	821025	1410	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	08	6	S	J1650	821025	1425	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	08	9	S	J1651	821025	1440	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	08	SHAL	W	J1654	821108	1500	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI
	09	3	S	J1655	821019	1020	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	09	6	S	J1656	821019	1030	600	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	09	9	S	J1657	821019	1040	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	09	12	S	J1658	821019	1045	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	09	SHAL	W	J1660	821103	1500	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI
	10	3	S	J1661	821019	1235	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	B A S E / N E U T R A L S																	
							BENZO K FLUORAN THENE		CHRYSENE		ACENAPH THYLENE		ANTHRA CENE		BENZO GHI PERYLENE		FLUORENE		PHENAN THRENE		DIBENZO A,H ANTH RACENE		INDENO 1,2,3-CD PYRENE	
	10	6	S	J1662	821019	1250	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	10	9	S	J1663	821019	1310	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	10	12	S	J1664	821019	1340	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	10	15	S	J1665	821019	1405	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	10	SHAL	W	J1666	821104	1000	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	11	3	S	J1667	821008	1100	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	11	6	S	J1668	821008	1115	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	11	8	S	J1669	821008	1130	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	MI	800	UI	800	UI
	11	10	S	J1670	821008	1145	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	11	KMI	20	KUI	20	KUI
	11	12	S	J1671	821008	1200	800	UI	520	MI	400	UI	1200	MI	800	UI	16.9K	I	62.4K	I	800	UI	800	UI
	11	SHAL	W	J1672	821109	1030	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI
	11	DEEP	W	J1678	821109	1100	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI
	12	3	S	J1679	821025	1130	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	12	6	S	J1680	821025	1140	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	12	9	S	J1681	821025	1200	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	12	12	S	J1682	821025	1230	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	12	15	S	J1683	821025	1240	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	12	SHAL	W	J1684	821103	1200	40	MI	20	MI	20	UI	20	UI	64	MI	20	UI	20	UI	44	MI	42	MI
	13	3	S	J1685	821027	1310	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	13	6	S	J1686	821027	1325	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	13	9	S	J1687	821027	1400	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	13	SHAL	W	J1690	821101	1500	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI
	14	3	S	J1691	821020	0945	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	1300	MI	800	UI	800	UI
	14	6	S	J1692	821020	1020	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	MI	800	UI	800	UI
	14	9	S	J1693	821020	1040	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	MI	800	UI	800	UI
	14	12	S	J1694	821020	1100	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	14	15	S	J1695	821020	1145	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	14	SHAL	W	J1696	821104	1400	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	15	3	S	J1697	821025	1500	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	15	6	S	J1698	821025	1510	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	15	9	S	J1699	821025	1520	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	15	SHAL	W	J1702	821112	1230	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI
	16	3	S	J1703	821020	1310	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	16	6	S	J1704	821020	1325	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	16	9	S	J1705	821020	1345	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	16	12	S	J1706	821020	1405	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	16	15	S	J1707	821020	1430	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	16	SHAL	W	J1708	821104	1100	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	17	3	S	J1709	821011	1100	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	17	6	S	J1710	821011	1120	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	17	9	S	J1711	821011	1150	800	UI	400	UI	400	UI	400	UI	800	UI	400	MI	460	MI	800	UI	800	UI
	17	12	S	J1712	821011	1230	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	17	15	S	J1713	821011	1300	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	17	18	S	J1714	821013	1330	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	BASE / NEUTRALS: BENZO K FLUORAN THENE		CHRYSENE		ACENAPH THYLENE		ANTHRA CENE		BENZO GHI PERYLENE		FLUORENE		PHENAN THRENE		DIBENZO A,H ANTH RACENE		INDENO 1,2,3-CD PYRENE	
	17	21	S	J1716	821013	1350	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	17	24	S	J1717	821013	1400	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	17	27	S	J1718	821013	1405	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	17	30	S	J1719	821013	1420	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	17	SHAL	W	J0427	821110	1000	20	KU	10	KU	10	KU	10	KU	20	KU	10	KU	10	KU	20	KU	20	KU
	17	DEEP	W	J1720	821110	1100	40	U	20	U	20	U	20	U	40	U	20	U	20	U	40	U	40	U
	18	3	S	J1721	821026	1000	20	KU	10	KU	10	KU	10	KU	20	KU	10	KU	10	KU	20	KU	20	KU
	18	6	S	J1722	821026	1020	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	18	9	S	J1723	821026	1030	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	18	SHAL	W	J1726	821112	1130	40	U	20	U	20	U	20	U	40	U	20	U	20	U	40	U	40	U
	19	3	S	J1727	821027	1000	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	19	6	S	J1728	821027	1015	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	19	9	S	J1729	821027	1045	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	19	12	S	J1730	821027	1120	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	19	SHAL	W	J1732	821101	1600	40	U	20	U	20	U	20	U	40	U	20	U	20	U	40	U	40	U
	20	3	S	J1733	821021	0940	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	20	6	S	J1734	821021	1010	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	20	9	S	J1735	821021	1030	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	20	12	S	J1736	821021	1055	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	20	15	S	J1737	821021	1120	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	20	SHAL	W	J1738	821104	1330	20	KU	10	KU	10	KU	10	KU	20	KU	10	KU	10	KU	20	KU	20	KU
	21	3	S	J1739	821021	1400	800	U	2500		400	U	1600		800	U	400	U	7000		800	U	800	U
	21	6	S	J1740	821021	1445	800	U	400	M	400	U	400	U	800	U	400	U	760	M	800	U	800	U
	21	9	S	J1741	821021	1510	800	U	400	U	400	U	400	U	800	U	400	U	600	M	800	U	800	U
	21	12	S	J1742	821021	1535	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	21	15	S	J1743	821021	1545	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	21	SHAL	W	J1744	821105	1030	40	U	20	U	20	U	20	U	40	U	20	U	20	U	40	U	40	U
	22	3	S	J1745	821012	0900	20	KU	10.	KU	10	KU	10	KU	20	KU	10	KM	34	KM	20	KU	20	KU
	22	6	S	J1746	821012	0930	20	KU	10	KU	10	KU	10	KM	20	KU	10	KM	30	KM	20	KU	20	KU
	22	9	S	J1747	821012	1000	20	KU	10	KU	10	KU	10	KU	20	KU	10	KU	12	KM	20	KU	20	KU
	22	12	S	J1748	821012	1030	20	KU	10	KU	10	KU	10	KU	20	KU	10	KU	12	KM	20	KU	20	KU
	22	15	S	J1749	821012	1100	800	U	400	U	400	U	400	M	800	U	550	M	2961		800	U	800	U
	22	SHAL	W	J1750	821110	1200	40	U	20	U	20	U	20	U	40	U	20	U	20	U	40	U	40	U
	22	DEEP	W	J1756	821110	1300	40	U	20	U	20	U	20	U	40	U	20	U	20	U	40	U	40	U
	23	3	S	J1757	821026	1130	800	U	400	M	400	U	400	U	800	U	400	U	400	M	800	U	800	U
	23	6	S	J1758	821026	1150	20	KU	10	KU	10	KU	10	KU	20	KU	10	KU	10	KU	20	KU	20	KU
	23	9	S	J1759	821026	1200	20	KU	10	KU	10	KU	10	KU	20	KU	10	KU	10	KU	20	KU	20	KU
	23	SHAL	W	J1762	821026	1430	40	U	20	U	20	U	20	U	40	U	20	U	20	U	40	U	40	U
	24	3	S	J1763	821022	0950	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	24	6	S	J17[illegible]4	821022	1000	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	24	9	S	J1765	821022	1020	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	24	12	S	J1766	821022	1045	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	24	15	S	J1767	821022	1055	800	U	400	U	400	U	400	U	800	U	400	U	400	U	800	U	800	U
	24	SHAL	W	J1768	821105	1130	40	U	20	U	20	U	20	U	40	U	20	U	20	U	40	U	40	U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							BASE / NEUTRALS																	
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	BENZO K FLUORAN THENE		CHRYSENE		ACENAPH THYLENE		ANTHRA CENE		BENZO GHI PERYLENE		FLUORENE		PHENAN THRENE		DIBENZO A,H ANTH RACENE		INDENO 1,2,3-CD PYRENE	
	25	3	S	J1769	821026	1340	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	25	6	S	J1770	821026	1355	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	25	9	S	J1771	821026	1440	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	25	SHAL	W	J1774	821111	1130	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI
	25	DEEP	W	J1780	821110	1500	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI
	26	3	S	J1781	821026	1425	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	26	6	S	J1782	821026	1440	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	26	9	S	J1783	821026	1450	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
	26	SHAL	W	J1786	821111	1230	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI
	27	SHAL	W	J0462	821116	1100	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
	28	SHAL	W	J0463	821116	1230	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI
	29	SHAL	W	J0461	821115	1300	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI
	30	SHAL	W	J0465	821220	1100	20K	UI	10K	UI	10K	UI	10K	UI	20K	UI	10K	UI	10K	UI	20K	UI	20K	UI
BERM #1		1	S	J1787	821025	1000	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	MI	800	UI	800	UI
BERM #2		1	S	J1788	821025	1015	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
BERM #3		1	S	J1789	821025	1030	600	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	MI	800	UI	800	UI
BERM #4		1	S	J1790	821025	1045	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
BERM #5		1	S	J1791	821025	1100	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
BERM #6		1	S	J1792	821025	1115	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
BERM #7		1	S	J1793	821025	1130	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
BERM #8		1	S	J1794	821025	1145	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
BERM #9		1	S	J1795	821025	1200	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	10	KUI	20	KUI	20	KUI
BLANK			S	J1797	821008		800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
DRILLER'S WATER			W	J1799	821012		800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
PEA GRAVEL			S	J1798	821012		800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
SS#2		0	S	J1628	821118	0952	20	KUI	10	KUI	10	KUI	10	KUI	20	KUI	10	KUI	11	KMI	20	KUI	20	KUI
SS#3		0	S	J1629	821118	0956	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	UI	800	UI	800	UI
SS#4		0	S	J1635	821118	1002	600	UI	400	MI	400	UI	400	UI	800	UI	400	UI	11	K I	800	UI	800	UI
SS#5		0	S	J1641	821118	1008	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	400	MI	800	UI	800	UI
SS#6		0	S	J1646	821118	1027	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	740	MI	800	UI	800	UI
SS#7		0	S	J1647	821118	1036	800	UI	880	MI	400	UI	400	MI	800	UI	800	MI	6500	I	800	UI	800	UI
SS#8		0	S	J1659	821118	1041	130	K I	1210	K I	400	MI	400	UI	800	UI	8600	K I	20	KK I	800	UI	800	UI
SS#9		0	S	J1673	821118	1044	20	KUI	11	KMI	10	KUI	10	KUI	20	KUI	10	KUI	18	KMI	20	KUI	20	KUI
SS#10		0	S	J1674	821118	1048	800	UI	400	UI	400	UI	400	UI	800	UI	400	UI	190	K I	800	UI	800	UI
SS#11		0	S	J1675	821118	1050	800	UI	85	K I	400	UI	400	UI	800	UI	62	K I	763	K I	800	UI	800	UI
SS#12		0	S	J1676	821118	1053	800	UI	5100	I	400	UI	400	UI	800	UI	5100	I	1800	MI	800	UI	800	UI
TRANSFER BLANK			W	J0428	821101	1100	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI
TRANSPORT BLANK			W	J0429	821101	1100	40	UI	20	UI	20	UI	20	UI	40	UI	20	UI	20	UI	40	UI	40	UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	BASE / NEUTRALS			
							PYRENE	BENZO(A)ANTHRACENE/ CHRYSENE	BENZO(B)FLUORANTHENE/ BENZO(K)FLUORANTHENE	ANTHRACENE/ PHENANTHRENE
	01	3	S	J1601	821007	0900	400 U			
	01	6	S	J1602	821007	0915	400 U			
	01	9	S	J1603	821007	0930	400 U			
	01	12	S	J1604	821007	0945	400 U			
	01	SHAL	W	J1606	821108	1330	20 U			
	01	DEEP	W	J1612	821108	1400	20 U			
	02	3	S	J1613	821014	1025	400 U			
	02	6	S	J1614	821014	1030	400 U			
	02	9	S	J1615	821014	1035	400 U			
	02	12	S	J1616	821014	1040	400 U			
	02	15	S	J1617	821014	1045	400 U			
	02	SHAL	W	J1618	821102	1100	20 U			
	03	3	S	J1619	821014	1155	400 U			
	03	6	S	J1620	821014	1205	440 M			
	03	9	S	J1621	821014	1210	400 M			
	03	SHAL	W	J5052	821115	1200	25 KU			
	04	3	S	J1625	821018	1415	400 U			
	04	6	S	J1626	821018	1430	400 U			
	04	9	S	J1627	821018	1435	400 U			
	04	SHAL	W	J1630	821102	1500	10 KU			
	05	3	S	J1631	821016	1330	400 U			
	05	6	S	J1632	821016	1330	400 U			
	05	9	S	J1633	821016	1330	400 U			
	05	12	S	J1634	821016	1330	10 KU			
	05	SHAL	W	J1636	821103	1500	20 U			
	06	3	S	J1637	821018	1035	400 U			
	06	6	S	J1638	821018	1045	400 U			
	06	9	S	J1639	821016	1050	400 U			
	06	12	S	J1640	821018	1100	400 U			
	06	SHAL	W	J1642	821103	1100	20 U			
	07	3	S	J1643	821014	1415	400 U			
	07	6	S	J1644	821014	1425	400 U			
	07	9	S	J1645	821014	1430	400 U			
	07	SHAL	W	J1648	821103	1430	20 U			
	08	3	S	J1649	821025	1410	10 KU			
	08	6	S	J1650	821025	1425	400 U			
	08	9	S	J1651	821025	1440	400 U			
	08	SHAL	W	J1654	821108	1500	20 U			
	09	3	S	J1655	821019	1020	400 U			
	09	6	S	J1656	821019	1030	400 U			
	09	9	S	J1657	821019	1040	400 U			
	09	12	S	J1658	821019	1045	400 U			
	09	SHAL	W	J1660	821103	1500	20 U			
	10	3	S	J1661	821019	1235	400 U			

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	BASE / NEUTRALS PYRENE	BENZO(A)ANTHRACENE/ CHRYSENE	BENZO(B)FLUORANTHENE/ BENZO(K)FLUORANTHENE	ANTHRACENE/ PHENANTHRENE
	10	6	S	J1662	821019	1250	400 U			
	10	9	S	J1663	821019	1310	400 U			
	10	12	S	J1664	821019	1340	400 U			
	10	15	S	J1665	821019	1405	400 U			
	10	SHAL	W	J1666	821104	1000	10 KU			
	11	3	S	J1667	821008	1100	10 KU			
	11	6	S	J1668	821008	1115	10 KU			
	11	8	S	J1669	821008	1130	400 U			
	11	10	S	J1670	821008	1145	10 KU			
	11	12	S	J1671	821008	1200	11.0K			
	11	SHAL	W	J1672	821109	1030	20 U			
	11	DEEP	W	J1678	821109	1100	20 U			
	12	3	S	J1679	821025	1130	400 U			
	12	6	S	J1680	821025	1140	400 U			
	12	9	S	J1681	821025	1200	400 U			
	12	12	S	J1682	821025	1230	400 U			
	12	15	S	J1683	821025	1240	400 U			
	12	SHAL	W	J1684	821103	1200	20 U			
	13	3	S	J1685	821027	1310	400 U			
	13	6	S	J1686	821027	1325	400 U			
	13	9	S	J1687	821027	1400	400 U			
	13	SHAL	W	J1690	821101	1500	20 U			
	14	3	S	J1691	821020	0945	640 M			
	14	6	S	J1692	821020	1020	400 U			
	14	9	S	J1693	821020	1040	400 U			
	14	12	S	J1694	821020	1100	400 U			
	14	15	S	J1695	821020	1145	400 U			
	14	SHAL	W	J1696	821104	1400	10 KU			
	15	3	S	J1697	821025	1500	10 KU			
	15	6	S	J1698	821025	1510	10 KU			
	15	9	S	J1699	821025	1520	10 KU			
	15	SHAL	W	J1702	821112	1230	20 U			
	16	3	S	J1703	821020	1310	10 KU			
	16	6	S	J1704	821020	1325	400 U			
	16	9	S	J1705	821020	1345	400 U			
	16	12	S	J1706	821020	1405	400 U			
	16	15	S	J1707	821020	1430	400 U			
	16	SHAL	W	J1708	821104	1100	10 KU			
	17	3	S	J1709	821011	1100	10 KU			
	17	6	S	J1710	821011	1120	10 KU			
	17	9	S	J1711	821011	1150	400 U			
	17	12	S	J1712	821011	1230	10 KU			
	17	15	S	J1713	821011	1300	10 KU			
	17	18	S	J1714	821013	1330	10 KU			

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							BASE / NEUTRALS				
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	PYRENE		BENZO(A)ANTHRACENE/ CHRYSENE	BENZO(B)FLUORANTHENE/ BENZO(K)FLUORANTHENE	ANTHRACENE/ PHENANTHRENE
	17	21	S	J1716	821013	1350	400	U			
	17	24	S	J1717	821013	1400	400	U			
	17	27	S	J1718	821013	1405	400	U			
	17	30	S	J1719	821013	1420	400	U			
	17	SHAL	W	J0427	821110	1000	10	KU			
	17	DEEP	W	J1720	821110	1100	20	U			
	18	3	S	J1721	821026	1000	10	KU			
	18	6	S	J1722	821026	1020	400	U			
	18	9	S	J1723	821026	1030	400	U			
	18	SHAL	W	J1726	821112	1130	20	U			
	19	3	S	J1727	821027	1000	400	U			
	19	6	S	J1728	821027	1015	400	U			
	19	9	S	J1729	821027	1045	400	U			
	19	12	S	J1730	821027	1120	400	U			
	19	SHAL	W	J1732	821101	1600	20	U			
	20	3	S	J1733	821021	0940	520	M			
	20	6	S	J1734	821021	1010	400	U			
	20	9	S	J1735	821021	1030	400	U			
	20	12	S	J1736	821021	1055	400	U			
	20	15	S	J1737	821021	1120	400	U			
	20	SHAL	W	J1738	821104	1330	10	KU			
	21	3	S	J1739	821021	1400	7400				
	21	6	S	J1740	821021	1445	400	M			
	21	9	S	J1741	821021	1510	400	M			
	21	12	S	J1742	821021	1535	400	U			
	21	15	S	J1743	821021	1545	400	U			
	21	SHAL	W	J1744	821105	1030	20	U			
	22	3	S	J1745	821012	0900	13	KM			
	22	6	S	J1746	821012	0930	10	KM			
	22	9	S	J1747	821012	1000	10	KU			
	22	12	S	J1748	821012	1030	10	KU			
	22	15	S	J1749	821012	1100	530	M			
	22	SHAL	W	J1750	821110	1200	20	U			
	22	DEEP	W	J1756	821110	1300	20	U			
	23	3	S	J1757	821026	1130	400	M			
	23	6	S	J1758	821026	1150	10	KU			
	23	9	S	J1759	821026	1200	10	KU			
	23	SHAL	W	J1762	821026	1430	20	U			
	24	3	S	J1763	821022	0950	400	U			
	24	6	S	J1764	821022	1000	400	U			
	24	9	S	J1765	821022	1020	400	U			
	24	12	S	J1766	821022	1045	400	U			
	24	15	S	J1767	821022	1055	400	U			
	24	SHAL	W	J1768	821105	1130	20	U			

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							BASE / NEUTRALS			
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	PYRENE	BENZO(A)ANTHRACENE/ CHRYSENE	BENZO(B)FLUORANTHENE/ BENZO(K)FLUORANTHENE	ANTHRACENE/ PHENANTHRENE
	25	3	S	J1769	821026	1340	10 KU			
	25	6	S	J1770	821026	1355	10 KU			
	25	9	S	J1771	821026	1440	10 KU			
	25	SHAL	W	J1774	821111	1130	20 U			
	25	DEEP	W	J1780	821110	1500	20 U			
	26	3	S	J1781	821026	1425	400 U			
	26	6	S	J1782	621026	1440	400 U			
	26	9	S	J1783	821026	1450	400 U			
	26	SHAL	W	J1786	821111	1230	20 U			
	27	SHAL	W	J0462	821116	1100	10 KU			
	28	SHAL	W	J0463	821116	1230	20 U			
	29	SHAL	W	J0461	821115	1300	20 U			
	30	SHAL	W	J0465	821220	1100	10K U			
BERM #1		1	S	J1787	821025	1000	400 M			
BERM #2		1	S	J1768	621025	1015	10 KU			
BERM #3		1	S	J1789	821025	1030	400 M			
BERM #4		1	S	J1790	821025	1045	10 KU			
BERM #5		1	S	J1791	821025	1100	10 KU			
BERM #6		1	S	J1792	821025	1115	10 KU			
BERM #7		1	S	J1793	821025	1130	10 KU			
BERM #8		1	S	J1794	821025	1145	10 KU			
BERM #9		1	S	J1795	821025	1200	10 KU			
BLANK			S	J1797	821008		400 U			
DRILLER'S WATER			W	J1799	821012		400 U			
PEA GRAVEL			S	J1798	821012		400 U			
SS#2		0	S	J1628	821116	0952	16 KM			
SS#3		0	S	J1629	821116	0956	400 M			
SS#4		0	S	J1635	821118	1002	6300			
SS#5		0	S	J1641	821118	1008	400 M			
SS#6		0	S	J1646	821118	1027	400 M			
SS#7		0	S	J1647	821118	1036	6800			
SS#8		0	S	J1659	821118	1041	16 KK			
SS#9		0	S	J1673	821118	1044	40 KM			
SS#10		0	S	J1674	821118	1048	65 K			
SS#11		0	S	J1675	821118	1050	283 K			
SS#12		0	S	J1676	821118	1053	18 K			
TRANSFER BLANK			W	J0428	821101	1100	20 U			
TRANSPORT BLANK			W	J0429	821101	1100	20 U			

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	VOLATILES								
							ACROLEIN	ACRYLO NITRILE	BENZENE	CARBON TETRA CHLORIDE	CHLORO BENZENE	1,2-DICHLORO ETHANE	1,1,1-TRICHLOR ETHANE	1,1-DICHLORO ETHANE	1,1,2-TRICHLOR ETHANE
	01	3	S	J1601	821007	0900	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	01	6	S	J1602	821007	0915	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	01	9	S	J1603	821007	0930	50 UI	50 UI	2.5 UI	2.5 UI	11 MI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	01	12	S	J1604	821007	0945	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	01	SHAL	W	J1606	821108	1330	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	370 I	5 UI	5 UI
	01	DEEP	W	J1612	821108	1400	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	6.8 MI	5 UI	5 UI
	02	3	S	J1613	821014	1025	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	02	6	S	J1614	821014	1030	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	02	9	S	J1615	821014	1035	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	02	12	S	J1616	821014	1040	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	02	15	S	J1617	821014	1045	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	02	SHAL	W	J1618	821102	1100	100 UI	100 UI	6.0 MI	5 UI	5 UI	5 MI	120 I	30 I	9.3 MI
	03	3	S	J1619	821014	1155	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	03	6	S	J1620	821014	1205	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	03	9	S	J1621	821014	1210	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	03	SHAL	W	J5052	821115	1200	10 KUI	10 KUI	1 KUI	1 KUI	1 KUI	1 KUI	1 KUI	1 KUI	1 KUI
	04	3	S	J1625	821018	1415	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	04	6	S	J1626	821018	1430	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	04	9	S	J1627	821018	1435	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	04	SHAL	W	J1630	821102	1500	100 UI	100 UI	420 I	5 UI	5 UI	5 MI	270 I	160 I	12 MI
	05	3	S	J1631	821018	1330	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	05	6	S	J1632	821018	1330	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	05	9	S	J1633	821018	1330	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	05	12	S	J1634	821018	1330	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	34 I	2.5 UI	2.5 UI
	05	SHAL	W	J1636	821103	1500	100 UI	100 UI	77 I	5 UI	5 MI	15 MI	2900 I	320 I	5 UI
	06	3	S	J1637	821018	1035	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	06	6	S	J1638	821018	1045	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	06	9	S	J1639	821018	1050	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	06	12	S	J1640	821018	1100	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	06	SHAL	W	J1642	821103	1100	100 UI	100 UI	24 MI	5 UI	5 MI	5 MI	170 I	49 I	6.9 MI
	07	3	S	J1643	821014	1415	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	07	6	S	J1644	821014	1425	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	07	9	S	J1645	821014	1430	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	07	SHAL	W	J1648	821103	1430	100 UI	100 UI	12 MI	5 UI	5 UI	5 UI	80 I	47 I	5 UI
	08	3	S	J1649	821025	1410	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	08	6	S	J1650	821025	1425	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	08	9	S	J1651	821025	1440	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	08	SHAL	W	J1654	821108	1500	100 UI	100 UI	14 MI	5 UI	5 UI	9.7 MI	920 I	620 I	45 I
	09	3	S	J1655	821019	1020	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	09	6	S	J1656	821019	1030	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	09	9	S	J1657	821019	1040	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	7.3 MI	2.5 UI	2.5 UI
	09	12	S	J1658	821019	1045	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	4.9 MI	2.5 UI	2.5 UI
	09	SHAL	W	J1660	821103	1500	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	5500 I	5 UI	5 UI
	10	3	S	J1661	821019	1235	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	VOLATILES								
							ACROLEIN	ACRYLO NITRILE	BENZENE	CARBON TETRA CHLORIDE	CHLORO BENZENE	1,2- DICHLORO ETHANE	1,1,1- TRICHLOR ETHANE	1,1- DICHLORO ETHANE	1,1,2- TRICHLOR ETHANE
	10	6	S	J1662	821019	1250	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	10	9	S	J1663	821019	1310	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	10	12	S	J1664	821019	1340	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	10	15	S	J1665	821019	1405	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	10	SHAL	W	J1666	821104	1000	100 U	100 U	5 U	5 U	5 U	5 U	5 M	5 U	5 U
	11	3	S	J1667	821008	1100	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M	2.5 U	2.5 U
	11	6	S	J1668	821008	1115	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M	2.5 U	2.5 U
	11	8	S	J1669	821008	1130	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	10 M	2.5 U	2.5 M
	11	10	S	J1670	821006	1145	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	11	12	S	J1671	821006	1200	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	18.2	2.5 U	5.9 M
	11	SHAL	W	J1672	821109	1030	100 U	100 U	5 U	5 U	5 U	5 U	73 K	2100	5 U
	11	DEEP	W	J1678	821109	1100	100 U	100 U	5 U	5 U	5 U	5 U	5200	5 U	5 U
	12	3	S	J1679	821025	1130	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	12	6	S	J1680	821025	1140	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	12	9	S	J1681	821025	1200	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	12	12	S	J1682	821025	1230	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	12	15	S	J1683	821025	1240	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	3.8 M	2.5 U	2.5 U
	12	SHAL	W	J1684	821103	1200	100 U	100 U	9.7 M	5 U	5 U	5 U	120	21 M	5 M
	13	3	S	J1685	821027	1310	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	13	6	S	J1686	821027	1325	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	13	9	S	J1687	821027	1400	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	13	SHAL	W	J1690	821101	1500	100 U	100 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
	14	3	S	J1691	821020	0945	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	14	6	S	J1692	821020	1020	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	14	9	S	J1693	821020	1040	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	4.5 M	2.5 U	2.5 U
	14	12	S	J1694	821020	1100	50 U	50 U	5.9 M	2.5 U	2.5 U	2.5 U	10 M	4.5 M	2.5 U
	14	15	S	J1695	821020	1145	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	14	SHAL	W	J1696	821104	1400	100 U	100 U	5 M	5 U	5 U	5 U	750	5 U	5 U
	15	3	S	J1697	821025	1500	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	3.1 M	2.5 U	2.5 U
	15	6	S	J1698	821025	1510	100 KU	100 KU	5 KM	5 KU	5 KU	5 KU	174 K	5 KU	5 KU
	15	9	S	J1699	821025	1520	100 KU	100 KU	5 KU	5 KU	5 KU	5 KU	15 KM	5 KU	5 KU
	15	SHAL	W	J1702	821112	1230	100 U	100 U	5 U	5 U	5 U	16 K	340 K	33 K	5 U
	16	3	S	J1703	821020	1310	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	5.4 M	2.5 U	2.5 U
	16	6	S	J1704	821020	1325	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	16	9	S	J1705	821020	1345	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	16	12	S	J1706	821020	1405	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	16	15	S	J1707	821020	1430	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	16	SHAL	W	J1708	821104	1100	100 U	100 U	5 U	5 U	5 U	5 U	62	11 M	5 U
	17	3	S	J1709	821011	1100	100 KU	100 KU	5 KU	5 KU	5 KU	5 KU	5 KU	5 KU	5 KU
	17	6	S	J1710	821011	1120	100 KU	100 KU	6.5KM	5 KU	5 KU	5 KU	15 KM	5 KU	5 KU
	17	9	S	J1711	821011	1150	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	16 K	2.5 U	2.5 U
	17	12	S	J1712	821011	1230	50 U	50 U	199.5	2.5 U	2.5 U	2.5 U	332.5	17.3	2.5 U
	17	15	S	J1713	821011	1300	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
	17	18	S	J1714	821013	1330	50 U	50 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							VOLATILES								
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	ACROLEIN	ACRYLO NITRILE	BENZENE	CARBON TETRA CHLORIDE	CHLORO BENZENE	1,2- DICHLORO ETHANE	1,1,1- TRICHLOR ETHANE	1,1- DICHLORO ETHANE	1,1,2- TRICHLOR ETHANE
	17	21	S	J1716	821013	1350	50 UI	50 UI	9.8 MI	2.5 UI	2.5 UI	2.5 UI	40 I	2.5 UI	2.5 UI
	17	24	S	J1717	821013	1400	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	17	27	S	J1718	821013	1405	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	17	30	S	J1719	821013	1420	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	17	SHAL	W	J0427	821110	1000	100 UI	100 UI	2200 I	5 UI	5 UI	5 UI	1700 I	5 UI	5 UI
	17	DEEP	W	J1720	821110	1100	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI
	18	3	S	J1721	821026	1000	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	18	6	S	J1722	821026	1020	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	18	9	S	J1723	821026	1030	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	18	SHAL	W	J1726	821112	1130	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI
	19	3	S	J1727	821027	1000	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	19	6	S	J1728	821027	1015	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	19	9	S	J1729	821027	1045	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	19	12	S	J1730	821027	1120	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	19	SHAL	W	J1732	821101	1600	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI
	20	3	S	J1733	821021	0940	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	20	6	S	J1734	821021	1010	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	20	9	S	J1735	821021	1030	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	20	12	S	J1736	821021	1055	50 UI	50 UI	2.5 MI	2.5 UI	2.5 UI	2.5 UI	3.2 MI	2.5 UI	2.5 UI
	20	15	S	J1737	821021	1120	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	20	SHAL	W	J1738	821104	1330	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	21	3	S	J1739	821021	1400	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	21	6	S	J1740	821021	1445	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	21	9	S	J1741	821021	1510	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	21	12	S	J1742	821021	1535	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	21	15	S	J1743	821021	1545	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	21	SHAL	W	J1744	821105	1030	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI
	22	3	S	J1745	821012	0900	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	22	6	S	J1746	821012	0930	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	22	9	S	J1747	821012	1000	50 UI	50 UI	2.5 MI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	3.2 MI	2.5 UI
	22	12	S	J1748	821012	1030	50 UI	50 UI	2.5 MI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 MI	2.5 UI
	22	15	S	J1749	821012	1100	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	22	SHAL	W	J1750	821110	1200	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI
	22	DEEP	W	J1756	821110	1300	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI
	23	3	S	J1757	821026	1130	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	23	6	S	J1758	821026	1150	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	23	9	S	J1759	821026	1200	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	23	SHAL	W	J1762	821026	1430	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI
	24	3	S	J1763	821022	0950	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	24	6	S	J1764	821022	1000	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	24	9	S	J1765	821022	1020	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	24	12	S	J1766	821022	1045	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	24	15	S	J1767	821022	1055	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	24	SHAL	W	J1768	821105	1130	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							VOLATILES								
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	ACROLEIN	ACRYLO NITRILE	BENZENE	CARBON TETRA CHLORIDE	CHLORO BENZENE	1,2-DICHLORO ETHANE	1,1,1-TRICHLOR ETHANE	1,1-DICHLORO ETHANE	1,1,2-TRICHLOR ETHANE
	25	3	S	J1769	821026	1340	100 KUI	100 KUI	5 KUI	5 KUI	5 KUI	5 KUI	5 KUI	5 KUI	5 KUI
	25	6	S	J1770	821026	1355	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	25	9	S	J1771	821026	1440	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	25	SHAL	W	J1774	821111	1130	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI
	25	DEEP	W	J1780	821110	1500	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI
	26	3	S	J1781	821026	1425	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
	26	6	S	J1782	821026	1440	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	17 I	2.5 UI	2.5 UI
	26	9	S	J1783	821026	1450	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	7.4 MI	2.5 UI	2.5 UI
	26	SHAL	W	J1786	821111	1230	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI
	27	SHAL	W	J0462	821116	1100	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	20 K I	5 UI	5 UI
	28	SHAL	W	J0463	821116	1230	100 UI	100 UI	10 MI	5 UI	5 UI	5 UI	100 I	12 MI	5 UI
	29	SHAL	W	J0461	821115	1300	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	5 MI	5 UI	5 UI
	30	SHAL	W	J0465	821220	1100	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI
BERM #1		1	S	J1787	821025	1000	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
BERM #2		1	S	J1788	821025	1015	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
BERM #3		1	S	J1789	821025	1030	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
BERM #4		1	S	J1790	821025	1045	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.6 MI	2.5 UI	2.5 UI
BERM #5		1	S	J1791	821025	1100	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
BERM #6		1	S	J1792	821025	1115	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
BERM #7		1	S	J1793	821025	1130	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
BERM #8		1	S	J1794	821025	1145	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
BERM #9		1	S	J1795	821025	1200	50 UI	50 UI	2.5 UI	2.5 UI	2.5 MI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
BLANK			S	J1797	821008		50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.6 MI	2.5 UI	2.5 UI
DRILLER'S WATER			W	J1799	821012		50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
PEA GRAVEL			S	J1798	821012		50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
SS#2		0	S	J1628	821118	0952	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
SS#3		0	S	J1629	821118	0956	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
SS#4		0	S	J1635	821118	1002	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
SS#5		0	S	J1641	821118	1008	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 MI	2.5 UI	2.5 UI
SS#6		0	S	J1646	821118	1027	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
SS#7		0	S	J1647	821118	1036	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
SS#8		0	S	J1659	821118	1041	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
SS#9		0	S	J1673	821118	1044	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
SS#10		0	S	J1674	821118	1048	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
SS#11		0	S	J1675	821118	1050	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
SS#12		0	S	J1676	821118	1053	50 UI	50 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI	2.5 UI
TRANSFER BLANK			W	J0428	821101	1100	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI	5 UI
TRANSPORT BLANK			W	J0429	821101	1100	100 UI	100 UI	5 UI	5 UI	5 UI	5 UI	5 MI	5 UI	5 UI

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							VOLATILES								
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	1,1,2,2-TETRA CHLORO ETHANE	CHLORO ETHANE	2-CHLORO ETHYL VINLY ETHER	CHLORO FORM	1,1-DICHLORO ETHENE	TRANS-1,2-DICHLORO ETHENE	1,2-DICHLORO PROPANE	TRANS-1,3-DICHLORO PROPENE	CIS-1,3-DICHLORO PROPENE
	01	3	S	J1601	821007	0900	5 U	5 U	5 U	2.5 U	2.5 U	2.5 M	5 U	2.5 U	
	01	6	S	J1602	821007	0915	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	01	9	S	J1603	821007	0930	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	01	12	S	J1604	821007	0945	5 U	5 U	5 U	2.5 U	2.5 U	2.5 U	5 U	2.5 U	
	01	SHAL	W	J1606	821108	1330	5 U	5 U	5 U	5 U	5 U	4400	5 U	5 U	
	01	DEEP	W	J1612	821108	1400	5 U	5 U	5 U	5 U	5 U	18 M	5 U	5 U	
	02	3	S	J1613	821014	1025	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	02	6	S	J1614	821014	1030	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	02	9	S	J1615	821014	1035	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	02	12	S	J161	821014	1040	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	9.2 M	2.5 U	2.5 U	
	02	15	S	J1617	821014	1045	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.7 M	2.5 U	2.5 U	
	02	SHAL	W	J1618	821102	1100	5 U	5 U	5 U	32	11 M	1200	5 U	5 U	
	03	3	S	J1619	821014	1155	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	03	6	S	J1620	821014	1205	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	03	9	S	J1621	821014	1210	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M	2.5 U	2.5 U	
	03	SHAL	W	J5052	821115	1200	1 KU	1 KU	1 KU	1 KU	1 KU	1 KU	1 KU	1 KU	
	04	3	S	J1625	821018	1415	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	04	6	S	J1626	821018	1430	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	04	9	S	J1627	821018	1435	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	04	SHAL	W	J1630	821102	1500	5 U	11 M	5 U	17 M	38	15800	5 U	5 U	
	05	3	S	J1631	821018	1330	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	05	6	S	J1632	821018	1330	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	05	9	S	J1633	821018	1330	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	05	12	S	J1634	821018	1330	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	05	SHAL	W	J1636	821103	1500	5 U	5 U	5 U	130	87	15 M	5 U	5 U	
	06	3	S	J1637	821018	1035	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	06	6	S	J1638	821018	1045	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	06	9	S	J1639	821018	1050	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	06	12	S	J1640	821018	1100	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	06	SHAL	W	J1642	821103	1100	5 U	5 U	5 U	52	29	21 M	5 U	5 U	
	07	3	S	J1643	821014	1415	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	07	6	S	J1644	821014	1425	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	07	9	S	J1645	821014	1430	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	07	SHAL	W	J1648	821103	1430	5 U	5 U	5 U	15 M	9.2 M	390	5 U	5 U	
	08	3	S	J1649	821025	1410	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M	2.5 U	2.5 U	
	08	6	S	J1650	821025	1425	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	08	9	S	J1651	821025	1440	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	08	SHAL	W	J1654	821108	1500	5 U	5 M	5 U	56	88	920	5 U	5 U	
	09	3	S	J1655	821019	1020	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	09	6	S	J1656	821019	1030	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	09	9	S	J1657	821019	1040	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	09	12	S	J1658	821019	1045	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	09	SHAL	W	J1660	821103	1500	5 U	5 U	5 U	5 U	5 U	4600	5 U	5 U	
	10	3	S	J1661	821019	1235	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							VOLATILES								
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	1,1,2,2-TETRA CHLORO ETHANE	CHLORO ETHANE	2-CHLORO ETHYL VINLY ETHER	CHLORO FORM	1,1-DICHLORO ETHENE	TRANS-1,2-DICHLORO ETHENE	1,2-DICHLORO PROPANE	TRANS-1,3-DICHLORO PROPENE	CIS-1,3-DICHLORO PROPENE
	10	6	S	J1662	821019	1250	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	10	9	S	J1663	821019	1310	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	10	12	S	J1664	821019	1340	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	10	15	S	J1665	821019	1405	2.5 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	10	SHAL	W	J1666	821104	1000	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	
	11	3	S	J1667	821008	1100	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	11	6	S	J1668	821008	1115	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	11	8	S	J1669	821008	1130	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	11	10	S	J1670	821008	1145	5 U	5 U	5 U	2.5 U	2.5 U	2.5 U	5 U	2.5 U	
	11	12	S	J1671	821008	1200	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	11	SHAL	W	J1672	821109	1030	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	
	11	DEEP	W	J1678	821109	1100	5 U	5 U	5 U	5 U	5 U	780	5 U	5 U	
	12	3	S	J1679	821025	1130	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	12	6	S	J1680	821025	1140	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	12	9	S	J1681	821025	1200	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	12	12	S	J1682	821025	1230	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	12	15	S	J1683	821025	1240	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	12	SHAL	W	J1684	821103	1200	5 U	5 U	5 U	13 M	8.5 M	72	5 U	5 U	
	13	3	S	J1685	821027	1310	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	13	6	S	J1686	821027	1325	2.5 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	13	9	S	J1687	821027	1400	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	13	SHAL	W	J1690	821101	1500	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	
	14	3	S	J1691	821020	0945	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	14	6	S	J1692	821020	1020	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	14	9	S	J1693	821020	1040	2.5 U	2.5 U	2.5 U	3.8 M	2.5 U	2.5 U	2.5 U	2.5 U	
	14	12	S	J1694	821020	1100	2.5 U	2.5 U	2.5 U	42	2.5 U	2.5 U	2.5 U	2.5 U	
	14	15	S	J1695	821020	1145	2.5 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	14	SHAL	W	J1696	821104	1400	5 U	5 U	5 U	1700	5 U	5 U	5 U	5 U	
	15	3	S	J1697	821025	1500	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	15	6	S	J1698	821025	1510	5 KU	5 KU	5 KU	5 KM	5 KU	5 KU	5 KU	5 KU	
	15	9	S	J1699	821025	1520	5 KU	5 KU	5 KU	5 KU	5 KU	5 KU	5 KU	5 KU	
	15	SHAL	W	J1702	821112	1230	5 U	5 U	5 U	27 K	5 U	5 U	5 U	5 U	
	16	3	S	J1703	821020	1310	5 U	5 U	5 U	2.5 U	2.5 U	2.5 U	5 U	2.5 U	
	16	6	S	J1704	821020	1325	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	16	9	S	J1705	821020	1345	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	16	12	S	J1706	821020	1405	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	16	15	S	J1707	821020	1430	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	16	SHAL	W	J1708	821104	1100	5 U	5 U	5 U	20 M	10 M	12 M	5 U	5 U	
	17	3	S	J1709	821011	1100	5 KU	5 KU	5 KU	5 KU	5 KU	5 KU	5 KU	5 KU	
	17	6	S	J1710	821011	1120	5 KU	5 KU	5 KU	8.9KM	5 KU	5 KU	5 KU	5 KU	
	17	9	S	J1711	821011	1150	2.5 U	2.5 U	2.5 U	18 K	2.5 U	2.5 U	2.5 U	2.5 U	
	17	12	S	J1712	821011	1230	5 U	5 U	5 U	505	2.5 M	2.5 M	5 U	2.5 U	
	17	15	S	J1713	821011	1300	5 U	5 U	5 U	2.5 U	2.5 U	2.5 U	5 U	2.5 U	
	17	16	S	J1714	821013	1330	5 U	5 U	5 U	2.5 U	2.5 U	2.5 U	5 U	2.5 U	

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							VOLATILES								
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	1,1,2,2-TETRA CHLORO ETHANE	CHLORO ETHANE	2-CHLORO ETHYL VINLY ETHER	CHLORO FORM	1,1-DICHLORO ETHENE	TRANS-1,2-DICHLORO ETHENE	1,2-DICHLORO PROPANE	TRANS-1,3-DICHLORO PROPENE	CIS-1,3-DICHLORO PROPENE
	17	21	S	J1716	821013	1350	2.5 U	2.5 U	2.5 U	65	2.5 U	2.5 U	2.5 U	2.5 U	
	17	24	S	J1717	821013	1400	2.5 U	2.5 U	2.5 U	2.5 M	2.5 U	2.5 U	2.5 U	2.5 U	
	17	27	S	J1718	821013	1405	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	17	30	S	J1719	821013	1420	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	17	SHAL	W	J0427	821110	1000	5 U	5 U	5 U	12 K	5 U	5 U	5 U	5 U	
	17	DEEP	W	J1720	821110	1100	5 U	5 U	5 U	130	5 U	5 U	5 U	5 U	
	18	3	S	J1721	821026	1000	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	18	6	S	J1722	821026	1020	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	18	9	S	J1723	821026	1030	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	18	SHAL	W	J1726	821112	1130	5 U	5 U	5 U	5 M	5 M	38	5 U	5 U	
	19	3	S	J1727	821027	1000	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	19	6	S	J1728	821027	1015	2.5 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	19	9	S	J1729	821027	1045	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	19	12	S	J1730	821027	1120	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	19	SHAL	W	J1732	821101	1600	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	
	20	3	S	J1733	821021	0940	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	20	6	S	J1734	821021	1010	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	20	9	S	J1735	821021	1030	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	20	12	S	J1736	821021	1055	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	20	15	S	J1737	821021	1120	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	20	SHAL	W	J1738	821104	1330	2.5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	
	21	3	S	J1739	821021	1400	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	21	6	S	J1740	821021	1445	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	21	9	S	J1741	821021	1510	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	24	2.5 U	2.5 U	
	21	12	S	J1742	821021	1535	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	21	15	S	J1743	821021	1545	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	21	SHAL	W	J1744	821105	1030	5 U	5 U	5 U	5 U	5 U	390 K	5 U	5 U	
	22	3	S	J1745	821012	0900	5 U	5 U	5 U	2.5 U	2.5 U	2.5 U	5 U	2.5 U	
	22	6	S	J1746	821012	0930	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	22	9	S	J1747	821012	1000	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M	2.5 U	2.5 U	
	22	12	S	J1748	821012	1030	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	22	15	S	J1749	821012	1100	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	22	SHAL	W	J1750	821110	1200	5 U	5 U	5 U	5 U	5 U	130	5 U	5 U	
	22	DEEP	W	J1756	821110	1300	5 U	5 U	5 U	7800	5 U	5 U	5 U	5 U	
	23	3	S	J1757	821026	1130	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	23	6	S	J1758	821026	1150	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	23	9	S	J1759	821026	1200	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	23	SHAL	W	J1762	821026	1430	5 U	5 U	5 U	5 U	5 U	85	5 U	5 U	
	24	3	S	J1763	821022	0950	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	24	6	S	J1764	821022	1000	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	24	9	S	J1765	821022	1020	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	28	2.5 U	2.5 U	
	24	12	S	J1766	821022	1045	2.5 U	2.5 U	2.5 U	2.5 M	2.5 U	34	2.5 U	2.5 U	
	24	15	S	J1767	821022	1055	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M	2.5 U	2.5 U	
	24	SHAL	W	J1768	821105	1130	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							VOLATILES								
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	1,1,2,2-TETRA CHLORO ETHANE	CHLORO ETHANE	2-CHLORO ETHYL VINLY ETHER	CHLORO FORM	1,1-DICHLORO ETHENE	TRANS-1,2-DICHLORO ETHENE	1,2-DICHLORO PROPANE	TRANS-1,3-DICHLORO PROPENE	CIS-1,3-DICHLORO PROPENE
	25	3	S	J1769	821026	1340	5 KU	5 KU	5 KU	5 KU	5 KU	5 KU	5 KU	5 KU	
	25	6	S	J1770	821026	1355	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	25	9	S	J1771	821026	1440	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	8.1 M	2.5 U	2.5 U	
	25	SHAL	W	J1774	821111	1130	5 U	5 U	5 U	5 U	5 U	72	5 U	5 U	
	25	DEEP	W	J1780	821110	1500	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	
	26	3	S	J1781	821026	1425	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	26	6	S	J1782	821026	1440	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	26	9	S	J1783	821026	1450	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
	26	SHAL	W	J1786	821111	1230	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	
	27	SHAL	W	J0462	821116	1100	5 U	5 U	5 U	6700	5 U	5 U	5 U	5 U	
	28	SHAL	W	J0463	821116	1230	5 U	5 M	5 U	12 M	5.4 M	5 U	5 U	5 U	
	29	SHAL	W	J0461	821115	1300	5 U	5 U	5 U	29	5 U	5 U	5 U	5 U	
	30	SHAL	W	J0465	821220	1100	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	
BERM #1		1	S	J1787	821025	1000	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
BERM #2		1	S	J1788	821025	1015	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
BERM #3		1	S	J1789	821025	1030	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
BERM #4		1	S	J1790	821025	1045	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
BERM #5		1	S	J1791	821025	1100	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
BERM #6		1	S	J1792	821025	1115	2.5 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
BERM #7		1	S	J1793	821025	1130	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
BERM #8		1	S	J1794	821025	1145	2.5 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
BERM #9		1	S	J1795	821025	1200	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
BLANK			S	J1797	821008		2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
DRILLER'S WATER			W	J1799	821012		2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
PEA GRAVEL			S	J1798	821012		2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
SS#2		0	S	J1628	821118	0952	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
SS#3		0	S	J1629	821118	0956	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
SS#4		0	S	J1635	821118	1002	2.5 U	2.5 U	2.5 U	5.1 M	2.5 U	2.5 U	2.5 U	2.5 U	
SS#5		0	S	J1641	821118	1008	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
SS#6		0	S	J1646	821118	1027	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
SS#7		0	S	J1647	821118	1036	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
SS#8		0	S	J1659	821118	1041	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
SS#9		0	S	J1673	821118	1044	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
SS#10		0	S	J1674	821118	1048	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
SS#11		0	S	J1675	821118	1050	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
SS#12		0	S	J1676	821118	1053	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
TRANSFER BLANK			W	J0428	821101	1100	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	
TRANSPORT BLANK			W	J0429	821101	1100	5 U	5 U	5 U	5 M	5 U	5 U	5 U	5 U	

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	VOLATILES ETHYL BENZENE	METHYL LENE CHLORIDE	CHLORO METHANE	BROMO METHANE	BROMO FORM	BROMO DICHLORO METHANE	FLUORO TRICHLOR METHANE	DICHLORO DIFLUORO METHANE	CHLORO DIBROMO METHANE
	01	3	S	J1601	821007	0900	2.5 U	16	5 U	5 U	5 U	2.5 U	4 M		2.5 U
	01	6	S	J1602	821007	0915	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.3 M		2.5 U
	01	9	S	J1603	821007	0930	2.5 U	17	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	01	12	S	J1604	821007	0945	2.5 U	11.7 M	5 U	5 U	5 U	2.5 U	2.5 M		2.5 U
	01	SHAL	W	J1606	821108	1330	5 U	190	5 U	5 U	5 U	5 U	5 U		5 U
	01	DEEP	W	J1612	821108	1400	5 U	5 M	5 U	5 U	5 U	5 U	5 U		5 U
	02	3	S	J1613	821014	1025	2.5 U	12 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	02	6	S	J1614	821014	1030	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	02	9	S	J1615	821014	1035	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	02	12	S	J1616	821014	1040	2.5 U	9 M	9 M	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	02	15	S	J1617	821014	1045	2.5 U	9 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	02	SHAL	W	J1618	821102	1100	5 U	180	5 U	5 U	5 U	5 U	5 U		5 U
	03	3	S	J1619	821014	1155	2.5 U	7.7 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	03	6	S	J1620	821014	1205	2.5 U	78	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	03	9	S	J1621	821014	1210	2.5 U	7.5 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	03	SHAL	W	J5052	821115	1200	1 KU	1 KU	1 KU	1 KU	1 KU	1 KU	1 KU		1 KU
	04	3	S	J1625	821018	1415	2.5 U	22	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	04	6	S	J1626	821018	1430	2.5 U	11 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	04	9	S	J1627	821018	1435	2.5 U	7.6 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	04	SHAL	W	J1630	821102	1500	5 U	930	260	5 U	5 U	5 U	5 U		5 U
	05	3	S	J1631	821018	1330	2.5 U	139	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	05	6	S	J1632	821018	1330	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	05	9	S	J1633	821018	1330	2.5 U	7.8 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	05	12	S	J1634	821018	1330	16	26.03	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	05	SHAL	W	J1636	821103	1500	32	23 K	5 U	5 U	5 U	5 U	5 M		5 U
	06	3	S	J1637	821018	1035	2.5 U	3.2 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	06	6	S	J1638	821018	1045	2.5 U	3.6 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	06	9	S	J1639	821018	1050	2.5 U	5.9 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	06	12	S	J1640	821018	1100	2.5 U	5.9 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	06	SHAL	W	J1642	821103	1100	12 M	1200	5 U	5 U	5 U	5 U	5 U		5 U
	07	3	S	J1643	821014	1415	2.5 U	8.8 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	07	6	S	J1644	821014	1425	2.5 U	9.5 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	07	9	S	J1645	821014	1430	2.5 U	8.4 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	07	SHAL	W	J1648	821103	1430	5 M	760	5 U	5 U	5 U	5 U	5 U		5 U
	08	3	S	J1649	821025	1410	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M		2.5 U
	08	6	S	J1650	821025	1425	2.5 U	11 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	08	9	S	J1651	821025	1440	2.5 U	10 M	2.5 U	2.5 U	2.5 U	2.5 U	2.6 M		2.5 U
	08	SHAL	W	J1654	821108	1500	5 M	550	5 U	5 U	5 U	5 U	9.8 M		5 U
	09	3	S	J1655	821019	1020	2.5 U	6.5 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	09	6	S	J1656	821019	1030	2.5 U	6.9 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	09	9	S	J1657	821019	1040	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	09	12	S	J1658	821019	1045	2.5 U	11 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	09	SHAL	W	J1660	821103	1500	5 U	220 K	5 U	5 U	5 U	5 U	5 U		5 U
	10	3	S	J1661	821019	1235	2.5 U	32.5K	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							VOLATILES								
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	ETHYL BENZENE	METHYL LENE CHLORIDE	CHLORO METHANE	BROMO METHANE	BROMO FORM	BROMO DICHLORO METHANE	FLUORO TRICHLOR METHANE	DICHLORO DIFLUORO METHANE	CHLORO DIBROMO METHANE
	10	6	S	J1662	821019	1250	2.5 U	8.9 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	10	9	S	J1663	821019	1310	2.5 M	22	2.5 M	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	10	12	S	J1664	821019	1340	8.3 M	89	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M		2.5 U
	10	15	S	J1665	821019	1405	5.3 M	114	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	10	SHAL	W	J1666	821104	1000	5 U	16 K	5 U	5 U	5 U	5 U	5 U		5 U
	11	3	S	J1667	821008	1100	2.5 U	4 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	11	6	S	J1668	821008	1115	2.7 M	6.1 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	11	8	S	J1669	821008	1130	5.6 M	20	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	11	10	S	J1670	821008	1145	7 M	2.5 U	5 U	5 U	5 U	2.5 U	2.5 U		2.5 U
	11	12	S	J1671	821008	1200	143	51	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	11	SHAL	W	J1672	821109	1030	5 U	46 K	5 U	5 U	5 U	5 U	5 U		5 U
	11	DEEP	W	J1678	821109	1100	5 U	250 K	5 U	5 U	5 U	5 U	5 U		5 U
	12	3	S	J1679	821025	1130	2.5 U	3.4 M	2.5 U	2.5 U	2.5 U	2.5 U	3.6 M		2.5 U
	12	6	S	J1680	821025	1140	2.5 U	7.3 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M		2.5 U
	12	9	S	J1681	821025	1200	2.5 U	17.94	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M		2.5 U
	12	12	S	J1682	821025	1230	2.5 U	7.4 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M		2.5 U
	12	15	S	J1683	821025	1240	2.5 U	19	2.5 U	2.5 U	2.5 U	2.5 U	2.9 M		2.5 U
	12	SHAL	W	J1684	821103	1200	5.4 M	1540	5 U	5 U	5 U	5 U	9.2 M		5 U
	13	3	S	J1685	821027	1310	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	13	6	S	J1686	821027	1325	2.5 M	9.9 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M		2.5 U
	13	9	S	J1687	821027	1400	2.5 U	19	2.5 U	2.5 U	2.5 U	2.5 U	4.2 M		2.5 U
	13	SHAL	W	J1690	821101	1500	5 U	5 U	5 U	5 U	5 U	5 U	5 U		5 U
	14	3	S	J1691	821020	0945	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	14	6	S	J1692	821020	1020	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.6 M		2.5 U
	14	9	S	J1693	821020	1040	2.5 U	143	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	14	12	S	J1694	821020	1100	3.1 M	2055	2.5 U	3 M	2.5 U	2.5 U	2.5 U		2.5 U
	14	15	S	J1695	821020	1145	2.5 U	329	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	14	SHAL	W	J1696	821104	1400	5 U	82 K	5 U	5 U	5 U	5 U	5 U		5 U
	15	3	S	J1697	821025	1500	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	73		2.5 U
	15	6	S	J1698	821025	1510	5 KM	30 K	5 KU	5 KU	5 KU	5 KU	5 KU		5 KU
	15	9	S	J1699	821025	1520	5 KU	5 KM	5 KU	5 KU	5 KU	5 KU	5 KU		5 KU
	15	SHAL	W	J1702	821112	1230	5 U	720 K	5 U	5 U	5 U	5 U	5 U		5 U
	16	3	S	J1703	821020	1310	2.5 U	116	5 U	5 U	5 U	2.5 U	26		2.5 U
	16	6	S	J1704	821020	1325	2.5 U	20	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	16	9	S	J1705	821020	1345	2.5 U	7 M	2.5 U	2.5 U	2.5 U	2.5 U	3 M		2.5 U
	16	12	S	J1706	821020	1405	2.5 U	19	2.5 U	2.5 U	2.5 U	2.5 U	2.8 M		2.5 U
	16	15	S	J1707	821020	1430	2.5 U	8.1 M	2.5 U	2.5 U	2.5 U	2.5 U	3.3 M		2.5 U
	16	SHAL	W	J1708	821104	1100	5 U	430	5 U	5 U	5 U	5 U	5 U		5 U
	17	3	S	J1709	821011	1100	5 KU	44 K	5 KU	5 KU	5 KU	5 KU	5 KU		5 KU
	17	6	S	J1710	821011	1120	37 K	15 KM	5 KU	5 KU	5 KU	5 KU	5 KU		5 KU
	17	9	S	J1711	821011	1150	29 K	49 K	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	17	12	S	J1712	821011	1230	1596	1197	5 U	5 U	5 U	2.5 U	36		2.5 U
	17	15	S	J1713	821011	1300	2.5 U	4352	5 U	5 U	5 U	2.5 U	2.5 U		2.5 U
	17	18	S	J1714	821013	1330	2.5 U	2.5 U	5 U	5 U	5 U	2.5 U	3.7 M		2.5 U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	VOLATILES ETHYL BENZENE	METHYL LENE CHLORIDE	CHLORO METHANE	BROMO METHANE	BROMO FORM	BROMO DICHLORO METHANE	FLUORO TRICHLOR METHANE	DICHLORO DIFLUORO METHANE	CHLORO DIBROMO METHANE
	17	21	S	J1716	821013	1350	89	832	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	17	24	S	J1717	821013	1400	27	29	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	17	27	S	J1718	821013	1405	2.5 U	1402	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	17	30	S	J1719	821013	1420	2.5 U	2030	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	17	SHAL	W	J0427	821110	1000	5 U	42 K	5 U	5 U	5 U	5 U	920		5 U
	17	DEEP	W	J1720	821110	1100	5 U	1200	5 U	5 U	5 U	5 U	5 U		5 U
	18	3	S	J1721	821026	1000	2.5 U	11	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	18	6	S	J1722	821026	1020	2.5 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M		2.5 U
	18	9	S	J1723	821026	1030	2.5 M	21	2.5 U	2.5 U	2.5 U	3.2 U	2.5 U		2.5 U
	18	SHAL	W	J1726	821112	1130	5 M	510	5 U	5 U	5 U	5 U	5 U		5 U
	19	3	S	J1727	821027	1000	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	3.6 M		2.5 U
	19	6	S	J1728	821027	1015	2.5 M	5 M	2.5 U	2.5 U	2.5 U	2.5 U	8.5 M		2.5 U
	19	9	S	J1729	821027	1045	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	9.2 M		2.5 U
	19	12	S	J1730	821027	1120	2.5 U	29	2.5 U	2.5 U	2.5 U	2.5 U	7.4 M		2.5 U
	19	SHAL	W	J1732	821101	1600	5 U	24	5 U	5 U	5 U	5 U	5 U		5 U
	20	3	S	J1733	821021	0940	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	20	6	S	J1734	821021	1010	3.0 M	6.0 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M		2.5 U
	20	9	S	J1735	821021	1030	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	20	12	S	J1736	821021	1055	2.8 M	8.0 M	2.5 U	2.5 U	2.5 U	3.2 M	2.5 U		2.5 U
	20	15	S	J1737	821021	1120	2.5 U	16.5	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	20	SHAL	W	J1738	821104	1330	5 U	125	5 U	5 U	5 U	5 U	5 U		5 U
	21	3	S	J1739	821021	1400	2.5 U	21	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	21	6	S	J1740	821021	1445	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	3.8 M		2.5 U
	21	9	S	J1741	821021	1510	18	9 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M		2.5 U
	21	12	S	J1742	821021	1535	2.5 U	318	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	21	15	S	J1743	821021	1545	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	21	SHAL	W	J1744	821105	1030	5 U	100 K	5 U	5 U	5 U	5 U	5 U		5 U
	22	3	S	J1745	821012	0900	7.3 M	2.5 U	5 U	5 U	5 U	2.5 U	2.7 M		2.5 U
	22	6	S	J1746	821012	0930	16	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	22	9	S	J1747	821012	1000	28	30	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M		2.5 U
	22	12	S	J1748	821012	1030	21.3	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M		2.5 U
	22	15	S	J1749	821012	1100	2.5 U	46	2.5 U	2.5 U	2.5 U	2.5 U	59		2.5 U
	22	SHAL	W	J1750	821110	1200	5 U	5 U	5 U	5 U	5 U	5 U	5 U		5 U
	22	DEEP	W	J1756	821110	1300	5 U	5 U	5 U	5 U	5 U	5 U	5 U		5 U
	23	3	S	J1757	821026	1130	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	3.2 M		2.5 U
	23	6	S	J1758	821026	1150	2.5 U	6.6 M	2.5 U	2.5 U	2.5 U	2.5 U	4.1 M		2.5 U
	23	9	S	J1759	821026	1200	2.5 U	6 M	2.5 U	2.5 U	2.5 U	2.5 U	4.5 M		2.5 U
	23	SHAL	W	J1762	821026	1430	5 U	5 U	5 U	5 U	5 U	5 U	5 U		5 U
	24	3	S	J1763	821022	0950	2.5 U	20	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	24	6	S	J1764	821022	1000	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	24	9	S	J1765	821022	1020	2.5 U	20	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	24	12	S	J1766	821022	1045	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	24	15	S	J1767	821022	1055	2.5 U	7 M	2.5 U	2.5 U	2.5 U	2.5 M	2.5 U		2.5 U
	24	SHAL	W	J1768	821105	1130	5 U	5 U	5 U	5 U	5 U	5 U	5 U		5 U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	VOLATILES ETHYL BENZENE	METHYL LENE CHLORIDE	CHLORO METHANE	BROMO METHANE	BROMO FORM	BROMO DICHLORO METHANE	FLUORO TRICHLOR METHANE	DICHLORO DIFLUORO METHANE	CHLORO DIBROMO METHANE
	25	3	S	J1769	821026	1340	5 KU	5 KU	5 KU	5 KU	5 KU	5 KU	5 KU		5 KU
	25	6	S	J1770	821026	1355	2.5 U	292	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
	25	9	S	J1771	821026	1440	6 M	22	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M		2.5 U
	25	SHAL	W	J1774	821111	1130	19 M	5 U	5 U	5 U	5 U	5 U	5 U		5 U
	25	DEEP	W	J1780	821110	1500	5 U	5 U	5 U	5 U	5 U	5 U	5 U		5 U
	26	3	S	J1781	821026	1425	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.7 M		2.5 U
	26	6	S	J1782	821026	1440	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	3.8 M		2.5 U
	26	9	S	J1783	821026	1450	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.2 M		2.5 U
	26	SHAL	W	J1786	821111	1230	5 U	5 U	5 U	5 U	5 U	5 U	5 U		5 U
	27	SHAL	W	J0462	821116	1100	5 U	16 K	5 U	5 U	5 U	5 U	5 U		5 U
	28	SHAL	W	J0463	821116	1230	19 M	5400	14 M	5 U	5 U	5 U	5 U		5 U
	29	SHAL	W	J0461	821115	1300	5 U	630	5 U	5 U	5 U	5 U	5 U		5 U
	30	SHAL	W	J0465	821220	1100	5 U	5 U	5 U	5 U	5 U	5 U	5 U		5 U
BERM #1		1	S	J1787	821025	1000	2.5 U	2.5 M	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M		2.5 U
BERM #2		1	S	J1788	821025	1015	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.6 M		2.5 U
BERM #3		1	S	J1789	821025	1030	2.5 U	5.4 M	2.5 U	2.5 U	2.5 U	2.5 U	3.1 M		2.5 U
BERM #4		1	S	J1790	821025	1045	2.5 U	25.52	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M		2.5 U
BERM #5		1	S	J1791	821025	1100	2.5 U	130	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
BERM #6		1	S	J1792	821025	1115	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	6.1 M		2.5 U
BERM #7		1	S	J1793	821025	1130	2.5 U	3 M	2.5 U	2.5 U	2.5 U	2.5 U	7.8 M		2.5 U
BERM #8		1	S	J1794	821025	1145	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M	2.5 U	4.7 M		2.5 U
BERM #9		1	S	J1795	821025	1200	13	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	3.1 M		2.5 U
BLANK			S	J1797	821008		2.5 U	88	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
DRILLER'S WATER			W	J1799	821012		2.5 U	56	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
PEA GRAVEL			S	J1798	821012		2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
SS#2		0	S	J1628	821118	0952	2.5 M	21	2.5 U	2.5 U	2.5 U	2.5 U	10 M		2.5 U
SS#3		0	S	J1629	821118	0956	2.5 U	27	2.5 U	2.5 U	2.5 U	2.5 U	6.1 M		2.5 U
SS#4		0	S	J1635	821118	1002	2.5 U	21	2.5 U	2.5 U	2.5 U	2.5 U	3.4 M		2.5 U
SS#5		0	S	J1641	821118	1008	2.5 U	14.9	2.5 U	2.5 U	2.5 U	2.5 U	6.7 M		2.5 U
SS#6		0	S	J1646	821118	1027	2.5 U	23	2.5 U	2.5 U	2.5 U	2.5 U	15		2.5 U
SS#7		0	S	J1647	821118	1036	2.5 U	29	2.5 U	2.5 U	2.5 U	2.5 U	14		2.5 U
SS#8		0	S	J1659	821118	1041	2.5 U	51	2.5 U	2.5 U	2.5 U	2.5 U	6.0 M		2.5 U
SS#9		0	S	J1673	821118	1044	2.5 U	33	2.5 U	2.5 U	2.5 U	2.5 U	2.5 M		2.5 U
SS#10		0	S	J1674	821118	1048	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U		2.5 U
SS#11		0	S	J1675	821118	1050	2.5 U	63	2.5 U	2.5 U	2.5 U	2.5 U	25		2.5 U
SS#12		0	S	J1676	821118	1053	2.5 U	10 M	2.5 U	2.5 U	2.5 U	2.5 U	8 M		2.5 U
TRANSFER BLANK			W	J0428	821101	1100	5 U	5 U	5 U	5 U	5 U	5 U	5 U		5 U
TRANSPORT BLANK			W	J0429	821101	1100	5 U	11 M	5 U	5 U	5 U	5 U	5 U		5 U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	QTR NUM	DATE	TIME	VOLATILES TETRA CHLORO ETHENE	TOLUENE	TRICHLOR ETHENE	VINYL CHLORIDE
	01	3	S	J1601	821007	0900	2.5 U	2.5 U	3.4 M	5 U
	01	6	S	J1602	821007	0915	2.5 U	2.5 U	2.5 M	2.5 U
	01	9	S	J1603	821007	0930	2.5 U	2.5 U	2.5 U	2.5 U
	01	12	S	J1604	821007	0945	2.5 U	2.5 U	2.5 U	2.5 U
	01	SHAL	W	J1606	821108	1330	5 U	5 U	3900	5 U
	01	DEEP	W	J1612	821108	1400	5 U	5 U	46	5 U
	02	3	S	J1613	821014	1025	2.5 U	2.5 U	2.5 U	2.5 U
	02	6	S	J1614	821014	1030	2.5 U	2.5 U	2.5 U	2.5 U
	02	9	S	J1615	821014	1035	2.5 U	2.5 U	2.5 U	2.5 U
	02	12	S	J1616	821014	1040	88	2.5 U	2.5 U	2.5 U
	02	15	S	J1617	821014	1045	2.5 U	2.5 U	80	2.5 U
	02	SHAL	W	J1618	821102	1100	8.4 M	11 M	3600	5 U
	03	3	S	J1619	821014	1155	2.5 U	2.5 U	2.5 U	2.5 U
	03	6	S	J1620	821014	1205	2.5 U	2.5 U	2.5 M	2.5 U
	03	9	S	J1621	821014	1210	2.5 U	2.5 U	2.5 M	2.5 U
	03	SHAL	W	J5052	821115	1200	1 KU	1 KU	1 KU	1 KU
	04	3	S	J1625	821018	1415	2.5 U	2.5 U	2.5 U	2.5 U
	04	6	S	J1626	821018	1430	2.5 U	2.5 M	2.5 U	2.5 U
	04	9	S	J1627	821018	1435	2.5 U	2.5 U	2.5 M	2.5 U
	04	SHAL	W	J1630	821102	1500	5 U	4000	1800	250
	05	3	S	J1631	821018	1330	2.5 U	2.5 U	2.5 U	2.5 U
	05	6	S	J1632	821018	1330	2.5 M	2.5 U	2.5 U	2.5 U
	05	9	S	J1633	821018	1330	2.6 M	2.5 U	2.5 M	2.5 U
	05	12	S	J1634	821018	1330	19	126	192	2.5 U
	05	SHAL	W	J1636	821103	1500	37	4100	16 K	5 M
	06	3	S	J1637	821018	1035	2.5 U	2.5 U	2.5 U	2.5 U
	06	6	S	J1638	821018	1045	2.5 U	2.5 U	2.5 U	2.5 U
	06	9	S	J1639	821018	1050	2.5 U	2.5 U	2.5 U	2.5 U
	06	12	S	J1640	821018	1100	2.5 U	2.5 U	2.5 M	2.5 U
	06	SHAL	W	J1642	821103	1100	10 M	100	2200	5 U
	07	3	S	J1643	821014	1415	2.5 U	2.5 U	2.5 U	2.5 U
	07	6	S	J1644	821014	1425	2.5 U	2.5 U	2.5 U	2.5 U
	07	9	S	J1645	821014	1430	2.5 U	2.5 U	2.5 U	2.5 U
	07	SHAL	W	J1648	821103	1430	7.2 M	62	1500	40
	08	3	S	J1649	821025	1410	2.5 U	2.5 U	2.5 U	2.5 U
	08	6	S	J1650	821025	1425	2.5 U	2.5 U	6.6	2.5 U
	08	9	S	J1651	821025	1440	2.5 U	2.5 U	3.1 M	2.5 U
	08	SHAL	W	J1654	821108	1500	6.5 M	23 M	3100	26
	09	3	S	J1655	821019	1020	2.5 U	2.5 U	2.5 U	2.5 U
	09	6	S	J1656	821019	1030	2.5 U	2.5 U	2.5 U	2.5 U
	09	9	S	J1657	821019	1040	3.4 M	2.5 U	2.8 M	2.5 U
	09	12	S	J1658	821019	1045	2.5 U	2.5 U	7.0 M	2.5 U
	09	SHAL	W	J1660	821103	1500	5 U	2400	17 K	5 U
	10	3	S	J1661	821019	1235	2.5 U	2.5 U	2.5 U	2.5 U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	VOLATILES			
							TETRA CHLORO ETHENE	TOLUENE	TRICHLOR ETHENE	VINYL CHLORIDE
	10	6	S	J1662	821019	1250	2.5 U	2.5 U	2.5 U	2.5 U
	10	9	S	J1663	821019	1310	2.5 U	3.7 M	2.5 U	2.5 U
	10	12	S	J1664	821019	1340	2.5 M	68	4.6 M	2.5 U
	10	15	S	J1665	821019	1405	2.5 M	19	2.5 M	2.5 U
	10	SHAL	W	J1666	821104	1000	5 M	2300	910	5 U
	11	3	S	J1667	821008	1100	2.5 U	2.5 U	4 M	2.5 U
	11	6	S	J1668	821008	1115	2.5 M	2.5 M	19	2.5 U
	11	8	S	J1669	821008	1130	2.5 M	6.1 M	38	2.5 U
	11	10	S	J1670	821008	1145	2.5 U	10 M	9.5 M	5 U
	11	12	S	J1671	821008	1200	81	83	312	2.5 U
	11	SHAL	W	J1672	821109	1030	5 U	2800	80 K	5 U
	11	DEEP	W	J1678	821109	1100	5 U	1100	14 K	5 U
	12	3	S	J1679	821025	1130	2.5 U	2.5 U	2.5 U	2.5 U
	12	6	S	J1680	821025	1140	2.5 U	2.5 U	2.5 U	2.5 U
	12	9	S	J1681	821025	1200	2.5 U	2.5 U	2.5 U	2.5 U
	12	12	S	J1682	821025	1230	2.5 U	2.5 U	4.9 M	2.5 U
	12	15	S	J1683	821025	1240	2.5 U	2.5 U	38	2.5 U
	12	SHAL	W	J1684	821103	1200	5.4 M	66	480	5 M
	13	3	S	J1685	821027	1310	2.5 U	2.5 U	2.5 U	2.5 U
	13	6	S	J1686	821027	1325	2.5 U	2.5 M	2.5 U	2.5 U
	13	9	S	J1687	821027	1400	2.5 U	2.5 U	2.5 U	2.5 U
	13	SHAL	W	J1690	821101	1500	5 U	5 U	5 U	5 U
	14	3	S	J1691	821020	0945	49	2.5 U	11 M	2.5 U
	14	6	S	J1692	821020	1020	48	2.5 U	6.9 M	2.5 U
	14	9	S	J1693	821020	1040	113	4.1 M	44	2.5 U
	14	12	S	J1694	821020	1100	274	27	169	2.5 U
	14	15	S	J1695	821020	1145	2.5 U	2.5 U	2.5 U	2.5 U
	14	SHAL	W	J1696	821104	1400	530	540	3400	5 U
	15	3	S	J1697	821025	1500	2.5 U	2.5 U	2.5 U	2.5 U
	15	6	S	J1698	821025	1510	72 K	48 K	580 K	5 KU
	15	9	S	J1699	821025	1520	14 KM	9.1KM	180 K	5 KU
	15	SHAL	W	J1702	821112	1230	5 U	5 M	210 K	5 U
	16	3	S	J1703	821020	1310	3.7 M	2.5 M	4.6 M	5 U
	16	6	S	J1704	821020	1325	2.5 U	2.5 U	2.5 U	2.5 U
	16	9	S	J1705	821020	1345	2.5 U	2.5 U	2.5 U	2.5 U
	16	12	S	J1706	821020	1405	2.5 U	2.5 U	2.5 U	2.5 U
	16	15	S	J1707	821020	1430	2.5 U	2.5 U	6.5 M	2.5 U
	16	SHAL	W	J1708	821104	1100	7.7 M	18 M	990	5 U
	17	3	S	J1709	821011	1100	5 KU	39 K	5 KU	5 KU
	17	6	S	J1710	821011	1120	5 KU	394 K	558 K	5 KU
	17	9	S	J1711	821011	1150	2.5 U	280 K	350 K	2.5 U
	17	12	S	J1712	821011	1230	36	19.9K	25.3K	2.5 U
	17	15	S	J1713	821011	1300	2.5 U	3128	4760	5 U
	17	18	S	J1714	821013	1330	2.5 U	2.5 U	2.5 U	5 U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							VOLATILES			
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	TETRA CHLORO ETHENE	TOLUENE	TRICHLOR ETHENE	VINYL CHLORIDE
	17	21	S	J1716	821013	1350	11.7	891	1406	2.5 U
	17	24	S	J1717	821013	1400	2.5 M	90	62	2.5 U
	17	27	S	J1718	821013	1405	2.5 U	222	2.5 U	2.5 U
	17	30	S	J1719	821013	1420	2.5 U	203	2.5 U	2.5 U
	17	SHAL	W	J0427	821110	1000	5 U	22 K	42 K	5 U
	17	DEEP	W	J1720	821110	1100	5 U	430	830	5 U
	18	3	S	J1721	821026	1000	2.5 M	2.5 M	15	2.5 U
	18	6	S	J1722	821026	1020	2.5 M	2.5 U	13	2.5 U
	18	9	S	J1723	821026	1030	2.5 U	2.5 M	21	2.5 U
	18	SHAL	W	J1726	821112	1130	7.6 M	7.5 M	900	5 U
	19	3	S	J1727	821027	1000	2.5 U	2.5 U	2.5 U	2.5 U
	19	6	S	J1728	821027	1015	2.5 U	2.5 M	2.5 M	2.5 U
	19	9	S	J1729	821027	1045	2.5 U	2.5 U	7.8 M	2.5 U
	19	12	S	J1730	821027	1120	2.5 U	2.5 U	23	2.5 U
	19	SHAL	W	J1732	821101	1600	5 U	5 U	5 U	5 U
	20	3	S	J1733	821021	0940	509	2.5 U	2.5 U	2.5 U
	20	6	S	J1734	821021	1010	530	2.5 M	27	2.5 U
	20	9	S	J1735	821021	1030	1300	2.5 U	676	2.5 U
	20	12	S	J1736	821021	1055	484	6.4 M	544	2.5 U
	20	15	S	J1737	821021	1120	123	2.5 U	69	2.5 U
	20	SHAL	W	J1738	821104	1330	1800	5 U	1100	5 U
	21	3	S	J1739	821021	1400	2.5 U	2.5 U	2.5 U	2.5 U
	21	6	S	J1740	821021	1445	2.5 U	2.5 U	2.5 U	2.5 U
	21	9	S	J1741	821021	1510	2.5 M	6.4 M	116	2.5 U
	21	12	S	J1742	821021	1535	2.5 U	2.5 U	1520	2.5 U
	21	15	S	J1743	821021	1545	2.5 U	2.5 U	37	2.5 U
	21	SHAL	W	J1744	821105	1030	5 U	5 U	170 K	360
	22	3	S	J1745	821012	0900	2.5 U	4.2 M	2.5 M	5 U
	22	6	S	J1746	821012	0930	2.5 U	11 M	7.6 M	2.5 U
	22	9	S	J1747	821012	1000	2.5 M	43	8.2 M	2.5 U
	22	12	S	J1748	821012	1030	2.5 M	26	5.2 M	2.5 U
	22	15	S	J1749	821012	1100	2.5 U	2.5 M	2.5 M	2.5 U
	22	SHAL	W	J1750	821110	1200	5 U	68	380	5 U
	22	DEEP	W	J1756	821110	1300	5 U	5 U	17 K	5 U
	23	3	S	J1757	821026	1130	2.5 U	2.5 M	2.5 U	2.5 U
	23	6	S	J1758	821026	1150	2.5 U	10 M	2.5 U	2.5 U
	23	9	S	J1759	821026	1200	2.5 U	25	2.5 U	2.5 U
	23	SHAL	W	J1762	821026	1430	5 U	85	5 U	5 U
	24	3	S	J1763	821022	0950	2.5 U	2.5 U	2.5 U	2.5 U
	24	6	S	J1764	821022	1000	2.5 U	2.5 U	2.5 U	2.5 U
	24	9	S	J1765	821022	1020	77	2.5 U	4.7 M	2.5 U
	24	12	S	J1766	821022	1045	280	2.5 U	5.5 M	2.8 M
	24	15	S	J1767	821022	1055	2.5 M	2.5 M	4.8 M	2.5 U
	24	SHAL	W	J1768	821105	1130	5 U	5 U	5 U	5 U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

ORGANIC ANALYSES

WESTERN PROCESSING INVESTIGATION
KENT, WASHINGTON

U = NOT DETECTED; VALUE SHOWN IS THE MINIMUM QUANTIFIABLE LIMIT
M = COMPOUND PRESENT BUT BELOW THE MINIMUM QUANTIFIABLE LIMIT
K = MULTIPLY THE VALUE BY 1,000
KK = MULTIPLY THE VALUE BY 1,000,000

							VOLATILES			
STATION DESCRIPTION	STA NUM	WELL DEPTH	M	OTR NUM	DATE	TIME	TETRA CHLORO ETHENE	TOLUENE	TRICHLOR ETHENE	VINYL CHLORIDE
	25	3	S	J1769	821026	1340	5 KU	5 KU	5 KU	5 KU
	25	6	S	J1770	821026	1355	2.5 U	216	213	2.5 U
	25	9	S	J1771	821026	1440	2.5 M	19.5	6.4 M	2.8 M
	25	SHAL	W	J1774	821111	1130	5 U	22 M	8.5 M	23 M
	25	DEEP	W	J1780	821110	1500	5 U	5 U	5 U	5 U
	26	3	S	J1781	821026	1425	4.2 M	5 M	124	2.5 U
	26	6	S	J1782	821026	1440	16	5.2 M	180	2.5 U
	26	9	S	J1783	821026	1450	10 M	2.5 U	77	2.5 U
	26	SHAL	W	J1786	821111	1230	5 U	5 U	1300	5 U
	27	SHAL	W	J0462	821116	1100	5 U	5 M	140 K	5 U
	28	SHAL	W	J0463	821116	1230	50	110	840	5 U
	29	SHAL	W	J0461	821115	1300	5 U	5 M	120	5 U
	30	SHAL	W	J0465	821220	1100	5 U	5 U	5 U	5 U
BERM #1		1	S	J1787	821025	1000	2.5 U	2.5 U	2.5 M	2.5 U
BERM #2		1	S	J1788	821025	1015	2.5 U	2.5 U	2.5 U	2.5 U
BERM #3		1	S	J1789	821025	1030	11 M	2.5 U	18	2.5 U
BERM #4		1	S	J1790	821025	1045	2.5 U	2.5 U	37	2.5 U
BERM #5		1	S	J1791	821025	1100	2.5 U	2.5 U	3.1 M	2.5 U
BERM #6		1	S	J1792	821025	1115	2.5 U	2.5 U	2.6 M	2.5 U
BERM #7		1	S	J1793	821025	1130	2.5 U	2.5 U	2.5 M	2.5 U
BERM #8		1	S	J1794	821025	1145	2.5 M	2.5 M	21	2.5 U
BERM #9		1	S	J1795	821025	1200	2.5 U	2.5 U	6.2 M	2.5 U
BLANK			S	J1797	821008		2.5 U	2.5 U	6.8 M	2.5 U
DRILLER'S WATER			W	J1799	821012		2.5 U	2.5 U	2.5 U	2.5 U
PEA GRAVEL			S	J1798	821012		2.5 U	2.5 U	2.5 U	2.5 U
SS#2		0	S	J1628	821118	0952	99	2.5 M	2.5 M	2.5 U
SS#3		0	S	J1629	821118	0956	2.5 U	2.5 U	2.5 U	2.5 U
SS#4		0	S	J1635	821118	1002	2.5 U	2.8 M	10 M	2.5 U
SS#5		0	S	J1641	821118	1008	2.5 U	2.5 U	2.5 U	2.5 U
SS#6		0	S	J1646	821118	1027	2.5 U	2.5 U	2.5 U	2.5 U
SS#7		0	S	J1647	821118	1036	2.5 U	2.5 U	2.5 M	2.5 U
SS#8		0	S	J1659	821118	1041	2.5 U	2.5 U	2.5 U	2.5 U
SS#9		0	S	J1673	821118	1044	2.5 U	2.5 U	2.5 U	2.5 U
SS#10		0	S	J1674	821118	1048	2.5 U	2.5 U	2.5 U	2.5 U
SS#11		0	S	J1675	821118	1050	2.5 U	2.5 U	2.5 M	2.5 U
SS#12		0	S	J1676	821118	1053	2.5 U	2.5 U	2.5 M	2.5 U
TRANSFER BLANK			W	J0428	821101	1100	5 U	5 U	5 U	5 U
TRANSPORT BLANK			W	J0429	821101	1100	5 U	5 U	76	5 U

UNITS: LIQUID - UG/L (PPB) DISSOLVED
SOIL - UG/KG (PPB) DRY WEIGHT BASIS FOR ALL QUANTIFIABLE VALUES

APPENDIX B
SECTION 5

NON-PRIORITY POLLUTANTS DATA

WESTERN PROCESSING COMPANY

NON-PRIORITY POLLUTANTS

TDD R10-8301-01

(See Figure 3 for Wells and Soil Sample Locations)

Well#	Depth	Sample	Mult.Fact.	CAS#	Compound	Quantity (ug/kg or ug/l) unless otherwise stated below
01 Soil	3'	J1601	---	---	---	---
01 Soil	6'	J1602	---	---	---	---
01 Soil	9'	J1603	1.40	91-57-6	2-methylnapthalene	800 M
				67-64-1	acetone	63 M
				95-47-6	o-xylene	2.5 M
01 Soil	12'	J1604	---	---	---	---
01 Water	Shallow	J1606	---	---	---	---
01 Water	Deep	J1612	---	---	---	---
02 Soil	3'	J1613	---	---	---	---
02 Soil	6'	J1614	---	---	---	---
02 Soil	9'	J1615	---	---	---	---
02 Soil	12'	J1616	---	---	---	---
02 Soil	15'	J1617	---	---	---	---
02 Water	Shallow	J1618	1.0	65-85-0	benzoic acid	200 M
03 Soil	3'	J1619	---	---	---	---
03 Soil	6'	J1620	5.98	65-85-0	benzoic acid	400 M
03 Soil	9'	J1621	3.83	95-48-7	2-methylphenol	400 M
				108-39-4	4-methylphenol	580 M
				132-64-9	dibenzofuran	400 M
				91-57-6	2-methylnaphthalene	3200 M
				67-64-1	acetone	73 M
				100-42-5	styrene	2.5 M
03 Water	Shallow	J1624 is J5052		---	---	---

Shallow = 6-16'
Deep = 26-30'

WESTERN PROCESSING COMPANY
NON-PRIORITY POLLUTANTS
TDD R10-8301-01, page 2
(See Figure 3 for Wells and Sample Locations)

Well#	Depth	Sample	Mult.Fact.	CAS#	Compound	Quantity (ug/kg or ug/l) unless otherwise stated below
04 Soil	3'	J1625	---	---	---	---
04 Soil	6'	J1626	1.25	67-64-1	acetone	86 M
04 Soil	9'	J1627	1.34	67-64-1	acetone	52M
04 Water	Shallow	J1630	1.0	95-48-7	2-methylphenol	14 M mg/l
				108-39-4	4-methylphenol	37 M mg/l
				67-64-1	acetone	390 M
				78-93-3	2-butanone	1300
				519-78-6	2-hexanone	700
05 Soil	3'	J1631	1.07	100-42-5	styrene	1900
05 Soil	6'	J1632	---	---	---	---
05 Soil	9'	J1633	---	---	---	---
05 Soil	12'	J1634	1.37	67-64-1	acetone	210 M
				78-93-3	2-butane	100 M
				100-42-5	styrene	32
				95-47-6	o-xylene	31
05 Water	Shallow	J1636	1.0	65-85-0	benzoic acid	200 M
				95-48-7	2-methylphenol	980
				108-39-4	4-methylphenol	3000
				95-95-4	2,4,5-trichlorophenol	8800
				67-64-1	acetone	13000
				78-93-3	2-butanone	6100
				519-78-6	2-hexanone	350 M
				100-42-5	styrene	290
				95-47-6	o-xylene	102
06 Soil	3'	J1637	---	---	---	---

Shallow = 6-16'
Deep = 26-30'

WESTERN PROCESSING COMPANY
NON-PRIORITY POLLUTANTS
TDD R10-8301-01, page 3
(See Figure 3 for Wells and Soil Sample Locations)

Well#	Depth	Sample	Mult.Fact.	CAS#	Compound	Quantity (ug/kg or ug/l) unless otherwise stated below
06	Soil 9'	J1638	---	---	---	---
06	Soil 12'	J1639	---	---	---	---
06	Soil 15'	J1640	---	---	---	---
06	Water Shallow	J1642	---	95-48-7	2-methylphenol	30 M
				519-78-6	2-hexanone	100 M
				95-47-6	o-xylene	20
07	Soil 3'	J1643	---	---	---	---
07	Soil 6'	J1644	---	---	---	---
07	Soil 9'	J1645	---	---	---	---
07	Water Shallow	J1648	1	95-48-7	2-methylphenol	5400
				108-39-4	4-methylphenol	4000
				78-93-3	2-butanone	200 M
				67-64-1	acetone	490
				95-47-6	o-xylene	5 M
08	Soil 3'	J1649	---	---	---	---
08	Soil 6'	J1650	1.40	67-64-3	acetone	50 M
08	Soil 9'	J1651	---	---	---	---
08	Water Shallow	J1654	1.0	95-48-7	2-methylphenol	54 M
				108-39-4	4-methylphenol	20 M
				95-47-6	o-xylene	5 M
09	Soil 3'	J1655	---	---	---	---
09	Soil 6'	J1656	---	---	---	---
09	Soil 9'	J1657	1.35	95-47-6	o-xylene	2.5 M
09	Soil 12'	J1658	---	---	---	---

Shallow = 6-16'
Deep = 26-30'

WESTERN PROCESSING COMPANY
NON-PRIORITY POLLUTANTS
TDD R10-8301-01, page 4
(See Figure 3 for Wells and Soil Sample Locations)

Well#	Depth	Sample	Mult.Fact.	CAS#	Compound	Quantity (ug/kg or ug/l) unless otherwise stated below
09 Water	Shallow	J1660	1.0	95-48-7	2-methylphenol	33,000
				108-39-4	4-methylphenol	5400
10 Soil	3'	J1661	---	---	---	---
10 Soil	6'	J1662	1.29	95-48-7	2-methylphenol	400 M
				108-39-4	4-methylphenol	400 M
				67-64-1	acetone	1000 M
				78-93-3	2-butanone	1700
10 Soil	9'	J1663	1.27	95-48-7	2-methylphenol	600 M
				67-64-1	acetone	1000
				78-93-3	2-butanone	1310
				95-47-6	o-xylene	3.9 M
10 Soil	12'	J1664	1.42	108-39-4	4-methylphenol	400 M
				67-64-1	acetone	850 M
				78-93-3	2-butanone	1700
				95-47-6	o-xylene	29
10 Soil	15'	J1665	1.27	95-48-7	2-methylphenol	680 M
				108-39-4	4-methylphenol	720 M
				67-64-1	acetone	780
				78-93-3	2-butanone	2400
				519-78-6	2-hexanone	50 M
				100-42-5	styrene	2.6 M
				95-47-6	o-xylene	14
10 Water	Shallow	J1666	1.0	108-39-4	4-methylphenol	10 M mg/g
				67-64-1	acetone	14,000
				78-93-3	2-butanone	39,000
				95-47-6	o-xylene	732
11 Soil	3'	J1667	1.04	95-47-6	o-xylene	3 M
11 Soil	6'	J1668	1.18	67-64-1	acetone	220 M
				78-93-3	2-butanone	190 M
				95-47-6	o-xylene	19

Shallow = 6-16'
Deep = 26-30'

WESTERN PROCESSING COMPANY
NON-PRIORITY POLLUTANTS
TDD R10-8301-01, page 5
(See Figure 3 for Wells and Soil Sample Locations)

Well#	Depth	Sample	Mult.Fact.	CAS#	Compound	Quantity (ug/kg or ug/l) unless otherwise stated below
11 Soil	9'	J1669	1.24	91-57-6	2-methylnaphthalene	1700 M
				67-64-1	acetone	890
				78-93-3	2-butanone	280 M
				95-47-6	o-xylene	37
11 Soil	12'	J1670	1.24	108-39-4	4-methylphenol	10 M ug/g
				91-57-6	2-methylnaphthalene	22 M ug/g
				519-78-6	2-hexanone	50 M ug/g
				45-47-6	o-xylene	14 M ug/kg
11 Soil	15'	J1671	1.30	132-64-9	dibenzofuran	10,000
				91-57-6	2-methylnaphthalene	14,000
				100-42-5	styrene	2.5 M
				95-47-6	o-xylene	270
11 Water	Shallow	J1672	1.0	65-85-0	benzoic acid	260 M
				95-48-7	2-methylphenol	900
				108-39-4	4-methylphenol	1100
				100-51-6	benzylalcohol	260
11 Water	Deep	J1678	1.0	95-48-7	2-methylphenol	1800
				108-39-4	4-methylphenol	1300
				67-64-1	acetone	13,000
				100-42-5	styrene	620
				95-47-6	o-xylene	680
12 Soil	3'	J1679	---	---	---	---
12 Soil	6'	J1680	1.15	65-85-0	benzoic acid	400 M
12 Soil	9'	J1681	1.38	67-64-1	acetone	50 M
12 Soil	12'	J1682	1.52	95-48-7	2-methylphenol	760 M
12 Soil	15'	J1683	---	---	---	---
12 Water	Shallow	J1684	1.0	95-48-7	2-methylphenol	1700
				108-39-4	4-methylphenol	500
				91-57-6	2-methylnaphthalene	40 M
				95-47-6	o-xylene	12 M

Shallow = 6-16'
Deep = 26-30'

WESTERN PROCESSING COMPANY
NON-PRIORITY POLLUTANTS
TDD R10-8301-01, page 6
(See Figure 3 for Wells and Soil Sample Locations)

Well#	Depth	Sample	Mult.Fact.	CAS#	Compound	Quantity (ug/kg or ug/l) unless otherwise stated below
13 Soil	3'	J1685	---	---	---	---
13 Soil	6'	J1686	1.29	100-42-5	styrene	2.5 M
13 Soil	9'	J1687	---	---	---	---
13 Water	Shallow	J1690	---	---	---	---
14 Soil	3'	J1691	1.59	95-48-7	2-methylphenol	400 M
				108-39-4	4-methylphenol	1400 M
				91-57-6	2-methylnaphthalene	1900 M
14 Soil	6'	J1692	---	---	---	---
14 Soil	9'	J1693	1.30	95-48-7	2-methylphenol	600 M
				67-64-1	acetone	960
				78-93-3	2-butanone	1600
				519-78-6	2-hexanone	240
14 Soil	12'	J1694	1.37	95-48-7	2-methylphenol	480 M
				108-39-4	4-methylphenol	560 M
				67-64-1	acetone	1700
				78-93-3	2-butanone	4200
				95-47-6	o-xylene	7.8 M
14 Soil	15'	J1695	1.37	108-39-4	4-methylphenol	720 M
				67-64-1	acetone	50 M
14 Water	Shallow	J1696	1	67-64-1	acetone	21,000
				78-93-3	2-butanone	64,000
15 Soil	3'	J1697	---	---	---	---
15 Soil	6'	J1698	1.45	519-78-6	2-hexanone	100 M ug/g
				100-42-5	styrene	17 M ug/g
				95-47-6	o-xylene	14 M ug/g
15 Soil	9'	J1699	1.42	100-42-5	styrene	5 M ug/g

Shallow = 6-16'
Deep = 26-30'

WESTERN PROCESSING COMPANY
NON-PRIORITY POLLUTANTS
TDD R10-8301-01, page 7
(See Figure 3 for Wells and Soil Sample Locations)

Well#	Depth	Sample	Mult.Fact.	CAS#	Compound	Quantity (ug/kg or ug/l) unless otherwise stated below
15 Water	Shallow	J1702	1.0	95-48-7	2-methylphenol	20 M
				108-39-4	4-methylphenol	320
16 Soil	3'	J1703	1.25	108-39-4	4-methylphenol	13 M ug/g
				67-64-1	acetone	50 M ug/kg
16 Soil	6'	J1704	---	---	---	---
16 Soil	9'	J1705	---	---	---	---
16 Soil	12'	J1706	---	---	---	---
16 Soil	15'	J1707	---	---	---	---
16 Water	Shallow	J1708	---	---	---	---
17 Soil	3'	J1709	1.19	108-39-4	4-methylphenol	15 M ug/g
				95-47-6	o-xylene	40 ug/g
17 Soil	6'	J1710	1.36	108-39-4	4-methylphenol	15 ug/g
				67-64-1	acetone	10 M ug/g
				78-93-3	2-butanone	370 ug/g
17 Soil	9'	J1711	1.47	95-48-7	2-methylphenol	1600 M
				108-39-4	4-methylphenol	5600
				91-57-6	2-methylnaphthalene	2300
				78-93-3	2-butanone	580,000
				95-47-6	o-xylene	24,000
17 Soil	12'	J1712	1.33	108-39-4	4-methylphenol	10 M ug/g
				67-64-1	acetone	17,000 ug/kg
				78-93-3	2-butanone	92,000 ug/kg
				95-47-6	o-xylene	1100 ug/kg
17 Soil	15'	J1713	1.46	108-39-4	4-methylphenol	10 M ug/g
17 Soil	18'	J1714	1.37	95-48-7	2-methylphenol	10 M ug/g
				108-39-4	4-methylphenol	15 M ug/g
17 Soil	21'	J1716	1.98	95-48-7	2-methylphenol	540 M
				108-39-4	4-methylphenol	940 M
				67-64-1	acetone	430
				78-93-3	2-butanone	2500
				95-47-6	o-xylene	56

Shallow = 6-16'
Deep = 26=3-'

WESTERN PROCESSING COMPANY
NON-PRIORITY POLLUTANTS
TDD R10-8301-01, page 8
(See Figure 3 for Wells and Soil Sample Locations)

Well#	Depth	Sample	Mult.Fact.	CAS#	Compound	Quantity (ug/kg or ug/l) unless otherwise stated below
17 Soil	24'	J1717	1.69	108-39-4	4-methylphenol	400 M
				67-64-1	acetone	350
				78-93-3	2-butanone	320
				95-47-6	o-xylene	44
17 Soil	27'	J1718	---	---	---	---
17 Soil	30'	J1719	---	---	---	---
17	same as J0427	J1715	1.0	95-48-7	2-methylphenol	8200
				108-39-4	4-methylphenol	25,000
				91-57-6	2-methylnaphthalene	40 M
				67-64-1	acetone	34,000
				78-93-3	2-butanone	130,000
				519-78-6	2-hexanone	580
				100-42-5	styrene	58
				95-47-6	o-xylene	672
17 Water	Shallow	J0427	1.0	95-48-7	2-methylphenol	18 M ug/g
				108-39-4	4-methylphenol	64 ug/g
				67-64-1	acetone	130,000 ug/kg
				78-93-3	2-butanone	460,000 ug/kg
17 Water	Deep	J1720	1.0	65-85-0	benzoic acid	200 M
				95-48-7	2-methylphenol	52 M
				108-39-4	4-methylphenol	320
				100-51-6	benzylalcohol	40 M
				67-64-1	acetone	12,000
				78-93-3	2-butanone	28,000
				95-47-6	o-xylene	102
18 Soil	3'	J1721	1.15	95-47-6	o-xylene	12 M
18 Soil	6'	J1722	1.27	95-47-6	o-xylene	9.9 M
				91-57-6	naphthalene, 2-methyl	800 M
18 Soil	9'	J1723	1.33	91-57-6	2-methylnapthalene	800 M
				95-47-6	o-xylene	4.9 M

Shallow = 6-16'
Deep = 26-30'

WESTERN PROCESSING COMPANY
NON-PRIORITY POLLUTANTS
TDD R10-8301-01, page 9
(See Figure 3 for Wells and Soil Sample Locations)

Well#	Depth	Sample	Mult.Fact.	CAS#	Compound	Quantity (ug/kg or ug/l) unless otherwise stated below
18 Water	Shallow	J1726	1.0	95-47-6	o-xylene	15 M
19 Soil	3'	J1727	---	---	---	---
19 Soil	6'	J1728	1.35	100-42-5	styrene	2.5 M
				95-47-6	o-xylene	2.5 M
19 Soil	9'	J1729	---	---	---	---
19 Soil	12'	J1730	---	---	---	---
19 Water	Shallow	J1732	---	---	---	---
20 Soil	3'	J1733	---	---	---	---
20 Soil	6'	J1734	1.13	91-57-6	2-methylnapthalene	800 M
				67-64-1	acetone	50 M
				95-47-6	o-xylene	14
20 Soil	9'	J1735	1.30	67-64-1	acetone	7300
				78-93-3	2-butanone	2400
20 Soil	12'	J1736	1.21	95-48-7	2-methylphenol	400 M
				108-39-4	4-methylphenol	400 M
				67-64-1	acetone	1400
				78-93-3	2-butanone	480
				95-47-6	o-xylene	6.7 M
20 Soil	15'	J1737	1.32	67-64-1	acetone	93
				95-47-6	o-xylene	2.5 M
20 Water	Shallow	J1738	---	---	---	---
21 Soil	3'	J1739	---	---	---	---
21 Soil	6'	J1740	1.23	95-47-6	o-xylene	2.5 M
21 Soil	9'	J1741	1.29	95-48-7	2-methylphenol	400 M
				108-39-4	4-methylphenol	400 M
				91-57-6	2-methylnaphthalene	800 M
				100-42-5	styrene	2.5 M
				95-47-6	o-xylene	7 M

Shallow = 6-16'
Deep = 26-30'

WESTERN PROCESSING COMPANY

NON-PRIORITY POLLUTANTS
TDD R10-8301-01, page 10
(See Figure 3 for Wells and Soil Sample Locations)

Well#	Depth	Sample	Mult.Fact.	CAS#	Compound	Quantity (ug/kg or ug/l) unless otherwise stated below
21 Soil	12'	J1742	1.27	95-48-7	2-methylphenol	130,200
				108-39-4	4-methylphenol	52,000
21 Soil	15'	J1743	1.32	95-48-7	2-methylphenol	16,000
				108-39-4	4-methylphenol	6600
21 Water	Shallow	J1744	1.0	95-48-7	2-methylphenol	5500
				108-39-4	4-methylphenol	4900
22 Soil	3'	J1745	1.28	108-39-4	4-methylphenol	11 M ug/g
				132-64-9	dibenzofuran	10 M ug/g
				91-57-6	2-methylnapthalene	38 M ug/g
				67-64-1	acetone	50 M ug/kg
				95-47-6	o-xylene	27 ug/kg
22 Soil	6'	J1746	1.33	108-39-4	4-methylphenol	20 M ug/g
				132-64-9	dibenzofuran	10 M ug/g
				91-57-6	2-methlnaphthalene	30 M ug/g
				67-64-1	acetone	50 M ug/kg
				95-47-6	o-xylene	32 ug/kg
22 Soil	9'	J1747	2.17	108-39-4	4-methylphenol	12 M ug/g
				91-57-6	2-methynaphthalene	20 M ug/g
				67-64-1	acetone	130 M ug/kg
				95-47-6	o-xylene	42 ug/kg
22 Soil	12'	J1748	1.64	108-39-4	4-methylphenol	13 M ug/g
				91-57-6	2-methylnaphthalene	20 M ug/g
				67-64-1	acetone	230 ug/kg
				78-93-3	2-butanone	100 M
				95-47-6	o-xylene	33
22 Soil	15'	J1749	1.41	95-48-7	2-methylphenol	440 M
				108-39-4	4-methylphenol	1700 M
				132-64-9	dibenzofuran	630 M
				91-57-6	2-methylnaphthalene	2300 M
				95-47-6	o-xylene	2.5 M
22 Water	Shallow	J1750	---	---	---	---

Shallow = 6-16'
Deep = 26-30'

WESTERN PROCESSING COMPANY
NON-PRIORITY POLLUTANTS
TDD R10-8301-01, page 11
(See Figure 3 for Wells and Soil Sample Locations)

Well#	Depth	Sample	Mult.Fact.	CAS#	Compound	Quantity (ug/kg or ug/l) unless otherwise stated below
22 Water	Deep	J1756	---	---	---	---
23 Soil	3'	J1757	---	---	---	---
23 Soil	6'	J1758	1.39	67-64-1 95-47-6	acetone o-xylene	50 M 5.3 M
23 Soil	9'	J1759	1.0	67-64-1 95-47-6	acetone o-xylene	50 M 6.5 M
23 Water	Shallow	J1762	1.0	65-85-0 95-48-7 108-39-4	benzoic acid 2-methylphenol 4-methylphenol	480 M 380 260
24 Soil	3'	J1763	---	---	---	---
24 Soil	6'	J1764	---	---	---	---
24 Soil	9'	J1765	---	---	---	---
24 Soil	12'	J1766	---	---	---	---
24 Soil	15'	J1767	---	---	---	---
24 Water	Shallow	J1768	---	---	---	---
25 Soil	3'	J1769	---	---	---	---
25 Soil	6'	J1770	1.44	---	---	---
25 Soil	9'	J1771	1.39	67-64-1 78-93-3 95-47-6	acetone 2-butanone o-xylene	110 M 300 M 15
25 Water	Shallow	J1774	1.0	95-47-6	o-xylene	13 M
25 Water	Deep	J1780	---	---	---	---
26 Soil	3'	J1781	---	---	---	---

Shallow = 6-16'
Deep = 26-30'

WESTERN PROCESSING COMPANY
NON-PRIORITY POLLUTANTS
TDD R10-8301-01, page 12
(See Figure 3 for Wells and Soil Sample Locations)

Well#	Depth	Sample	Mult.Fact.	CAS#	Compound	Quantity (ug/kg or ug/l) unless otherwise stated below
26 Soil	6'	J1782	1	67-64-1	acetone	50 M
26 Soil	9'	J1783	---	---	---	---
26 Water	Shallow	J1786	---	---	---	---
27 Soil	3'	J0460	Not analyzed for organics.			
27 Soil	6'	J0430	Not analyzed for organics.			
27 Water	Shallow	J0462	20	95-48-7	2-methylphenol	10 M ug/g
				108-39-4	4-methylphenol	2600 ug/g
28 Water	Shallow	J0463	10	65-85-0	benzoic acid	1200
			10	95-48-7	2-methylphenol	8000
			10	108-39-4	4-methylphenol	600
			10	100-51-6	benzylalcohol	40 M
			1.0	67-64-1	acetone	2820
			1.0	78-93-3	2-butanone	2500
			1.0	95-47-6	o-xylene	15 M
29 Water	Shallow	J0461	1.0	95-48-7	2-methylphenol	20 M
				108-39-4	4-methylphenol	20 M
Berm 1	1'	J1787	1.06	65-85-0	benzoic acid	6000 M
Berm 2	1'	J1788	---	---	---	---
Berm 3	1'	J1789	---	---	---	---
Berm 4	1'	J1790	---	---	---	---
Berm 5	1'	J1791	---	---	---	---
Berm 6	1'	J1792	1.11	100-42-5	styrene	2.5 M
Berm 7	1'	J1793	---	---	---	---
Berm 8	1'	J1794	1.07	100-42-5	styrene	3.7 M
				95-47-6	o-xylene	3.4 M

Shallow = 6-16'
Deep = 26-30'

WESTERN PROCESSING COMPANY
NON-PRIORITY POLLUTANTS
TDD 10-8301-01, page 13
(See Figure 3 for Wells and Soil Sample Locations)

Well#	Depth	Sample	Mult.Fact.	CAS#	Compound	Quantity (ug/kg or ug/l) unless otherwise stated below
Berm 9	1'	J1795	---	---	---	---
Blank		J1797	---	---	---	---
Driller's water		J1799	---	---	---	---
Pea gravel		J1798	---	---	---	---
Surface sample 2		J1628	1.04	95-47-6	o-xylene	2.8 M
Surface sample 3		J1629	---	---	---	---
Surface sample 4		J1635	1.16	78-93-3	2-butanone	500
				95-47-6	o-xylene	2.6 M
Surface sample 5		J1641	---	---	---	---
Surface sample 6		J1646	1.05	108-39-4	4-methylphenol	400 M
				95-47-6	o-xylene	2.5 M
Surface sample 7		J1647	1.12	95-48-7	2-methylphenol	440 M
				108-39-4	4-methylphenol	1600 M
				132-64-9	dibenzofuran	950 M
				91-57-6	2-methylnaphthalene	2800
Surface sample 8		J1659	1.34	95-48-7	2-methylphenol	7200
			1.34	108-39-4	4-methylphenol	64,000
			13.4	132-64-9	dibenzofuran	250,000
			13.4	91-57-6	2-methylnaphthalene	290,000
Surface sample 9		J1673	1.14	108-39-4	4-methylphenol	10 M
				91-57-6	2-methylnaphthalene	13 M
Surface sample 10		J1674	1.35	108-39-4	4-methylphenol	400 M
			13.5	91-57-6	2-methylnaphthalene	6000
Surface sample 11		J1675	1.23	95-48-7	2-methylphenol	760 M
			1.23	108-39-4	4-methylphenol	3000
			12.3	91-57-6	2-methylnaphthalene	36,000
Surface sample 12		J1676	1.17	95-48-7	2-methylphenol	1000 M
				108-39-4	4-methylphenol	4600
				132-64-9	dibenzofuran	4800
				91-57-6	2-methylnaphthalene	15,000
Transfer blank		J0428	---	---	---	---
Transport blank		J0429	---	67-64-1	acetone	280 M
				95-47-6	o-xylene	8.0 M

APPENDIX B
SECTION 6

TENTATIVELY IDENTIFIED COMPOUNDS

WESTERN PROCESSING COMPANY

TDD R10-8301-01
TENTATIVELY IDENTIFIED COMPOUNDS
(See Figure 3 for Wells and Soil Sample Locations)

Well#	Depth	Org.#	CAS #	Compound	Estimated Concentration
01 Soil	3'	J1601	---	---	
01 Soil	6'	J1602	---	---	
01 Soil	9'	J1603	108-87-2	cyclohexane, methyl-	250 ug/kg
			2613-66-3	cyclopentane, 1-ethyl-3-methyl-cis-	
			3073-66-3	cyclohexane, 1,1,3-trimethyl-	430 ug/kg
			821-95-4	1-undecene	
			1678-97-3	cyclohexane, 1,2,3-trimethyl-	
			111-65-9	octane	
			7667-55-2	cyclohexane, 1,2,3-trimethyl-, (1. Alpha., 2. Alpha., 3. Beta.)	
			2216-33-3	octane, 3-methyl-	
			111-84-2	nonane	480 ug/kg
			5911-29-0	nonane, 3-methyl-	560 ug/kg
			14676-29-0	heptane, 3-ethyl-2-methyl-	
			124-18-5	decane	810 ug/kg
			2847-72-5	decane, 4-methyl-	
			1120-21-4	undecane	1100 ug/kg
			112-40-3	dodecane	
			17301-23-4	undecane, 2,6-dimethyl	
			26730-14-3	tridecane, 7-methyl-	
			629-59-4	tetradecane	
			18344-37-1	heptadecane, 2,6,10,14	
			55045-11-9	tridecane, 5-propyl-	
			18344-37-1	heptadecane, 2,6,10,14-tetramethyl-	
01 Soil	12'	J1604	---	---	
01 Water	6-16'	J1606	79-01-6	ethene, trichloro-	290 ug/l
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
01 Water	26-30'	J1612	---	---	
02 Soil	3'	J1613	26137-53-1	1,2,3-trimethyl-4-propenyl-(E)-napthalene	
02 Soil	6'	J1614	3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	950 ug/kg
			128-37-0	phenol, 2,6-bis(1,1-dimethylethyl) -4-methyl-	
			112-95-8	eicosane	

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 2

Well#	Depth	Org#	CAS #	Compound	Estimated Concentration
02 Soil	9'	J1615	3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	3600 ug/kg
			57-10-3	hexadecanoicacid	
02 Soil	12'	J1616	3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl	
			1781-53-5	1,2-benzenedicarboxylicacid, butyl-2-methylpropylester	230 ug/kg
02 Soil	15'	J1617	---	---	
02 Water	6-16'	J1618	123-91-1	1,4-dioxane	40 ug/l
			108-11-2	2-pentanol, 4-methyl-	
			544-25-2	1,3,5-cycloheptriene	44 ug/l
			106-51-4	2,5-cyclohexadiene-1,4-dione	22 ug/l
			59-89-2	4-nitro-morpholine	54 ug/l
			3375-84-6	2-oxazolidinone, 3(2-hydroxypropyl) -5-methyl-	
			126-73-8	phosphoricacidtributylester	
			79-01-6	trichloroethene	280 ug/l
03 Soil	3'	J1619	---	---	
03 Soil	6'	J1620	629-99-2	pentacosane	
03 Soil	9'	J1621	13466-78-9	bicyclo/4.1.0/hept-3-ene, 3-7-7-trimethyl-	
			620-17-7	phenol, 3-ethyl-	1000 ug/kg
			3855-26-3	phenol, 2-ethyl-4-methyl	
			90-12-0	napthalene, 1-methyl-	
			119-64-2	napthalene, 1,2,3,4-tetrahyro-	700 ug/kg
			1120-21-4	undecane	240 ug/kg
			112-95-8	eicosane	
			629-99-2	pentacosane	
			2809-64-5	napthalene, 1,2,3,4-tetrahydro-5-methyl-	
03 Water	6-16'	J1624 is J5052			
04 Soil	3'	J1625	110-54-3	hexane	3.8 ug/kg
			13475-78-0	heptane, 5-ethyl-2-methyl-	270 ug/kg
04 Soil	6'	J1626	95-49-8	benzene, 1-chloro-2-methyl-	8.2 ug/kg
04 Soil	9'	J1627	110-82-7	cyclohexane	

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 3

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
04 Water	6-16'	J1630	110-82-7	cyclohexane	43 ug/l
			96-37-7	cyclopentane, methyl-	25 ug/l
			110-01-0	thiophene, tetrahydro-	30 ug/l
			589-38-8	3-hexanone	47 ug/l
			565-80-0	3-pentanone, 2,4-dimethyl-	18 ug/l
			5161-13-7	thiophene, tetrahydro-2,5-dimethyl-cis-	59 ug/l
			108-38-3	benzene, 3-ethyl-	810 ug/l
			620-17-7	phenol, 1,3-dimethyl-	12 ug/l
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	22 ug/l
			544-76-3	hexadecane	14 ug/l
			110-83-8	cyclohexene	46 ug/l
			3855-26-3	phenol, 2-ethyl-4-methyl	
05 Soil	3'	J1631	119-64-2	naphthalene, 1,2,3,4-tetrahydro-	
			112-21-4	undecane	150 ug/kg
			629-99-2	pentacosane	
05 Soil	6'	J1632	110-82-7	cyclohexane	
05 Soil	9'	J1633	124-18-5	decane	1600 ug/kg
			13475-78-0	heptane, 5-ethyl-2-methyl	650 ug/kg
			1120-21-4	undecane	2200 ug/kg
			3375-84-6	2-oxazolidinone, 3(2-hydroxyprophy)- 5-methyl-	1800 ug/kg
			629-94-7	heneicosane	
05 Soil	12'	J1634	563-80-4	2-butanone, 3-methyl-	1.3 ug/kg
			764-81-8	heptylhydroperoxide	1.5 ug/kg
			108-87-2	cyclohexane, methyl-	5.7 ug/kg
			4984-01-4	1-octene, 3,7-dimethyl-	
			106-67-2	1-pentanol, 2-ethyl-4-methyl-	
			629-50-5	tridecane	
			112-95-8	eicosane	
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
05 Water	organics	J1636	354-23-4	ethane, 1,2-dichloro-1,1,2-trifluoro-	
			78-92-2	2-butanol	
			563-80-4	2-butanone, 3-methyl-	
			110-01-0	thiophene, tetrahydro-	
			626-93-7	2-hexanol	
			106-67-2	1-pentanol, 2-ethyl-4-methyl-	880 ug/l
			79-01-6	ethene, trichloro-	510 ug/l
			110-80-5	ethanol, 2-ethoxy-	
			544-25-2	1,3,5-cycloheptatriene	780 ug/l
			111-76-2	ethanol, 2-butoxy-	1400 ug/l
			110-88-3	1,3,5-trioxane	2300 ug/l
			107-41-5	2,4-pentanediol, 2-methyl-	390 ug/l

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 4

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
05 Water	organics	J1636	20324-32-7	2-propanol, 1-(2-methoxy-1-methylethoxy)-	880 ug/l
		(cont)	104-76-7	1-hexanol, 2-ethyl-	600 ug/l
			149-57-5	hexanoicacid, 2-ethyl-	980 ug/l
			123-07-9	phenol, 4-ethyl-	2200 ug/l
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	7500 ug/l
			1453-06-1	benzenebutanoicacid, 2,5-dimethyl-	430 ug/l
			126-73-8	phosphoricacidtributylester	420 ug/l
06 Soil	3'	J1637	110-82-7	cyclohexane	18,000 ug/kg
06 Soil	6'	J1638	---	---	
06 Soil	9'	J1639	126-73-8	phosphoricacidtributylester	310 ug/kg
06 Soil	12'	J1640	---	---	
06 Water	6-16'	J1642	563-80-4	2-butanone, 3-methyl	2.5 ug/l
			75-97-8	2-butanone, 3,3-dimethyl	
			110-59-8	pentanenitrile	
			565-80-0	3-pentanone, 2,4-dimethyl	3.3 ug/l
			104-76-7	1-Hexanol, 2-ethyl-	18 ug/l
			100-41-4	benzene, ethyl	56 ug/l
			79-01-6	ethene, trichloro-	200 ug/l
			3375-84-6	2-oxazolidinone, 3-(hydroxypropyl) -5-methyl-	610 ug/l
			126-73-8	phosphoricacidtributylester	450 ug/l
07 Soil	3'	J1643	---	---	
07 Soil	6'	J1644	611-14-3	benzene, 1-ethyl-2-methyl-	
07 Soil	9'	J1645	---	---	
07 Water	6-16'	J1648	354-23-4	ethane, 1,2-dichloro-1,1,2-trifluoro-	4.7 ug/l
			106-67-2	1-pentanol, 2-ethyl-4-methyl-	
			110-82-7	cyclohexane	
			576-26-1	phenol, 2,6-dimethyl-	
			90-00-6	phenol, 2-ethyl-	270 ug/l
			95-65-8	phenol, 3,4-dimethyl-	3400 ug/l
			2219-73-0	phenol, 4-ethyl-2-methyl	
			3855-26-3	phenol, 2-ethyl-4-methyl	
			697-82-5	phenol, 2,3,5-trimethyl-	
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
			98-73-7	benzoicacid, 4-(1,1-dimethylethyl)-	
			126-73-8	phosphoricacidtributylester	98 ug/l
			526-25-0	phenol, 2,3-dimethyl	2500 ug/l

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 5

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
08 Soil	3'	J1649	13475-75-7	pentadecane, 8-hexyl-	
			1235-74-1	1-penanthrenecarboxylicacid, 1,2,3,4,4A, 9,10,10A-octahydro-1,4A-di-	
			629-99-2	pentacosane	
08 Soil	6'	J1650	110-82-7	cyclohexane	
			3375-84-6	2-oxazolidinone,3-(2-hydroxypropyl) -5-methyl-	
08 Soil	9'	J1651	110-82	cyclohexane	18,000 ug/kg
08 Water	6-16'	J1654	79-01-6	trichloroethene	250 ug/l
			127-19-5	n,n-dimethylacetamide	250 ug/l
			76-22-2	bicyclo(2.2.1)heptan-2-one,1,7,7 -trimethyl-	
			3855-26-3	phenol, 2-ethyl-4-methyl-	
			526-75-0	phenol, 2,3-dimethyl	
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
			126-73-8	phosphoricacidtributylester	67 ug/l
			112-95-8	eicosane	
			354-23-4	ethane, 1,2-dichloro-1,1,2-trifluoro-	9.6 ug/l
			76-13-1	ethane, 1,1,2-trichloro-1,2,2-trifluoro-	66 ug/l
09 Soil	3'	J1655	---	---	
09 Soil	6'	J1656	109-87-5	methane, dimethoxy-	7.5 ug/kg
			55956-20-2	2-oxazolidinone, 5-methyl-3-(2-propenyl)-	410 ug/kg
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
09 Soil	9'	J1657	3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	60,000 ug/kg
09 Soil	12'	J1658	3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	27,000 ug/kg
09 Water	6-16'	J1660	79-01-6	ethene, trichloro	140 ug/l
			591-78-6	2-hexanone	
			108-88-3	benzene, methyl-	25 ug/l
			3019-25-8	ethanone, 1-cyclobutyl-	29 ug/l
			104-76-7	1-hexanol, 2-ethyl-	
			95-65-8	phenol, 3,4-dimethyl-	41 ug/l
			99-04-7	benzoicacid, 3-methyl-	110 ug/l
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
10 Soil	3'	J1661	126-73-8	phosphoricacidtributylester	14,000 ug/kg

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
10 Soil	6'	J1662	64-17-5	ethanol	4.9 ug/kg
			67-63-0	2-propanol	
			109-99-9	furan, tetrahydro-	3.8 ug/kg
			105-31-7	1-hexyl-3-ol	2.9 ug/kg
			115-18-4	3-buten-2-ol, 2-methyl-	
			78-83-1	1-propanol, 2-methyl-	7.0 ug/kg
			71-36-3	1-butanol	29 ug/kg
			108-11-2	2-pentanol, 4-methyl-	17 ug/kg
			106-67-2	1-pentanol, 2-ethyl-4-methyl-	7.4 ug/kg
			111-90-0	ethanol, 2-(2-ethoxyethoxy)-	1400 ug/kg
			90-02-8	benzaldehyde, 2-hydroxy-	510 ug/kg
			105-60-2	2H-azepin-2-one, hexahydro-	
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
			126-73-8	phosphoricacidtributylester	1800 ug/kg
10 Soil	9'	J1663	64-17-5	ethanol	14 ug/kg
			115-18-4	3-buten-2-ol, 2-methyl-	
			123-72-8	butanal	39 ug/kg
			78-92-2	2-butanol	
			78-83-1	1-propanol, 2-methyl-	
			71-36-3	1-butanol	51 ug/kg
			75-85-4	2-butanol, 2-methyl-	
			592-84-7	formicacid, butylester	
			108-94-1	cyclohexanone	
			111-76-2	ethanol, 2-butoxy-	
			105-60-2	2H-azepin-2-one, hexahydro-	730 ug/kg
10 Soil	12'	J1664	111-76-2	ethanol, 2-butoxy-	13,000 ug/kg
			111-90-0	ethanol, 2-(2-ethoxyethoxy)-	1200 ug/kg
			90-02-8	benzaldehyde, 2-hydroxy-	560 ug/kg
			54446-78-5	ethanol, 1-(2-butoxyethoxy)-	
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
			112-27-6	ethanol 2,2'-/1,2-ethanediylbis(oxy) /bis-	
			64-17-5	ethanol	5.3 ug/kg
			60-29-7	ethane, 1,1'-oxybis-	
			78-92-2	2-butanol	2.5 ug/kg
			71-36-3	1-butanol	19 ug/kg
			592-84-7	formicacid, butylester	11 ug/kg
			108-11-2	2-pentanol, 4-methyl-	12 ug/kg
			104-76-7	1-hexanol, 2-ethyl-	
			108-38-3	benzene, 1,3-dimethyl-	
			78-83-1	1-propanol, 2-methyl-	

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 7

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
10 Soil	15'	J1665	110-80-5	ethanol, 2-ethoxy-	400 ug/kg
			108-94-1	cyclohexanone	
			111-90-0	ethanol, 2-(2-ethoxyethoxy)-	
			90-02-8	benzaldehyde, 2-hydroxy-	
			105-60-2	2H-azepin-2-one, hexahydro-	
			126-73-8	phosphoricacidtributylester	270 ug/kg
			111-90-0	ethanol, 2-(2-ethoxyethoxy)	77 ug/kg
			64-17-5	ethanol	6.8 ug/kg
			115-18-4	3-buten-2-o1, 2-methyl	
			109-94-4	formicacid, ethylester	
			71-23-8	1-propanol	
			105-31-7	1-hexyl-3-o1	2.5 ug/kg
			78-83-1	1-propanol, 2-methyl-	6.6 ug/kg
			71-36-3	1-butanol	24 ug/kg
			3102-33-8	3-penten-2-one	9.0 ug/kg
			592-84-7	formicacid, butylester-	22 ug/kg
			108-11-2	2-pentanol, 4-methyl-	12 ug/kg
10 Water	6-16'	J1666	110-82-7	cyclohexane	240 ug/l
			110-80-5	ethanol, 2-ethoxy-	50 ug/l
			111-76-2	ethanol, 2-butoxy-	130 ug/l
			111-90-0	ethanol, 2-(2-ethoxyethoxy)-	
			54446-78-5	ethanol, 1-(2-butoxyethoxy)-	
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
			544-76-3	hexadecane	
			112-27-6	ethanol, 2,2'-/1,2-ethanediylbis(oxy) /bis-	
11 Soil	3'	J1667	4551-51-3	1H-indene, octahydro-, cis-	4.4 ug/kg
			112-40-3	dodecane	
			13475-78-0	heptane, 5-ethyl-2-methyl-	
			629-50-5	tridecane	
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
			629-59-4	tetradecane	
11 Soil	6'	J1668	124-18-5	decane	
			1120-21-4	undecane	
			1758-88-9	benzene, 2-ethyl-1,4-dimethyl-	
			64-17-5	ethanol	5.6 ug/kg
			67-63-0	2-propanol	8.6 ug/kg
			71-23-8	1-propanol	
			3868-64-2	pentalene, octahydro-2-methyl	20 ug/kg

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 8

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
11 Soil	9'	J1669	64-17-5	ethanol	25 ug/kg
			67-63-0	2-propanol	28 ug/kg
			78-92-2	2-butanol	9.2 ug/kg
			108-11-2	2-pentanol, 4-methyl-	
			95-47-6	benzene, 1,2-dimethyl-	
			104-76-7	1-hexanol, 2-ethyl-	
			124-18-5	decane	
			2847-72-5	decane, 4-methyl-	
			1120-21-4	undecane	
			1258-88-9	benzene, 2-ethyl-1,4-dimethyl-	
			26730-14-3	tridecane, 7-methyl-	
			629-50-5	tridecane	
11 Soil	12'	J1670	540-67-0	ethane, methoxy-	13 ug/g
			1663-35-0	ethene, (2-methoxyethoxy)-	37 ug/g
			108-38-3	benzene, 1,3-dimethyl-	30 ug/g
			108-94-1	cyclohexanone	46 ug/g
			1120-21-4	undecane	
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
			29812-79-1	hydroxylamine, O-decyl-	
			992-94-9	silane, methyl-	
11 Soil	15'	J1671	149-73-5	methane, trimethoxy-	19 ug/kg
			98-82-8	benzene, (1-methylethyl)-	60 ug/kg
			103-65-1	benzene, propyl-	
			2809-64-5	napthalene, 1,2,3,4-tetrahydro -5-methyl-	
			629-59-4	tetradecane	
			101-84-8	benzene, 1,1'-oxybis-	18,000 ug/kg
			575-37-1	napthalene, 1,7-dimethyl	10,000 ug/kg
			629-62-9	pentadecane	600 ug/kg
			1120-21-4	undecane	8700 ug/kg
			544-76-3	hexadecane	
11 Water	6-16'	J1672	79-01-6	trichloroethene	
			544-25-2	1,3,5-cycloheptatriene	450 ug/l
			108-38-3	1,3-dimethylbenzene	150 ug/l
			108-94-1	cyclohexanone	
			620-17-7	3-ethylphenol	450 ug/l
			3855-26-3	2-ethyl-4-methylphenol	
			4161-32-4	1-propanol, 3,3'-[1,3-propanebiylbis(oxy)]bis-	
			3296-90-0	1,3-propanediol, 2,2-bis(bromomethyl)-	

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 9

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
11 Water	26-30'	J1678	544-25-2	1,3,5-cycloheptatriene	130 ug/l
			108-94-1	cyclohexanone	96 ug/l
			3296-90-0	1,3-propanediol, 1,2,2-bis(bromomethyl)-	
			108-38-3	benzene, 1,3-dimethyl-	32 ug/l
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
			4161-32-4	1-propanol, 3,3'-/1,3-propanediylbis(oxy) /bis-	
12 Soil	3'	J1679	110-82-7	cyclohexane	
12 Soil	6'	J1680	110-82-7	cyclohexane	15,000 ug/kg
12 Soil	9'	J1681	3073-66-3	cyclohexane, 1,1,3-trimethyl-	21 ug/kg
			110-82-7	cyclohexane	
			17301-23-4	undecane, 2,6-dimethyl-	
			13475-78-0	heptane, 5-ethyl-2-methyl-	
12 Soil	12'	J1682	110-82-7	cyclohexane	14,000 ug/kg
			526-75-0	phenol, 2,3-dimethyl-	650 ug/kg
			3375-84-6	2-oxazolidinone, 3-(2-hydroxylpropyl) -5-methyl	1400 ug/kg
			3073-66-3	cyclohexane, 1,1,3-trimethyl	9.3 ug/kg
12 Soil	15'	J1683	3073-66-3	cyclohexane, 1,1,3-trimethyl-	7.2 ug/kg
			110-82-7	cyclohexane	
			17301-23-4	undecane, 2,6-dimethyl-	
			13475-78-0	heptane, 5-ethyl-2-methyl-	
			18344-37-1	heptadecane, 2,6,10,14-tetramethyl-	
12 Water	6-16'	J1684	95-47-6	benzene, 1-2-dimethyl	26 ug/l
			90-00-6	phenol, 2-ethyl-	110 ug/l
			526-75-0	phenol, 2,3-dimethyl-	1100 ug/l
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
			98-73-7	4-(1,1-dimethylethyl)-benzoicacid	
			126-73-8	phosphoricacid, tributylester	210 ug/l
			57-10-3	hexadecanoic acid	
13 Soil	3'	J1685	110-82-7	cyclohexane	
			65-85-0	benzoic acid	
			121-33-5	benzaldehyde, 4-hydroxy-3-methoxy-	290 ug/kg
13 Soil	6'	J1686	110-82-7	cyclohexane	
13 Soil	9'	J1687	110-82-7	cyclohexane	

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 10

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
13 Water	6-16'	J1690	---	---	
14 Soil	3'	J1691	67-72-1	ethane, hexachloro	
			127-18-4	ethane, tetrachloro	190 ug/kg
			620-17-7	phenol, 3-ethyl-	240 ug/kg
			4453-90-1	1,4-methanonapthalene, 1,4-dihydro-	
			101-84-8	benzene, 1,1'-oxybis'	
			115-86-6	phosphoricacid, triphenylester	
14 Soil	6'	J1692	127-18-4	ethene, tetrachloro-	320 ug/kg
			115-86-6	phosphoricacid, triphenylester	500 ug/kg
14 Soil	9'	J1693	64-17-5	ethanol	9.0 ug/kg
			78-92-2	2-butanol	47.0 ug/kg
			71-36-3	1-butanol	5.5 ug/kg
			108-03-2	propane, 1-nitro-	7.0 ug/kg
			108-94-1	cyclohexanone	
			108-11-2	2-pentanol, 4-methyl-	
			67-72-1	ethane, hexachloro-	
			67-63-0	2-propanol	
			127-18-4	ethene, tetrachloro-	540 ug/kg
			115-86-6	phosphoricacid, triphenylester	
14 Soil	12'	J1694	64-17-5	ethanol	30 ug/kg
			67-63-0	2-propanol	
			78-92-2	2-butanol	54 ug/kg
			71-36-3	1-butanol	110 ug/kg
			108-03-2	propane, 1-nitro-	26 ug/kg
			108-94-1	cyclohexanone	33 ug/kg
			108-11-2	2-pentanol, 4-methyl-	
			104-76-7	1-hexanol, 2-ethyl-	
			95-63-6	benzene, 1,2,4-trimethyl-	370 ug/kg
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
			10544-50-0	sulfur, mol. (S8)	
			115-86-6	phosphoricacid, triphenylester	540 ug/kg
14 Soil	15'	J1695	111-76-2	ethanol, 2-butoxy-	990 ug/kg
14 Water	6-16'	J1696	110-80-5	ethanol, 2-ethoxy-	17 ug/kg
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
			544-76-3	hexadecane	1300 ug/kg
			111-76-2	2-butoxy, ethanol	33 ug/kg

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
15 Soil	3'	J1697	29812-79-1	hydroxylamine, o-decyl-	
			544-76-3	hexadecane	
			1120-21-4	undecane	
15 Soil	6'	J1698	540-67-0	ethane, methoxy-	23 ug/g
			1663-35-0	ethene, (2-methoxyethoxy)-	45 ug/g
			2213-23-2	heptane, 2,4-dimethyl-	
			1120-21-4	undecane	
			126-73-8	phosphoricacidtributylester	
15 Soil	9'	J1699	544-25-2	1,3,5-cycloheptatriene	33 ug/g
			127-18-4	ethene, tetrachloro-	30 ug/g
			1120-21-4	undecane	76 ug/g
			2213-23-2	heptane, 2,4-dimethyl-	63 ug/g
			563-16-6	hexane, 3,3-dimethyl-	49 ug/g
			1072-16-8	octane, 2,7-dimethyl-	38 ug/g
15 Soil	12'	J1700			
15 Water	6-16'	J1702	79-01-6	ethene, trichloro-	520 ug/l
			123-91-1	1,4-dioxane	15 ug/l
			544-25-2	1,3,5-cycloheptatriene	
			565-80-0	3-pentanone, 2,4-dimethyl-	88 ug/l
			127-18-4	ethene, tetrachloro-	
			108-38-3	benzene, 1,3-dimethyl-	
			108-94-1	cyclohexanone	
			106-51-4	2,5-cyclohexadiene-1,4-dione	
			104-76-7	1-hexanol, 2-ethyl-	
			119-33-5	phenol, 4-methyl-2-nitro-	
			121-33-5	benzaldehyde, 4-hydroxy-3-methoxy	
			126-73-8	phosphoricacid, tributylester	160 ug/l
16 Soil	3'	J1703	75-65-0	2-propanol, 2-methyl-	
			78-78-4	butane, 2-methyl-	
			104-76-7	1-hexanol, 2-ethyl-	
			85-44-9	1,3-isobenzofuradione	7.3 ug/kg
			140-66-9	phenol, 4-(1,1,3,3-tetramethylbutyl)-	
			1186-53-4	pentane, 2,2,3,4-tetramethyl-	

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 12

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
16 Soil	6'	J1704	544-25-2	1,3,5-cycloheptatriene	68 ug/kg
			127-18-4	ethene, tetrachloro-	60 ug/kg
			694-87-1	bicyclo/4.2.0/octa-1,3,5-triene	340 ug/kg
			645-62-5	2-hexanal, 2-ethyl-	
			121-92-6	benzoicacid, 3-nitro-	
			140-66-9	phenol, 4-(1,1,3,3-tetramethylbutyl)-	
			104-40-5	phenol, 4-nonyl-	
			57-10-3	hexadecanoic acid	
			112-95-8	eicosane	
16 Soil	9'	J1705	---	---	
16 Soil	12'	J1706	126-78-8	phosphoricacid, tributylester	4600 ug/kg
16 Soil	15'	J1707	90-02-8	benzaldehyde, 2-hydroxy-	280 ug/kg
			120-57-0	1,3 benzodioxole-5-carboraldehyde	
			126-73-8	phosphoricacid, tributylester	440 ug/kg
			10544-50-0	sulfur, mol. (S8)	4300 ug/kg
16 Water	6-16'	J1708	592-84-7	formicacid, butylester	2.1 ug/kg
			544-76-3	hexadecane	
17 Soil	3'	J1709	1663-35-0	ethene, (2-methoxyethoxy)-	150 ug/kg
			124-18-5	decane	4.8 ug/kg
			1120-21-4	undecane	11 ug/kg
			112-40-3	dodecane	13 ug/kg
			14676-29-0	heptane, 3-ethyl-2-methyl-	
			3375-89-6	2-oxazolidinone, 3-(2 hydroxy)-	415 ug/kg
17 Soil	6'	J1710	110-54-3	hexane	5.2 ug/kg
			108-87-2	cyclohexane, methyl-	21 ug/kg
			26952-21-6	isooctanol	
			2613-65-2	cyclopentane, 1-ethyl-3-methyl-, trans-	
			3073-66-3	cyclohexane, 1,1,3-trimethyl-	22 ug/kg
			3074-75-7	hexane, 4-ethyl-2-methyl-	
			1678-97-3	cyclohexane, 1,2,3-trimethyl-	8.1 ug/kg
			111-65-9	octane	41 ug/kg
			7667-55-2	cyclohexane, 1,2,3-trimethyl-, (1. Alpha., 2. Alpha., 3. Beta.)-	
			544-25-2	1,3,5-cycloheptatriene	
			124-18-5	decane	4.8 ug/kg
			1120-21-4	undecane	11 ug/kg
			544-76-3	hexadecane	

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 13

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
17 Soil	9'	J1711	110-82-7	cyclohexane	8700 ug/kg
			79-01-6	ethene, trichloro-	2900 ug/kg
			544-25-2	1,3,5-cycloheptatriene	6200 ug/kg
			108-38-3	benzene, 1,3-dimethyl-	5400 ug/kg
			111-84-2	nonane	6300 ug/kg
			1758-88-9	benzene, 2-ethyl-1,4-dimethyl-	
			17301-23-4	undecane, 2,6-dimethyl-	
			5911-04-6	nonane, 3-methyl-	4000 ug/kg
			112-21-4	undecane	
			18344-37-1	heptadecane, 2,6,10,14-tetramethyl-	
			629-59-4	tetradecane	6000 ug/kg
			629-62-9	pentadecane	3300 ug/kg
17 Soil	12'	J1712	64-17-5	ethanol	40 ug/kg
			71-36-3	1-butanol	240 ug/kg
			110-54-3	hexane	
			108-87-2	methylcyclohexane	160 ug/kg
			108-38-3	benzene, 1,3-dimethyl	890 ug/kg
			1120-21-4	undecane	
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	300 ug/kg
17 Soil	15'	J1713	---	---	
17 Soil	18'	J1714	---	---	
17 Soil	21'	J1716	625-31-0	4-penten-2-ol	
			71-36-3	1-butanol	17 ug/kg
			110-54-3	hexane	5.6 ug/kg
			108-87-2	cyclohexane, methyl-	18 ug/kg
			108-38-3	benzene, 1,3-dimethyl-	290 ug/kg
			591-78-6	2-hexanone	110 ug/kg
			544-25-2	1,3,5-cycloheptatriene	570 ug/kg
			100-41-4	benzene, ethyl-	110 ug/kg
			108-38-3	benzene, 1,3-dimethyl-	450 ug/kg
			124-18-5	decane	
			13475-78-0	heptane, 5-ethyl-2-methyl-	
			112-40-3	dodecane	
			1120-21-4	undecane	

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 14

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
17	Soil 24'	J1717	625-31-0	4-penten-2-ol	1.9 ug/kg
			78-92-2	2-butanol	1.7 ug/kg
			110-54-3	hexane	
			108-87-2	cyclohexane, methyl-	6.0 ug/kg
			95-47-6	benzene, 1,2-dimethyl-	130 ug/kg
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	49,000 ug/kg
17	Soil 27'	J1718	3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	39,000 ug/kg
17	Soil 30'	J1719	3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	21,000 ug/kg
			110-54-3	hexane	480 ug/kg
17	duplicate J0427	J1715	75-56-9	oxirone, methyl-	
			78-92-2	2-butanol	
			592-41-6	1-hexene	
			71-36-3	1-butanol	
			108-87-2	cyclohexane, methyl-	
			98-82-8	benzene, (1-methylethyl)-	
			108-38-3	benzene, 1,3-dimethyl-	680 ug/l
			100-41-4	benzene, ethyl-	1100 ug/l
			95-63-6	benzene, 1,2,4-trimethyl-	2200 ug/l
			95-48-7	phenol, 2-methyl-	1000 ug/l
			1120-21-4	undecane	13,000 ug/l
			1758-88-9	benzene, 2-ethyl-1,4-dimethyl-	1900 ug/l
17	Water 6-16'	J0427	544-25-2	1,3,5-cycloheptatriene	18 ug/l
			111-76-2	ethanol, 2-butoxy-	9.8 ug/l
			620-17-7	phenol, 2-ethyl-	17 ug/l
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	730 ug/l
17	Water 26-30'	J1720	110-82-7	cyclohexane	
			110-80-5	2-ethoxyethanol	
			544-25-2	1,3,5-cycloheptatriene	18 ug/l
			111-76-2	2-butoxyethanol	
			126-33-0	thiophene, tetrahydro-1, 1-dioxide-	
			119-33-5	2-nitrophenol, 4-methyl-	
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	730 ug/l

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
18 Soil	3'	J1721	3868-64-2	pentalene, octahydro-2-methyl-	
			1678-97-3	cyclohexane, 1,2,3-trimethyl-	
			29812-79-1	hydroxylamine, o-decyl-	
			17301-33-6	undecane, 4,8-dimethyl-	
			629-62-9	pentadecane	
			544-76-3	hexadecane	
			55030-62-1	tridecane, 4,8-dimethyl-	
			629-78-7	heptadecane	
			1971-70-6	pentadecane, 2,6,10,14-tetramethyl-	
			629-99-2	pentacosane	
			630-06-8	hexatriacontane	
18 Soil	6'	J1722	108-87-2	cyclohexane, methyl-	3.7 ug/kg
			2613-65-2	cyclopentane, 1-ethyl-3-methyl-, trans-	
			4551-51-3	1H-indene, octahydro-, cis-	
			1678-97-3	cyclohexane, 1,2,3-trimethyl-	
			7667-55-2	cyclohexane, 1,2,3-trimethyl-, (1. Alpha., 2. Alpha., 3. Beta.)-	
			2051-30-1	octane, 2,6-dimethyl-	
			124-18-5	decane	320 ug/kg
			13475-78-0	heptane, 5-ethyl-2-methyl-	290 ug/kg
			1120-21-4	undecane	910 ug/kg
			112-40-3	dodecane	1500 ug/kg
			26730-14-3	tridecane, 7-methyl-	
			629-50-5	tridecane	1900 ug/kg
			544-76-3	hexadecane	3700 ug/kg
			2245-38-7	napthalene, 1,6,7-trimethyl-	
			112-95-8	eicosane	
			629-78-7	heptadecane	4000 ug/kg
			1921-70-6	pentadecane, 2,6,10,14-tetramethyl-	2600 ug/kg
			593-45-3	octadecane	2400 ug/kg
			17301-23-4	undecane, 2,6-dimethyl-	
18 Soil	9'	J1723	622-96-8	benzene, 1-ethyl-4-methyl-	
			95-47-6	benzene, 1,2-dimethyl-	
			1758-88-9	benzene, 2-ethyl-1,4-dimethyl-	
			18344-37-1	heptadecane, 2,6,10,14-tetramethyl-	
			629-50-5	tridecane	
			629-59-4	tetradecane	
			575-37-1	naphthalene, 1,7-dimethyl	
			629-62-9	pentadecane	
			629-78-7	heptadecane	

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 16

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
18 Soil	9'	J1723	1921-70-6	pentadecane, 2,6,10,14-tetramentyl-	
		(cont)	693-45-3	octadecane	
			112-95-8	eicosane	
18 Water	6-16'	J1726	100-41-4	benzene, ethyl-	33 ug/l
			79-01-6	ethene, trichloro-	34 ug/l
			544-25-2	1,3,5-cycloheptatriene	7.0 ug/l
			141-79-7	3-penten-2-one, 4-methyl-	11 ug/l
			108-38-3	benzene, 1,3-dimethyl-	
			100-41-4	benzene, ethyl-	
			611-14-3	benzene, 1-ethyl-2-methyl-	
			108-67-8	benzene, 1,3,5-trimethyl-	7.8 ug/l
			95-63-6	benzene, 1,2,4-trimethyl-	28 ug/l
			1758-88-9	benzene, 2-ethyl-1,4-dimethyl-	11 ug/l
			119-64-2	naphthalene, 1,2,3,4-tetrahydro-	
			575-41-7	naphthalene, 1,3-dimethyl-	
			126-73-8	phosphoricacid, tributylester	20 ug/l
19 Soil	3'	J1727	110-82-7	cyclohexane	400 ug/kg
19 Soil	6'	J1728	---	---	
19 Soil	9'	J1729	110-82-7	cyclohexane	
19 Soil	12'	J1730	---	---	
19 Water	6-16'	J1732	110-82-7	cyclohexane	740 ug/l
			141-79-7	3-penten-2-one, 4-methyl-	5.2 ug/l
20 Soil	3'	J1733	127-18-4	ethene, tetrachloro-	510 ug/kg
			3375-84-6	2-oxazolidinone, 3(2-hydroxypropyl) -5-methyl-	
			1921-70-6	pentadecane, 2,6,10,14-tetramethyl-	
			55045-09-5	tridecane, 7-propyl-	
			593-45-3	octadecane	
			629-99-2	pentacosane	
20 Soil	6'	J1734	67-63-0	2-propanol	4300 ug/kg
			75-65-0	2-propanol, 2-methyl-	190 ug/kg
			78-92-2	2-butanol	570 ug/kg
			109-06-8	pyridine, 2-methyl-	
			1678-91-7	cyclohexane, ethyl-	
			3868-64-2	pentalene, octahydro-2-methyl-	620 ug/kg

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 17

Well#	Depth	Org#	CAS #	Compound	Estimated Concentration
20 Soil	6'	J1734	104-90-5	pyridine, 5-ethyl-2-methyl-	
		(cont)	100-41-4	benzene, ethyl-	1100 ug/kg
			110-80-5	ethanol, 2-ethoxy-	4300 ug/kg
			110-86-1	pyridine	500 ug/kg
			68-12-2	formamide, n,n-dimethyl-	1100 ug/kg
			127-18-4	ethene, tetrachloro-	1000 ug/kg
			109-06-8	pyridine, 2-methyl-	
			111-76-2	ethanol, 2-butoxy-	95 ug/kg
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
20 Soil	9'	J1735	68-12-2	formamide, n,n-dimethyl-	590 ug/kg
			616-04-6	thiophene, tetrahydro-1,1-dioxide	
			3375-84-5	oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
			10544-50-0	sulfur (mol.)	
20 Soil	12'	J1736	64-17-5	ethanol	6.5 ug/kg
			67-63-0	2-propanol	21 ug/kg
			71-23-8	1-propanol	
			78-92-2	2-butanol	7.2 ug/kg
			71-36-3	1-butanol	5.6 ug/kg
			108-38-3	benzene, 1,3-dimethyl-	2.1 ug/kg
			111-76-2	ethanol, 2-butoxy	2500 ug/kg
			3855-26-3	phenol, 2-ethyl-4-methyl-	
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
20 Soil	15'	J1737	110-80-5	ethanol, 2-ethoxy-	380 ug/kg
			111-76-2	ethanol, 2-butoxy-	420 ug/kg
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	34,000 ug/kg
20 Water	6-16'	J1738	110-82-7	cyclohexane	
			57-55-6	1,2-propanediol	7.3 ug/l
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
21 Soil	3'	J1739	611-14-3	benzene, 1-ethyl-2-methyl-	520 ug/kg
			108-11-2	2-pentanol, 4-methyl-	
			124-18-5	decane	170 ug/kg
			1120-21-4	undecane	1300 ug/kg
			112-40-3	dodecane	3000 ug/kg
			14676-29-0	heptane, 3-ethyl-2-methyl-	530 ug/kg
			629-50-5	tridecane	3300 ug/kg
			629-59-4	tetradecane	3700 ug/kg
			18344-37-1	heptadecane, 2,6,10,14-tetramethyl-	
			629-62-9	pentadecane	
			544-76-3	hexadecane	930 ug/kg

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 18

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
21 Soil	6'	J1740	110-54-3	hexane	1.7 ug/kg
			629-50-5	tridecane	2300 ug/kg
			629-59-4	tetradecane	2500 ug/kg
			629-62-9	pentadecane	
			593-45-3	octadecane	
			112-95-8	eicosane	
21 Soil	9'	J1741	110-82-7	cyclohexane	
			14676-29-0	heptane, 3-ethyl-2-methyl-	
			124-18-5	decane	
			54932-78-4	phenol, 4-(2,2,3,3-tetramethylbutyl)-	
			18344-37-1	heptadecane, 2,6,10,14-tetramethyl-	
			112-95-8	eicosane	
21 Soil	12'	J1742	620-17-7	phenol, 3-ethyl-	
			95-65-8	phenol, 3,4-dimethyl-	
			3855-26-3	phenol, 2-ethyl-4-methyl-	
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl)-5-methyl-	
			55162-61-3	tetracontane, 3,5,24-trimethyl-	
			54410-98-9	1-nonene, 4,6,8-trimethyl-	
			1072-16-8	octane, 2,7-dimethyl-	
21 Soil	15'	J1743	110-82-7	cyclohexane	
			79-01-6	ethene, trichloro-	81 ug/kg
			620-17-7	phenol, 2-ethyl-	
			95-65-8	phenol, 3,4-dimethyl-	2100 ug/kg
			3855-26-3	phenol, 2-ethyl-4-methyl-	
			54932-78-4	phenol, 4-(2,2,3,3-tetramethylbutyl)-	
21 Water	6-16'	J1744	110-82-7	cyclohexane	1000 ug/l
			79-01-6	ethene, trichloro-	1500 ug/l
			100-41-4	benzene, ethyl-	130 ug/l
			90-00-6	phenol, 2-ethyl-	190 ug/l
			95-87-4	phenol, 2,5-dimethyl-	2000 ug/l
			99-89-8	phenol, 4-(1-methylethyl)-	
			698-71-5	phenol, 3-ethyl-5-methyl-	
			3855-26-3	phenol, 2-ethyl-4-methyl-	
			697-82-5	phenol, 2,3,5-trimethyl-	

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
22 Soil	3'	J1745	76-13-1	ethane, 1,1,2-trichloro-1,2,2-trifluoro-	4.6 ug/kg
			110-54-3	hexane	3.7 ug/kg
			95-49-8	benzene, 1-chloro-2-methyl-	440 ug/kg
			1120-21-4	undecane	10 ug/kg
			119-64-2	naphthalene, 1,2,3,4-tetrahydro-	13 ug/kg
			620-17-7	phenol, 3-ethyl-	13 ug/kg
			2809-64-5	naphthalene, 1,2,3,4-tetrahydro-5-methyl-	
			91-57-6	naphthalene, 2-methyl-	
			92-52-4	1,1'-biphenyl	
			101-84-8	benzene, 1,1'oxybis-	53 ug/kg
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
			10544-50-0	sulfur, mol. (S8)	20 ug/kg
22 Soil	6'	J1746	694-87-1	bicyclo/4.2.0/octatriene	7.6 ug/kg
			95-49-8	benzene, 1-chloro-2-methyl	14 ug/kg
			620-17-7	phenol, 2-ethyl-	
			2809-64-5	naphthalene, 1,2,3,4-tetrahydro-5-methyl-	
			92-52-4	1,1'biphenyl	
			101-84-8	benzene, 1,1 oxybis	
			832-64-4	phenanthrene, 4-methyl-	
			119-64-2	naphthalene, 1,2,3,4-tetrahydro-	
			76-13-1	ethane, 1,1,2-trichloro-1,2,2-trifluoro-	12 ug/kg
			110-54-3	hexane	2.7 ug/kg
			95-49-8	benzene, 1-chloro-2-methyl-	
22 Soil	9'	J1747	354-23-4	ethane, 1,2-dichloro-1,1,2-trifluoro-	3.7 ug/kg
			76-13-1	ethane, 1,1,2-trichloro-1,2,2-trifluoro-	23 ug/kg
			110-01-0	thiophene, tetrahydro-	3.1 ug/kg
			1795-09-1	thiophene, tetrahydro-2-methyl-	20 ug/kg
			108-11-2	2-pentanol, 4-methyl-	6.9 ug/kg
			95-49-8	benzene, 1-chloro-2-methyl-	2600 ug/kg
			100-41-4	benzene, ethyl-	58 ug/kg
			95-65-8	phenol, 3,4-dimethyl-	7600 ug/kg
			3855-26-3	phenol, 2-ethyl-4-methyl-	3200 ug/kg
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl	39,000 ug/kg
			1235-74-1	1-phenanthrenecarboxylicacid, 1,2,3	

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 20

Well#	Depth	Org#	CAS #	Compound	Estimated Concentration
22 Soil	12'	J1748	110-01-0	thiophene, tetrahydro-	3.5 ug/kg
			108-11-2	2-pentanol, 4-methyl-	
			95-49-8	benzene, 1-chloro-2-methyl-	7.5 ug/kg
			95-48-7	phenol, 2-methyl-	4.1 ug/kg
			620-17-7	phenol, 3-ethyl-	22 ug/kg
			3855-26-3	phenol, 2-ethyl-4-methyl-	
			101-84-8	benzene, 1,1'oxybis-	18 ug/kg
22 Soil	15'	J1749	110-54-3	hexane	17 ug/kg
			95-49-8	benzene, 1-chloro-2-methyl-	1500 ug/kg
			426-73-8	1,2,3-trimethylbenzene	
			620-17-7	phenol, 2-ethyl-	
			3855-26-3	2-ethyl-4-methylphenol	
			26730-14-3	tridecane, 7-methyl-	
			2809-64-5	naphthalene, 1,2,3,4-tetrahydro-5-methyl-	
			91-57-6	naphthalene, 2-methyl-	
			92-52-4	1,1'biphenyl	
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
22 Water	6-16'	J1750	110-01-0	thiophene, tetrahydro-	
			1795-09-1	thiophene, tetrahydro-2-methyl-	
			526-75-0	phenol, 2,3-dimethyl-	
			126-33-0	thiophene, tetrahydro-1,1-dioxide	
22 Water	26-30'	J1756	106-51-4	2,5-cyclohexadiene-1,4-dione-	42 ug/l
			99-04-7	benzoicacid, 3-methyl-	34 ug/l
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	350 ug/l
23 Soil	3'	J1757	110-82-7	cyclohexane	19,000 ug/kg
			2847-72-5	decane, 4-methyl-	200 ug/kg
			90-00-6	phenol, 2-ethyl-	68 ug/kg
			620-17-7	phenol, 3-ethyl-	420 ug/kg
			3855-26-3	phenol, 2-ethyl-4-methyl-	
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
23 Soil	6'	J1758	108-87-2	cyclohexane, methyl-	3.8 ug/kg
			4551-51-3	1H-indene, octahydro-, cis-	11 ug/kg
			108-38-3	benzene, 1,3-dimethyl-	

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 21

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
23 Soil	9'	J1759	67-64-1	2-propanone	6.6 ug/kg
			108-88-1	benzene, methyl-	9.4 ug/kg
			140-66-9	phenol, 4-(1,1,3,3-tetramethylbutyl)-	5.0 ug/kg
			10544-50-0	sulfur, mol. (S8)	7.0 ug/kg
23 Water	6-16'	J1762	526-75-0	2,3-dimethylphenol	
			1453-06-1	benzenebutanoicacid, 2,5-dimethyl-	
			54932-78-4	phenol, 4-(2,2,3,3-tetramethylbutyl)	150 ug/l
			126-73-8	phosphoricacid, tributylester	136 ug/l
24 Soil	3'	J1763	---	---	
24 Soil	6'	J1764	---	---	
24 Soil	9'	J1765	110-82-7	cyclohexane	17,000 ug/kg
24 Soil	12'	J1766	110-82-7	cyclohexane	3.4 ug/kg
			110-54-3	hexane	
24 Soil	15'	J1767	3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	580 ug/kg
24 Water	6-16'	J1768	3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	800 ug/l
25 Soil	3'	J1769	3868-64-2	pentalene, octahydro-2-methyl-	
			18641-70-8	2-hexanone, 2,4-dimethyl-	
			111-84-2	nonane	12 ug/kg
			629-82-3	octane, 1,1'-oxybis-	
			13475-78-0	heptane, 5-ethyl-2-methyl-	
			1120-21-4	undecane	19 ug/kg
			124-18-5	decane	
			544-76-3	hexadecane	
			629-78-7	heptadecane	
			1921-70-6	pentadecane, 2,6,10,14-tetramethyl-	
			593-45-3	octadecane	51 ug/kg
			112-95-8	eicosane	
			629-94-7	heneicosane	
25 Soil	6'	J1770	13475-78-0	heptane, 5-ethyl-2-methyl-	
			10544-50-0	sulfur, mol. (S8)	

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 22

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
25 Soil	9'	J1771	108-11-2	2-pentanol, 4-methyl-	
			20184-89-8	3-nonyne	
			3868-64-2	pentalene, octahydro-2-methyl-	92 ug/kg
			1678-97-3	cyclohexane, 1,2,3-trimethyl-	16 ug/kg
			696-29-7	cyclohexane, (1-methylethyl)-	29 ug/kg
			692-47-7	3-hexene, 2,2,5,5-tetramethyl-, (Z)-	
			111-84-2	nonane	
			13475-78-0	heptane, 5-ethyl-2-methyl-	
			526-73-8	benzene, 1,2,3-trimethyl-	
			544-76-3	hexadecane	
			629-78-7	heptadecane	
			1921-70-6	pentadecane, 2,6,10,14-tetramethyl-	
			593-45-3	octadecane	
			112-95-8	eicosane	
			593-45-3	octadecane	
25 Water	6-16'	J1774	75-18-3	methane, thiobis-	12 ug/l
			354-23-4	ethane, 1,2-dichloro-1,1,2-trifluoro-	91 ug/l
			76-13-1	ethane, 1,1,2-trichloro-1,2,2-trifluoro	10 ug/l
			108-11-2	2-pentanol, 4-methyl-	4.4 ug/l
			100-41-4	benzene, ethyl-	2.5 ug/l
			126-73-8	phosphoriacidtributylester	44 ug/l
25 Water	26-30'	J1780	110-82-7	cyclohexane	3800 ug/l
			104-76-6	1-hexanol, 2-ethyl-	18 ug/l
			85-44-9	1,3 isobenzofurandione	8.2 ug/l
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	110 ug/l
26 Soil	3'	J1781	1708-31-2	furan, 2,5-dihydro-3-methyl-	
			127-18-4	ethene, tetrachloro-	200 ug/kg
26 Soil	6'	J1782	110-54-3	hexane	5.6 ug/kg
			104-76-7	1-hexanol, 2-ethyl-	
			17851-53-5	1,2-benzenedicarboxylicacid, butyl-2-methylpropylester-	87 ug/kg
			198-55-0	perylene	390 ug/kg
26 Soil	9'	J1783	110-82-7	cyclohexane	16,000 ug/kg
			79-01-6	ethene, trichloro-	350 ug/kg
			127-18-4	ethene, tetrachloro-	150 ug/kg

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
26 Water	6-16'	J1786	127-18-4	ethene, tetrachloro-	28 ug/l
			100-41-4	benzene, ethyl-	6.5 ug/l
			3375-84-6	oxazolidinone, 3(2-hydroxypropyl) -5-methyl-	
			14003-71-5	1,2,3,4-cyclopentanetetrol, (1. Alpha., 2. Beta., 3. Beta., 4. Alpha.)-	
27 Soil	3'	J0460		Not analyzed	
27 Soil	6'	J0430		Not analyzed	
27 Water	6-16'	J0462	71-55-6	ethane, 1,1,1-trichloro-	1800 ug/l
			79-01-6	ethene, trichloro-	12,000 ug/l
			123-91-1	1,4-dioxane	760 ug/l
			110-80-5	ethanol, 2-ethoxy-	1400 ug/l
			108-88-3	benzene, methyl-	1800 ug/l
			127-18-4	ethene, tetrachloro-	370 ug/l
			620-17-7	phenol, 3-ethyl-	690 ug/l
			119-33-5	phenol, 4-methyl-2-nitro-	380 ug/l
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
28 Water	6-16'	J0463	71-36-3	1-butanol	12 ug/l
			563-80-4	2-butanone, 3-methyl-	17 ug/l
			592-84-7	formicacid, butylester-	12 ug/l
			108-11-2	2-pentanol, 4-methyl-	28 ug/l
			108-38-3	benzene, 1,3-dimethyl-	74 ug/l
			12891-87-7	4-penten-2-one	
			110-80-5	2-ethoxyethanol	9400 ug/l
			108-11-2	2-pentanol, 4-methyl-	1100 ug/l
			141-79-7	4-methyl-3-penten-2-one	330 ug/l
			25144-05-2	2-methylcyclopentanol	
			111-90-0	ethanol, 2-(2-ethoxyethoxy)-	
			13429-07-7	2-propanol, 1-(2-methyoxypropoxy)-	
			144-19-4	1,3-pentanediol, 2,2,4-trimethyl-	1400 ug/l
			105-60-2	azepin-2-one, hexahydro-2H-	
			126-73-8	tributylphosphorase	
29 Water	6-16'	J0461	591-78-6	2-hexanone	
			544-25-2	1,3,5-cycloheptatriene	13 ug/l
			68-12-2	formamide, n,n-dimethyl-	46 ug/l
			100-41-4	benzene, ethyl-	5.7 ug/l
			108-38-3	benzene, 1,3-dimethyl-	38 ug/l
			108-32-7	1,3-dioxolan-2-one, 4-methyl-	
			815-24-7	3-pentanone, 2,2,4,4-tetramethyl-	

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 24

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
30 Water	6-16'	J0465		Not analyzed	
Berm 1	1'	J1787	66-25-1	hexanol	270 ug/kg
			85-44-9	1,3 isobenzofurandione	730 ug/kg
Berm 2	1'	J1788	115-86-6	phosphoricacid, triphenylester-	
Berm 3	1'	J1789	108-38-3	benzene, 1,3-dimethyl-	320 ug/g
Berm 4	1'	J1790	120-57-0	1,3-benzodioxole-5-carboxaldehyde	2500 ug/g
Berm 5	1'	J1791	---	---	
Berm 6	1'	J1792	---	---	
Berm 7	1'	J1793	110-54-3	hexane	3.7 ug/g
			108-88-3	benzene, methyl-	53 ug/g
Berm 8	1'	J1794	544-25-2	1,3,5-cycloheptatriene	6.5 ug/g
			110-54-3	hexane	3.5 ug/g
Berm 9	1'	J1795	108-88-3	benzene, methyl-	19 ug/g
Blank		J1797	60-29-7	ethane, 1,1'-oxybis-	5.8 ug/g
Driller's water		J1799	---	---	
Pea gravel		J1798	930-56-3	ethanone, 1-(2-methylcyclopropyl)-	
Surface sample 2		J1628	110-82-7	cyclohexane	
			3855-26-3	phenol, 2-ethyl-4-methyl-	
			85-44-9	1,3-isobenzofurandione	17 ug/g
			101-84-8	benzene, 1,1'-oxybis-	
			544-76-3	hexadecane	

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 25

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
Surface sample 3		J1629	79-00-5	ethane, 1,1,2-trichloro-	
			695-98-7	pyridine, 2,3,5-trimethyl-	
			544-76-3	hexadecane	
			354-23-4	ethane, 1,2-dichloro-1,1,2-trifluoro-	
			106-67-2	1 pentanol, 2-ethyl-4-methyl-	
			110-82-7	cyclohexane	
			576-26-1	phenol, 2,6-dimethyl-	
			90-00-6	phenol, 2-ethyl-	
			95-65-8	phenol, 3,4-dimethyl-	
			2219-73-0	phenol, 4-ethyl-2-methyl-	
			3855-26-3	phenol, 2-ethyl-4-methyl-	
			697-82-5	phenol, 2,3,5-trimethtyl-	
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
			98-73-7	benzoicacid, 4-(1,1-dimethylethyl)-	
			126-73-8	phosphoricacid, tributylester	
			526-75-0	2,3-dimethylphenol	
			95-65-8	3,4-dimethylphenol	
Surface sample 4		J1635	79-20-9	aceticacid, methylester	3.8 ug/kg
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	
			25154-52-3	phenol, nonyl-	
			54932-78-4	phenol, 4-(2,2,3,3,-tetramethylbutyl)-	
			272-16-2	1,2-benzisothiazole	1000 ug/kg
			100-41-4	benzene, ethyl	
Surface sample 5		J1641	110-82-7	cyclohexane	
			79-01-6	ethene, trichloro-	150 ug/g
			79-00-5	ethane, 1,1,2-trichloro-	270 ug/g
Surface sample 6		J1646	110-82-7	cyclohexane	
			108-01-0	ethanol, 2-(dimethylamino)-	570 ug/g
			79-34-5	ethane, 1,1,2,2-tetrachloro	230 ug/g
Surface sample 7		J1647	79-01-6	ethene, trichloro-	
			544-25-2	1,3,5-cycloheptatriene	120 ug/g
			620-17-7	phenol, 3-ethyl-	940 ug/g
			2809-64-5	napthalene, 1,2,3,4-tetrahydro-5-methyl-	
			92-52-4	1,1'-biphenyl	
			101-84-8	benzene, 1,1'-oxybis-	

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
Surface sample 8		J1659	535-77-3	benzene, 1-methyl-3-(1-methylethyl)-	31 ug/kg
			95-65-8	phenol, 3,4-dimethyl-	
			3877-19-8	naphthalene, 1,2,3,4-tetrahydro-2-methyl-	
			2809-64-5	naphthalene, 1,2,3,4-tetrahydro-5-methyl-	
			101-84-8	benzene, 1,1'-oxybis-	
			2489-86-3	naphthalene, 1-(2 propenyl)-	
			1812-51-7	1,1'-biphenyl, 2-ethyl-	
			832-64-4	phenanthrene, 4-methyl-	
			92-83-1	9H-xanthene	
Surface sample 9		J1673	874-35-1	IH-indene, 2,3-dihydro-5-methyl-	
			2381-21-7	1-methylpyrene	
Surface sample 10		J1674	79-01-6	ethene, trichloro-	
			620-17-7	phenol, 3-ethyl-	320 ug/kg
			3855-26-3	phenol, 2-ethyl-4-methyl-	
			92-52-4	1,1'-biphenyl	
			101-84-8	benzene, 1,1'-oxybis-	250 ug/kg
			571-61-9	naphthalene, 1,5-dimethyl-	
Surface sample 11		J1675	110-54-3	hexane	1.2 ug/kg
			110-82-7	cyclohexane	9600 ug/kg
			108-38-3	benzene, 1,3-dimethyl-	730 ug/kg
			111-76-2	ethanol, 2-butoxy-	960 ug/kg
			88-99-3	1,2-benzenedicarboxylicacid	
			629-59-4	tetradecane	
			18344-37-1	heptadcane, 2,6,10,14-tetramethyl-	
			544-76-3	hexadecane	
			112-95-8	eicosane	
			1921-70-6	pentadecane, 2,6,10,14-tetramethyl-	4200 ug/kg
			593-45-3	octadecane	
			629-62-9	pentadecane	2300 ug/kg
Surface sample 12		J1676	544-25-2	1,3,5-cycloheptatriene	
			66-25-1	hexanal	
			108-38-3	benzene, 1,3-dimethyl-	1200 ug/kg
			1758-88-9	benzene, 2-ethyl, 1,4-dimethyl-	
			88-99-3	1,2-benzenedicarboxylicacid	
			629-59-4	tetradecane	
			18344-37-1	heptadecane, 2,6,10,14-tetramethyl-	
			629-62-9	pentadecane	
			629-78-7	heptadecane	

WESTERN PROCESSING COMPANY
TENTATIVELY IDENTIFIED COMPOUNDS
TDD R10-8301-01, page 27

Well#	Depth	Org#	CAS #	Compound	Estimated Concentrations
Transfer blank		J0428	815-24-7	3-pentanone, 2,2,4,4-tetramethyl-	33 ug/l
			110-82-7	cyclohexane	1200 ug/l
			3375-84-6	2-oxazolidinone, 3-(2-hydroxypropyl) -5-methyl-	100 ug/l
Transport blank		J0429	110-82-7	cyclohexane	
			79-01-6	ethene, trichloro-	
			123-91-1	1,4-dioxane	22 ug/l
			815-24-7	3-pentanone, 2,2,4,4-tetramethyl-	42 ug/l

APPENDIX B
SECTION 7

SAMPLE IDENTIFICATION

WESTERN PROCESSING COMPANY

SAMPLE IDENTIFICATION

TDD R10-8301-01

(See Figure 3 for Well and Soil Sample Locations)

Well#	Depth	Organics#	Inorganics#	EPA	Date	Time	STORET
01 Soil	3'	J1601	MJ9301		821007	0900	11H025
01 Soil	6'	J1602	MJ9302		1007	0915	
01 Soil	9'	J1603	MJ9303		1007	0930	
01 Soil	12'	J1604	MJ9304		1007	0945	
01 Water	Shallow	J1606	MJ9312	45150	1108	1330	
01 Water	Deep	J1612	MJ9311	45151	1108	1400	
02 Soil	3'	J1613	MJ9313		1014	1025	11H026
02 Soil	6'	J1614	MJ9314		1014	1030	
02 Soil	9'	J1615	MJ9315		1014	1035	
02 Soil	12'	J1616	MJ9316		1014	1040	
02 Soil	15'	J1617	MJ9317		1014	1045	
02 Water	Shallow	J1618	MJ9318	44154	1102	1100	
03 Soil	3'	J1619	MJ9319		1014	1155	11H027
03 Soil	6'	J1620	MJ9320		1014	1205	
03 Soil	9'	J1621	MJ9321		1014	1210	
03 Water	Shallow	J1624(J5052*)	MJ9324	46153	1115	1200	
04 Soil	3'	J1625	MJ9325		1018	1415	11H028
04 Soil	6'	J1626	MJ9326		1018	1430	
04 Soil	9'	J1627	MJ9327		1018	1435	
04 Water	Shallow	J1630	MJ9330	44155	1102	1500	
05 Soil	3'	J1631	MJ9331		1018	1330	11H029
05 Soil	6'	J1632	MJ9332		1018	1330	
05 Soil	9'	J1633	MJ9333		1018	1330	
05 Soil	12'	J1634	MJ9334		1018	1330	
05 Water	Organics	J1636	---		1103	1500	
05 Water	Organics	J1636	---		1104	1000	
05 Water	Inorganic	---	MJ9336		1103	1400	
05 Chloride & TDS		---	---	44156	1103	1200	11H029
06 Soil	3'	J1637	MJ9337		1018	1035	11H030
06 Soil	6'	J1638	MJ9338		1018	1045	
06 Soil	9'	J1639	MJ9339		1018	1050	
06 Soil	12'	J1640	MJ9340		1018	1100	
06 Water	Shallow	J1642	MJ9342	44157	1103	1100	
07 Soil	3'	J1643	MJ9343		1014	1415	11H031
07 Soil	6'	J1644	MJ9344		1014	1425	
07 Soil	9'	J1645	MJ9345		1014	1430	
07 Water	Shallow	J1648	MJ9348	44158	1103	1430	
08 Soil	3'	J1649	MJ9349		1025	1410	11H032
08 Soil	6'	J1650	MJ9350		1025	1425	
08 Soil	9'	J1651	MJ9051		1025	1440	
08 Water	Shallow	J1654	MJ9054	45152	1108	1500	
09 Soil	3'	J1655	MJ9055		1019	1020	11H033
09 Soil	6'	J1656	MJ9056		1019	1030	
09 Soil	9'	J1657	MJ9057		1019	1040	
09 Soil	12'	J1658	MJ9058		1019	1045	
09 Water	Shallow	J1660	MJ9060	44160	1103	1500	
10 Soil	3'	J1661	MJ9061		1019	1235	11H034

Shallow = 6-16'
Deep = 26-30'
*J5052 is high hazard traffic report number

WESTERN PROCESSING COMPANY
TDD R10-8301-01
(See Figure 3 for Well and Soil Sample Locations)
SAMPLE IDENTIFICATION, page 2

Well#	Depth	Organics#	Inorganics#	EPA	Date	Time	STORET
10 Soil	6'	J1662	MJ9062		1019	1250	
10 Soil	9'	J1663	MJ9063		1019	1310	
10 Soil	12'	J1664	MJ9064		1019	1340	
10 Soil	15'	J1665	MJ9065		1019	1405	
10 Water	Shallow	J1666	MJ9066	44161	1104	1000	
11 Soil	3'	J1667	MJ9067		1008	1100	11H035
11 Soil	6'	J1668	MJ9068		1008	1115	
11 Soil	8'	J1669	MJ9069		1008	1130	
11 Soil	10'	J1670	MJ9070		1008	1145	
11 Soil	13'	J1671	MJ9071		1008	1200	
11 Water	Shallow	J1672	MJ9072	45153	1109	1030	
11 Water	Deep	J1678	MJ9078	45154	1109	1100	
12 Soil	3'	J1679	MJ9079		1025	1130	11H036
12 Soil	6'	J1680	MJ9080		1025	1140	
12 Soil	9'	J1681	MJ9081		1025	1200	
12 Soil	12'	J1682	MJ9082		1025	1230	
12 Soil	15'	J1683	MJ9083		1025	1240	
12 Water	Shallow	J1684	MJ9084	44159	1103	1200	
13 Soil	3'	J1685	MJ9085		1027	1310	11H037
13 Soil	6'	J1686	MJ9086		1027	1325	
13 Soil	9'	J1687	MJ9087		1027	1400	
13 Water	Shallow	J1690	MJ9090	44150	1101	1500	
14 Soil	3'	J1691	MJ9091		1020	0945	11H038
14 Soil	6'	J1692	MJ9092		1020	1020	
14 Soil	9'	J1693	MJ9093		1020	1040	
14 Soil	12'	J1694	MJ9094		1020	1100	
14 Soil	15'	J1695	MJ9095		1020	1145	
14 Water	Shallow	J1696	MJ9096	44163	1104	1400	
15 Soil	3'	J1697	MJ9097		1025	1500	11H039
15 Soil	6'	J1698	MJ9098		1025	1510	
15 Soil	9'	J1699	MJ9099		1025	1520	
15 Water	Shallow	J1702	MJ9102	45164	1112	1230	
16 Soil	3'	J1703	MJ9103		1020	1310	11H040
16 Soil	6'	J1704	MJ9104		1020	1325	
16 Soil	9'	J1705	MJ9105		1020	1345	
16 Soil	12'	J1706	MJ9106		1020	1405	
16 Soil	15'	J1707	MJ9107		1020	1430	
16 Water	Shallow	J1708	MJ9108	44164	1104	1100	
17 Soil	3'	J1709	MJ9109		1011	1100	11H041
17 Soil	6'	J1710	MJ9110		1011	1120	
17 Soil	9'	J1711	MJ9111		1011	1150	
17 Soil	12'	J1712	MJ9112		1011	1230	
17 Soil	15'	J1713	MJ9113		1011	1300	
17 Soil	18'	J1714	MJ9114		1013	1330	
17 Soil	21'	J1716	MJ9116		1013	1350	
17 Soil	24'	J1717	MJ9117		1013	1400	
17 Soil	27'	J1718	MJ9188		1013	1405	

Shallow = 6-16'
Deep = 26-30'

WESTERN PROCESSING COMPANY
TDD R10-8301-01
(See Figure 3 for Well and Soil Sample Locations)
SAMPLE IDENTIFICATION, page 3

Well#	Depth	Organics#	Inorganics#	EPA	Date	Time	STORET
17 Soil	29'	J1719	MJ9119		1013	1420	
17 duplicate	J0427	J1715	MJ9115	41020	1014	1600	
17 Water	Shallow	J0427	MJ8042	45155	1110	1000	
17 Water	Deep	J1720	MJ9120	45156	1110	1100	
18 Soil	3'	J1721	MJ9121		1026	1000	11H042
18 Soil	6'	J1722	MJ9122		1026	1020	
18 Soil	9'	J1723	MJ9123		1026	1030	
18 Water	Shallow	J1726	MJ9126	45163	1112	1130	
19 Soil	3'	J1727	MJ9127		1027	1000	11H043
19 Soil	6'	J1728	MJ9128		1027	1015	
19 Soil	9'	J1729	MJ9129		1027	1045	
19 Soil	12'	J1730	MJ9130		1027	1120	
19 Water	Shallow	J1732	MJ9132	44151	1101	1600	
20 Soil	3'	J1733	MJ9133		1021	0940	11H044
20 Soil	6'	J1734	MJ9134		1021	1010	
20 Soil	9'	J1735	MJ9135		1021	1030	
20 Soil	12'	J1736	MJ9136		1021	1055	
20 Soil	15'	J1737	MJ9137		1021	1120	
20 Water	Shallow	J1738	MJ9138	44165	1104	1330	
21 Soil	3'	J1739	MJ9139		1021	1400	11H045
21 Soil	6'	J1740	MJ9140		1021	1445	
21 Soil	9'	J1741	MJ9141		1021	1510	
21 Soil	12'	J1742	MJ9142		1021	1535	
21 Soil	15'	J1743	MJ9143		1021	1545	
21 Water	Shallow	J1744	MJ9144	44166	1105	1030	
22 Soil	3'	J1745	MJ9145		1012	0900	11H046
22 Soil	6'	J1746	MJ9146		1012	0930	
22 Soil	9'	J1747	MJ9147		1012	1000	
22 Soil	12'	J1748	MJ9148		1012	1030	
22 Soil	15'	J1749	MJ9149		1012	1100	
22 Water	Shallow	J1750	MJ9150	45157	1110	1200	
22 Water	Deep	J1756	MJ9156	45158	1110	1300	
23 Soil	3'	J1757	MJ9157		1026	1130	11H047
23 Soil	6'	J1758	MJ9158		1026	1150	
23 Soil	9'	J1759	MJ9159		1026	1200	
23 Water	Shallow	J1762	MJ9162	45162	1026	1430	
24 Soil	3'	J1763	MJ9163		1022	0950	11H048
24 Soil	6'	J1764	MJ9164		1022	1000	
24 Soil	9'	J1765	MJ9165		1022	1020	
24 Soil	12'	J1765	MJ9165		1022	1045	
24 Soil	15'	J1767	MJ9167		1022	1055	
24 Water	Shallow	J1768	MJ9168	44167	1105	1130	
25 Soil	3'	J1769	MJ9169		1026	1340	11H049
25 Soil	6'	J1770	MJ9170		1026	1355	
25 Soil	9'	J1771	MJ9171		1026	1440	
25 Water	Shallow	J1774	MJ9174	45159	1111	1130	
25 Water	Deep	J1780	MJ9180	45160	1110	1500	

Shallow = 6-16'
Deep = 26-30'

WESTERN PROCESSING COMPANY
TDD R10-8301-01
(See Figure 3 for Well and Soil Sample Locations)
SAMPLE IDENTIFICATION, page 4

Well#	Depth	Organics#	Inorganics#	EPA	Date	Time	STORET
26 Soil	3'	J1781	MJ9181		1026	1425	11H050
26 Soil	6'	J1782	MJ9182		1026	1440	
26 Soil	9'	J1783	MJ9183		1026	1450	
26 Water	Shallow	J1786	MJ9186	45161	1111	1230	
27 Soil	3'	J0460	---		1108	1100	11H060
27 Soil	6'	J0430	---		1108	1100	
27 Water	Shallow	J0462	MJ8046	46150	1116	1100	
28 Water	Shallow	J0463	MJ8047	46151	1116	1230	11H062
29 Water	Shallow	J0461	MJ8045	46152	1115	1300	11H063
30 Water	Shallow	J0465	MJ8033	51150	1220	1100	11H076
Berm 1	1'	J1787	MJ9187		1025	1000	11H051
Berm 2	1'	J1788	MJ9188		1025	1025	11H052
Berm 3	1'	J1789	MJ9189		1025	1030	11H053
Berm 4	1'	J1790	MJ9190		1025	1045	11H054
Berm 5	1'	J1791	MJ9191		1025	1100	11H055
Berm 6	1'	J1792	MJ9192		1025	1115	11H056
Berm 7	1'	J1793	MJ9193		1025	1130	11H057
Berm 8	1'	J1794	MJ9194		1025	1145	11H058
Berm 9	1'	J1795	MJ9195		1025	1200	11H059
Surface sample 1		J1628	MJ9328		1118	0952	11H065
Surface sample 2		J1629	MJ9329		1118	0956	11H066
Surface sample 4		J1635	MJ9335		1118	1002	11H067
Surface sample 5		J1641	MJ9341		1118	1008	11H068
Surface sample 6		J1646	MJ9346		1118	1027	11H069
Surface sample 7		J1647	MJ9347		1118	1036	11H070
Surface sample 8		J1659	MJ9059		1118	1041	11H071
Surface sample 9		J1673	MJ9073		1118	1044	11H072
Surface sample 10		J1674	MJ9074		1118	1048	11H073
Surface sample 11		J1675	MJ9075		1118	1050	11H074
Surface sample 12		J1676	MJ9076		1118	1053	11H075
Wash water sample 1				41021	1015	1000	
Wash water sample 2				43030	1025	1500	
Wash water sample 3				46154	1118	1300	
Wash water sample 4				46155	1118	1345	
Wash water sample 5				46156	1118	1400	
Blank (soil)		J1797	MJ9197		1008		
Pea gravel		J1798	MJ9198		1012		
Driller's water		J1799	MJ9199		1012		
Transfer blank		J0428	MJ8043	44152	1101	1100	
Transport blank		J0429	MJ8044	44153	1101	1100	

Shallow = 6-16'
Deep = 26-30'

APPENDIX B
SECTION 8

CORRECTION FACTORS FROM WET TO DRY WEIGHT

WESTERN PROCESSING COMPANY

TDD R10-8301-01

CORRECTION FACTORS FROM WET TO DRY WEIGHT

EPA ID	CORRECTION FACTOR
MJ9051	1.28
MJ9055	1.10
MJ9056	1.27
MJ9057	1.25
MJ9058	1.28
MJ9059	1.23
MJ9061	1.05
MJ9062	1.35
MJ9063	1.23
MJ9064	1.61
MJ9065	1.30
MJ9067	1.10
MJ9068	1.40
MJ9069	1.38
MJ9070	1.52
MJ9071	1.15
MJ9073	1.10
MJ9074	1.10
MJ9075	1.18
MJ9076	1.19
MJ9079	1.18
MJ9080	1.12
MJ9081	1.38
MJ9082	1.38
MJ9083	1.28
MJ9085	1.38
MJ9086	1.23
MJ9087	1.45
MJ9091	1.14
MJ9092	1.33
MJ9093	1.22
MJ9094	1.32
MJ9095	1.27
MJ9097	1.16
MJ9098	1.39
MJ9099	1.38
MJ9103	1.12
MJ9104	1.28
MJ9105	1.41
MJ9106	1.30
MJ9107	1.22
MJ9109	1.12
MJ9110	1.21
MJ9111	1.74
MJ9112	1.35
MJ9113	1.73
MJ9114	1.74
MJ9116	1.95
MJ9117	1.82
MJ9118	2.06
MJ9119	1.77
MJ9121	1.14
MJ9122	1.25
MJ9123	1.23
MJ9127	1.35
MJ9128	1.20
MJ9129	1.33
MJ9130	1.19
MJ9133	1.02
MJ9134	1.25
MJ9135	1.22
MJ9136	1.25
MJ9137	1.32
MJ9139	1.19
MJ9140	1.19
MJ9141	1.25
MJ9142	1.54
MJ9143	1.25
MJ9145	1.21
MJ9146	1.51
MJ9147	2.79
MJ9148	1.94
MJ9149	1.47
MJ9157	1.14
MJ9158	1.15
MJ9159	1.25
MJ9163	1.10
MJ9164	1.12
MJ9165	1.27
MJ9166	1.49
MJ9167	1.28
MJ9169	1.04
MJ9170	1.61
MJ9171	1.54
MJ9181	1.22
MJ9182	1.41
MJ9183	1.32
MJ9187	1.06
MJ9188	1.07
MJ9189	1.08
MJ9190	1.11
MJ9191	1.04
MJ9192	1.09
MJ9193	1.09
MJ9194	1.43
MJ9195	1.72
MJ9199	1.13
MJ9301	1.03
MJ9302	1.17
MJ9303	1.36
MJ9304	1.36
MJ9313	1.05
MJ9314	1.05
MJ9315	1.05
MJ9316	1.30
MJ9317	1.27
MJ9319	1.06
MJ9320	1.12
MJ9321	1.14
MJ9325	1.10
MJ9326	1.22
MJ9327	1.27
MJ9328	1.20
MJ9329	1.15
MJ9331	1.05
MJ9332	1.11
MJ9333	1.10
MJ9334	1.33
MJ9335	1.14
MJ9337	1.04
MJ9338	1.09
MJ9339	1.10
MJ9340	1.25
MJ9341	1.19
MJ9343	1.09
MJ9344	1.28
MJ9345	1.25
MJ9346	1.11
MJ9347	1.15
MJ9349	1.15
MJ9350	1.39

DUPLICATES

MJ9057	1.27
MJ9146	1.44
MJ9167	1.27
MJ9331	1.04
MJ9350	1.38

APPENDIX C

LIST OF 129 PRIORITY POLLUTANTS

129 PRIORITY POLLUTANTS*
(WITH CHEMICAL ABSTRACT SERVICE NUMBERS)

METALS

ANTIMONY	7440-36-0
ARSENIC	7440-38-2
BERYLLIUM	7440-41-7
CADMIUM	7440-43-9
CHROMIUM	7440-47-3
COPPER	7440-50-8
LEAD	7439-92-1
MERCURY	7439-97-6
NICKEL	7440-02-0
SELENIUM	7782-49-2
SILVER	7440-22-4
THALLIUM	7440-28-0
ZINC	7440-66-6

PESTICIDES

ALDRIN	309-00-2
ALPHA BHC	319-84-6
BETA BHC	319-85-7
GAMMA BHC	58-89-9
DELTA BHC	319-86-8
CHLORDANE	5103-71-9
4,4-DDD	72-54-8
4,4-DDE	72-55-9
4,4-DDT	50-29-3
DIELDRIN	60-57-1
ALPHA ENDOSULFAN	115-29-7
BETA ENDOSULFAN	115-29-7
ENDOSULFAN SULFATE	1031-07-8
ENDRIN	72-20-8
ENDRIN ALDEHYDE	7421-93-4
HEPTACHLOR	76-44-8
HEPTACHLOR EPOXIDE	1024-57-3
PCB 1016	12674-11-2
PCB 1221	111-042-82
PCB 1232	111-411-65
PCB 1242	534-692-19
PCB 1248	126-722-96
PCB 1254	110-916-91
PCB 1260	110-968-25
TOXAPHENE	8001-35-2

MISCELLANEOUS

CYANIDE	57-12-5

BASE-NEUTRAL EXTRACTIBLES

ACENAPHTHENE	83-32-9
ACENAPHTHYLENE	208-96-8
ANTHRACENE	120-12-7
BENZIDINE	92-87-5
BENZO(A)ANTHRACENE	56-55-3
BENZO(A)PYRENE	50-32-8
BENZO(B)FLUORANTHENE	205-99-2
BENZO(GHI)PERYLENE	191-24-2
BENZO(K)FLUORANTHENE	207-08-9
BIS(2-CHLOROETHOXYL) METHANE	111-91-1
BIS(2-CHLOROETHYL) ETHER	111-44-4
BIS(2-CHLOROISOPROPYL) ETHER	108-60-1
BIS(2-ETHYLHEXYL) PHTHALATE	117-81-7
4-BROMOPHENYL PHENYL ETHER	101-55-3
2-CHLORONAPHTHALENE	91-58-7
CHRYSENE	218-01-9
4-CHLOROPHENYL PHENYL ETHER	7005-72-3
1,2,5,6-DIBENZANTHRACENE	53-70-3
1,2-DICHLOROBENZENE	95-50-1
1,3-DICHLOROBENZENE	541-73-1
1,4-DICHLOROBENZENE	106-48-7
3,3-DICHLOROBENZIDINE	91-94-1
DIETHYL PHTHALATE	84-66-2
DIMETHYL PHTHALATE	131-11-3
DI-N-BUTYL PHTHALATE	84-74-2
2,4-DINITROTOLUENE	121-14-2
2,6-DINITROTOLUENE	606-20-2
DI-N-OCTYL PHTHALATE	117-81-7
1,2-DIPHENYLHYDRAZINE	122-66-7
FLUORANTHENE	206-44-0
FLUORENE	86-73-7
HEXACHLOROBENZENE	118-74-1
HEXACHLOROBUTADIENE	87-68-3
HEXACHLOROCYCLOPENTADIENE	77-47-4
HEXACHLOROETHANE	67-72-1
INDENO(1,2,3-CD)PYRENE	193-39-5
ISOPHORONE	78-59-1
NAPTHALENE	91-20-3
N-BUTYL BENZYL PHTHALATE	85-68-7
NITROBENZENE	98-95-3
N-NITROSODIMETHYLAMINE	62-75-9
N-NITROSODI-N-PROPYLAMINE	621-64-7
N-NITROSODIPHENYLAMINE	86-30-6
PHENANTHRENE	85-01-8
PYRENE	129-00-0
TCDD	1746-01-6
1,2,4-TRICHLOROBENZENE	120-82-1

ACID EXTRACTIBLES

2-CHLOROPHENOL	95-57-8
2,4-DICHLOROPHENOL	120-83-2
2,4-DIMETHYLPHENOL	105-67-9
4,6-DINITRO-O-CRESOL	534-52-1
2,4-DINITROPHENOL	51-28-5
2-NITROPHENOL	88-75-5
4-NITROPHENOL	100-07-7
P-CHLORO-M-CRESOL	59-50-7
PENTACHLOROPHENOL	87-86-5
PHENOL	108-95-2
2,4,b-TRICHLOROPHENOL	88-06-02

VOLATILES

ACROLEIN	107-02-8
ACRYLONITRILE	107-13-1
BENZENE	71-43-2
BIS(CHLOROMETHYL) ETHER	542-88-1
BROMODICHLOROMETHANE	15-27-4
BROMOFORM	75-25-2
CARBON TETRACHLORIDE	56-23-5
CHLOROBENZENE	108-90-7
CHLOROETHANE	75-00-3
2-CHLOROETHYL VINYL ETHER	110-75-8
CHLOROFORM	67-66-3
CIS-1,3-DICHLOROPROPENE	542-75-6
DIBROMOCHLOROMETHANE	124-48-1
DICHLOROFLUOROMETHANE	75-71-8
1,1-DICHLOROETHANE	75-34-3
1,2-DICHLOROETHANE	107-06-2
1,1-DICHLOROETHYLENE	75-35-4
1,2-DICHLOROPROPANE	78-87-5
ETHYLBENZENE	100-41-4
METHYL BROMIDE	74-83-9
METHYL CHLORIDE	74-87-3
METHYLENE CHLORIDE	75-09-2
1,1,2,2-TETRACHLOROETHANE	79-34-5
TETRACHLOROETHYLENE	127-18-4
1,2-TRANS-DICHLOROETHYLENE	540-59-0
TRANS-1,3-DICHLOROPROPENE	10061-02-6
1,1,2-TRICHLOROETHANE	79-00-5
TRICHLOROETHYLENE	79-01-6
TRICHLOROFLUOROMETHANE	75-69-4
1,1,1-TRICHLOROETHANE	71-55-6
TOLUENE	108-88-3
VINYL CHLORIDE	75-01-4

---

*LIST COMPILED BY EPA

APPENDIX D

SAMPLE DOCUMENTATION

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04H
DRUMS OF WASHWATER

	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
WE 10-16-82	1/2 gal brown bottle w/teflon-lined lid 1000 ml cubitainer	10-15-82 1000			41021	composite	iced	As, Hg, Cd, Cr, Cu, Ni, Pb, Zn, PCB, Benzo-a-pyrene	EPA Laboratory Manchester, WA
WE 10-23-82	1/2 gal brown bottle w/teflon-lined lid 1000 ml cubitainer	10-25-82 1500			43030	composite	iced	As, Hg, Cd, Cr, Cu, Ni, Pb, Zn, PCB, Benzo-a-pyrene	EPA Laboratory Manchester, WA
WE 10-30-82	1/2 gal brown bottle w/teflon-lined lid 1000 ml cubitainer	11/18/82 1300	10-2015	10-1464	46154	composite	iced	As, Hg, Cd, Cr, Cu, Ni, Pb, Zn, PCB, Benzo-a-pyrene	EPA Laboratory Manchester, WA
WE 11-6-82	1/2 gal brown bottle w/teflon-lined lid 1000 ml cubitainer	11-18-82 1345	10-2016	10-1464	46155	composite	iced	As, Hg, Cd, Cr, Cu, Ni, Pb Zn, PCB, Benzo-a-pyrene	EPA Laboratory Manchester, WA
WE 11-13-82	1/2 gal brown bottle w/teflon-lined lid 1000 ml cubitainer	11-18-82 1400	10-2017	10-1464	46156	composite	iced	As, Hg, Cd, Cr, Cu, Ni, Pb Zn, PCB, Benzo-a-pyrene	EPA Laboratory Manchester, WA

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
QUALITY ASSURANCE BLANKS

	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preservation	Analysis Requested	Destination
Blank	1 8-oz. jar	10-8-82	10-2399	10-1011	MJ9197	blank	iced	heavy metals	California Analytical Sacramento, CA
Blank	1 8-oz. jar	10-8-82	10-1500	10-1012	J1797	blank	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
Pea Gravel	1 8-oz. jar	10-12-82	10-1785	10-1015	J1798	pea gravel	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
Pea Gravel	1 8-oz. jar	10-12-82	10-1786	10-1029	MJ9198	pea gravel	iced	heavy metals	California Analytical Sacramento, CA
Driller's H_2O	1 8-oz. jar	10-12-82	10-1787	10-1015	J1799	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
Driller's H_2O	1 8-oz. jar	10-12-82	10-1788	10-1029	MJ9199	grab	iced	heavy metals	California Analytical Sacramento, CA
Transfer Blank	2 1/2-gal. brown bottles	11-1-82 1100	10-0036 10-0037	10-0083	J0428	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	2 1000-ml plastic bottles	11-1-82 1100	10-0038 10-0039	10-0084	MJ8043	grab	NaOH iced	cyanide and heavy metals	California Analytical Sacramento, CA
	1 500-ml plastic	11-1-82 1100	10-0040	10-0082	44152	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
	2 40-ml vials	11-1-82 1100	10-0041 10-0042	10-0083	J0428	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC
Transport Blank	2 1/2 gal. brown bottles	11-1-82 1100	10-0343 10-0344	10-0083	J0429	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	2 1000-ml plastic bottles	11-1-82 1100	10-0345 10-0346	10-0084	MJ8044	grab	NaOH iced	cyanide and heavy metals	California Analytical Sacramento, CA
	1 500-ml plastic bottle	11-1-82 1100	10-0347	10-0082	44153	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
	2 40-ml vials	11-1-82 1100	10-0348 10-0349	10-0083	J0429	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

VOA #222564 500-ml plastic 422241 brown 122641

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222563 8-OZ. SOIL SAMPLE BOTTLE NO. 622702

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preservation	Analysis Requested	Destination
1-S-3'	11H025	1 8-oz. jar w/teflon-lined lid	10-7-82 0900	10-0695	10-1012	J1601	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-0696	10-1011	MJ9301	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
1-S-6'	11H025	1 8-oz. jar w/teflon-lined lid	10-7-82 0915	10-0697	10-1012	J1602	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-0698	10-1011	MJ9302	grab	iced	heavy metals	California Analytical L Sacramento, CA
1-S-9'	11H025	1 8-oz. jar w/teflon-lined lid	10-7-82 0930	10-0699	10-1012	J1603	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-0700	10-1011	MJ9303	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
1-S-12'	11H025	1 8-oz. jar w/teflon-lined lid	10-7-82 0945	10-0701	10-1012	J1604	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-0702	10-1011	MJ9304	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
1-W-1	11H025	2 1/2-gal. br. btls. w/teflon-lined lid	11-8-82 1330	10-0705	10-0097	J1606	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
1-W-1	11H025	2 1000-ml cubitainers	11-8-82 1330	10-0709	10-0098	MJ9312	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
1-W-1	11H025	1 500-ml cubitainer	11-8-82 1330	10-0708	10-0099	45150	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
1-W-1	11H025	2 40-ml vials	11-8-82 1330	10-0710 10-0711	10-0097	J1606	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8205-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222563 8-OZ. SOIL SAMPLE BOTTLE NO. 622702

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
1-W-2	11H025	2 1/2-gal. br. btls. w/teflon-lined lid	11-8-82 1400	10-0722 10-0723	10-0097	J1612	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
1-W-2	11H025	2 1000-ml cubitainers	11-8-82 1400	10-0301 10-0724	10-0098	MJ9311	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
1-W-2	11H025	1 500-ml cubitainer	11-8-82 1400	10-0725	10-0099	45151	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
1-W-2	11H025	2 40-ml vials	11-8-82 1400	10-0726 10-0727	10-0097	J1612	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
PLASTIC: 1000-ml unmarked VOA BOTTLE LOT NO. 222563 8-OZ. SOIL SAMPLE BOTTLE NO. 622702
500-ml 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preservation	Analysis Requested	Destination
2-S-3'	11H026	1 8-oz. jar w/teflon-lined lid	10-14-82 1025	10-0728	10-1032	J1613	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-0729	10-1033	MJ9313	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
2-S-6'	11H026	1 8-oz. jar w/teflon-lined lid	10-14-82 1030	10-0730	10-1032	J1614	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-0731	10-1033	MJ9314	grab	iced	heavy metals	California Analytical Sacramento, CA
2-S-9'	11H026	1 8-oz. jar w/teflon-lined lid	10-14-82 1035	10-0732	10-1032	J1615	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-0733	10-1033	MJ9315	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
2-S-12'	11H026	1 8-oz. jar w/teflon-lined lid	10-14-82 1040	10-0734	10-1032	J1616	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-0735	10-1033	MJ9316	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
2-S-15'	11H026	1 8-oz. jar w/teflon-lined lid	10-14-82 1045	10-0736	10-1032	J1617	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-0737	10-1033	MJ9317	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
2-W-1	11H026	2 1/2-gal. br. btls. w/teflon-lined lid	11-2-82 1100	10-0738 10-0739	10-0086	J1618	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
2-W-1	11H026	2 1000-ml cubitainers	11-2-82 1100	10-1792 10-0740	10-0087	MJ9318	grab	NaOH iced	cyanide heavy metals	California Analytical Sacramento, CA
2-W-1	11H026	1 500-ml cubitainer	11-2-82 1100	10-0741	10-0085	44154	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
2-W-1	22H026	2 40-ml vials	11-2-82 1100	10-0742 10-0743	10-0086	J1618	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222563 8-OZ. SOIL SAMPLE BOTTLE NO. 622702 1000-ml plastic unmarked 500-ml 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
3-S-3'	11H027	1 8-oz. jar w/teflon-lined lid	10-14-82 1155	10-1686	10-1032	J1619	grab	iced	extractible organics	Mead Cumpu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1687	10-1033	MJ9319	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
3-S-6'	11H027	1 8-oz. jar w/teflon-lined lid	10-14-82 1205	10-1688	10-1032	J1620	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1689	10-1033	MJ9320	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
3-S-9'	11H027	1 8-oz. jar w/teflon-lined lid	10-14-82 1210	10-1690	10-1032	J1621	grab	iced	extractible organics	Mead Cumpu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1691	10-1033	MJ9321	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
3-W-1	11H027	2 8 oz. bottles	11-15-82 1200	10-1701 10-1702	10-1454	J1624/J5052*				
3-W-1	11H027	2 1000-ml cubitainers	11-15-82 1200	10-0302 10-1703	10-1449	MJ9324	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
3-W-1	11H027	1 500-ml cubitainer	11-15-82 1200	10-1704	10-1449	46153	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
3-W-1	11H027	2 40-ml vials	11-15-82 1200	10-1705 10-1706	10-1454	J1624/J5052*	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

*J5052 (matches old #J1624) is the High Hazard Traffic Report number.

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222563 8-OZ. SOIL SAMPLE BOTTLE NO. 21981-1 500-ml plastic 422241 100-ml plastic unmarked

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
4-S-3'	11H028	1 8-oz. jar w/teflon-lined lid	10-18-82 1415	10-1707	10-1035	J1625	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1708	10-1036	MJ9325	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
4-S-6'	11H028	1 8-oz. jar w/teflon-lined lid	10-18-82 1430	10-1709	10-1035	J1626	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1710	10-1036	MJ9326	grab	iced	heavy metals	California Analytical L Sacramento, CA
4-S-9'	11H028	1 8-oz. jar w/teflon-lined lid	10-18-82 1435	10-1711	10-1035	J1627	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1712	10-1036	MJ9327	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
4-W-1	11H028	2 1/2-gal. br. btls. w/teflon-lined lid	11-2-82 1500	10-1717 10-1718	10-0086	J1630	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
4-W-1	11H028	2 1000-ml cubitainers	11-2-82 1500	10-0303 10-1719	10-0087	MJ9330	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
4-W-1	11H028	1 500-ml cubitainer	11-2-82 1500	10-1720	10-0088	44155	grab	iced	TDS and Cl$^-$	EPA Laboratory Manchester, WA
4-W-1	11H028	2 40-ml vials	11-2-82 1500	10-1721 10-1722	10-0086	J1630	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222563 8-OZ. SOIL SAMPLE BOTTLE NO. 21981-1 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preservation	Analysis Requested	Destination
5-S-3'	11H029	1 8-oz. jar w/teflon-lined lid	10-18-82 1330	10-1723	10-1035	J1631	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1724	10-1036	MJ9331	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
5-S-6'	11H029	1 8-oz. jar w/teflon-lined lid	10-18-82 1330	10-1725	10-1035	J1632	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1726	10-1036	MJ9332	grab	iced	heavy metals	California Analytical L Sacramento, CA
5-S-9'	11H029	1 8-oz. jar w/teflon-lined lid	10-18-82 1330	10-1727	10-1035	J1633	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1728	10-1036	MJ9333	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
5-S-12'	11H029	1 8-oz. jar w/teflon-lined lid	10-18-82 1330	10-1729	10-1035	J1634	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1730	10-1036	MJ9334	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
5-W-1	11H029	2 1/2-gal. br. btls. w/teflon-lined lid	11-3-82 1500 11-4-82 1000	10-1733 10-1734	10-0089 10-0092	J1636	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
5-W-1	11H029	2 1000-ml cubitainers	11-3-82 1400	10-1304 10-1735	10-0089	MJ9336	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
5-W-1	11H029	1 500-ml cubitainer	11-3-82 1200	10-1736	10-0088	44156	grab	iced	TDS and Cl$^-$	EPA Laboratory Manchester, WA
5-W-1	11H029	2 40-ml vials	11-2-82 1500	10-1737 10-1738	10-0089	J1636	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222563 8-OZ. SOIL SAMPLE BOTTLE NO. 21981-1 (622702) 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preservation	Analysis Requested	Destination
6-S-3'	11H030	1 8-oz. jar w/teflon-lined lid	10-18-82 1035	10-1739	10-1035	J1637	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1740	10-1036	MJ9337	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
6-S-6'	11H030	1 8-oz. jar w/teflon-lined lid	10-18-82 1045	10-1741	10-1035	J1638	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1742	10-1036	MJ9338	grab	iced	heavy metals	California Analytical [illegible] Sacramento, CA
6-S-9'	11H030	1 8-oz. jar w/teflon-lined lid	10-18-82 1050	10-1743	10-1035	J1639	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1744	10-1036	MJ9339	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
6-S-12'	11H030	1 8-oz. jar w/teflon-lined lid	10-18-82 1100	10-1745	10-1035	J1640	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1746	10-1036	MJ9340	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
6-W-1	11H030	2 1/2-gal. br. btls. w/teflon-lined lid	11-3-82 1100	10-1749 10-1750	10-0089	J1642	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
6-W-1	11H030	2 1000-ml cubitainers	11-3-82 1100	10-1305 10-1942	10-0090	MJ9342	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
6-W-1	11H030	1 500-ml cubitainer	11-3-82 1100	10-1943	10-0088	44157	grab	iced	TDS and Cl$^-$	EPA Laboratory Manchester, WA
6-W-1	11H030	2 40-ml vials	11-3-82 1100	10-1944 10-1945	10-0089	J1642	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 22381-1 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622704 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
B-S-3'	11H032	1 8-oz. jar w/teflon-lined lid	10-25-82 1410	10-1962	10-1045	J1649	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1963	10-1046	MJ9349	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
B-S-6'	11H032	1 8-oz. jar w/teflon-lined lid	10-25-82 1425	10-1964	10-1045	J1650	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1965	10-1046	MJ9350	grab	iced	heavy metals	California Analytical L Sacramento, CA
B-S-9'	11H032	1 8-oz. jar w/teflon-lined lid	10-25-82 1440	10-1966	10-1045	J1651	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1067	10-1045	MJ9051	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
B-W-1	11H032	2 1/2-gal. br. btls. w/teflon-lined lid	11-8-82 1500	10-1972 10-1973	10-0097	MJ9053	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
B-W-1	11H032	2 1000-ml cubitainers	11-8-82 1500	10-1974 10-0307	10-0098	J1654	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
B-W-1	11H032	1 500-ml cubitainer	11-8-82 1500	10-1975	10-0099	45152	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
B-W-1	11H032	2 40-ml vials	11-8-82 1500	10-1976 10-1977	10-0097	J1654	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222563 8-OZ. SOIL SAMPLE BOTTLE NO. 622702 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preservation	Analysis Requested	Destination
7-S-3'	11H031	1 8-oz. jar w/teflon-lined lid	10-14-82 1415	10-1946	10-1032	J1643	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1947	10-1033	MJ9343	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
7-S-6'	11H031	1 8-oz. jar w/teflon-lined lid	10-14-82 1425	10-1948	10-1032	J1644	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1949	10-1033	MJ9344	grab	iced	heavy metals	California Analytical L Sacramento, CA
7-S-9'	11H031	1 8-oz. jar w/teflon-lined lid	10-14-82 1430	10-1950	10-1032	J1645	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1951	10-1033	MJ9345	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
7-W-1	11H031	2 1/2-gal. br. btls. w/teflon-lined lid	11-3-82 1430	10-1956 10-1957	10-0089	J1648	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
7-W-1	11H031	2 1000-ml cubitainers	11-3-82 1430	10-0306 10-1958	10-0090	MJ9348	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
7-W-1	11H031	1 500-ml cubitainer	11-3-82 1430	10-1959	10-0091	44158	grab	iced	TDS and Cl$^-$	EPA Laboratory Manchester, WA
7-W-1	11H031	2 40-ml vials	11-3-82 1430	10-1960 10-1961	10-0089	J1648	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 22381-1 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622702 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
9-S-3'	11H033	1 8-oz. jar w/teflon-lined lid	10-19-82 1020	10-1978	10-1037	J1655	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1979	10-1038	MJ9055	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
9-S-6'	11H033	1 8-oz. jar w/teflon-lined lid	10-19-82 1030	10-1980	10-1037	J1656	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1981	10-1038	MJ9056	grab	iced	heavy metals	California Analytical L Sacramento, CA
9-S-9'	11H033	1 8-oz. jar w/teflon-lined lid	10-19-82 1040	10-1982	10-1037	J1657	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1983	10-1038	MJ9057	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
9-S-12'	11H033	1 8-oz. jar w/teflon-lined lid	10-19-82 1045	10-1984	10-1037	J1658	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1985	10-1038	MJ9058	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
9-W-1	11H033	2 1/2-gal. br. btls. w/teflon-lined lid	11-3-82 1500	10-1988 10-1989	10-0089	J1660	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
9-W-1	11H033	2 1000-ml cubitainers	11-3-82 1500	10-0308 10-1990	10-0090	MJ9060	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
9-W-1	11H033	1 500-ml cubitainer	11-3-82 1500	10-1991	10-0091	44160	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
9-W-1	11H033	2 40-ml vials	11-3-82 1500	10-1992 10-1993	10-0089	J1660	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 22381-1 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 1622701 1000-ml plastic unmarked 500-ml plastic 422244

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
10-S-3'	11H034	1 8-oz. jar w/teflon-lined lid	10-19-82 1235	10-1994	10-1037	J1661	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1995	10-1038	MJ9061	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
10-S-6'	11H034	1 8-oz. jar w/teflon-lined lid	10-19-82 1250	10-1996	10-1037	J1662	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1997	10-1038	MJ9062	grab	iced	heavy metals	California Analytical L Sacramento, CA
10-S-9'	11H034	1 8-oz. jar w/teflon-lined lid	10-19-82 1310	10-1998	10-1037	J1663	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-1999	10-1038	MJ9063	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
10-S-12'	11H034	1 8-oz. jar w/teflon-lined lid	10-19-82 1340	10-2000	10-1037	J1664	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2045	10-1038	MJ9064	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
10-S-15'	11H034	1 8-oz. jar w/teflon-lined lid	10-19-82 1405	10-2046	10-1037	J1665	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2047	10-1038	MJ9065	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
10-W-1	11H034	2 1/2-gal. br. btls. w/teflon-lined lid	11-4-82 1000	10-2048 10-2049	10-0092	J1666	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
10-W-1	11H034	2 1000-ml cubitainers	11-4-82 1000	10-0309 10-2050	10-0093	MJ9066	grab	NaOH iced	cyanide heavy metals	California Analytical I Sacramento, CA
10-W-1	11H034	1 500-ml cubitainer	11-4-82 1000	10-2051	10-0091	44161	grab	iced	TDS and Cl$^-$	EPA Laboratory Manchester, WA
10-W-1	11H034	2 40-ml vials	11-4-82 1000	10-2053 10-2054	10-0092	J1666	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 121461 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622702 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
11-S-3'	11H035	1 8-oz. jar w/teflon-lined lid	10-8-82 1100	10-2054	10-1012	J1667	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2055	10-1011	MJ9067	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
11-S-6'	11H035	1 8-oz. jar w/teflon-lined lid	10-8-82 1115	10-2056	10-1012	J1668	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2057	10-1011	MJ9068	grab	iced	heavy metals	California Analytical L Sacramento, CA
11-S-8'	11H035	1 8-oz. jar w/teflon-lined lid	10-8-82 1130	10-2058	10-1012	J1669	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2059	10-1011	MJ9069	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
11-S-10'	11H035	1 8-oz. jar w/teflon-lined lid	10-8-82 1145	10-2060	10-1012	J1670	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2061	10-1011	MJ9070	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
11-S-12'	11H035	1 8-oz. jar w/teflon-lined lid	10-8-82 1200	10-2062	10-1012	J1671	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2063	10-1011	MJ9071	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
11-W-1	11H035	2 1/2-gal. br. btls. w/teflon-lined lid	11-9-82 1030	10-2064 10-2065	10-0100	J1672	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
11-W-1	11H035	2 1000-ml cubitainers	11-9-82 1030	10-0310 10-2066	10-1445	MJ9072	grab	NaOH iced	cyanide heavy metals	California Analytical L Sacramento, CA
11-W-1	11H035	1 500-ml cubitainer	11-9-82 1030	10-2067	10-1446	45153	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
11-W-1	11H035	2 40-ml vials	11-9-82 1030	10-2068 10-2069	10-0100	J1672	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 121461 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622702 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser- vation	Analysis Requested	Destination
11-W-2	11H035	2 1/2-gal. br. btls. w/teflon-lined lid	11-9-82 1100	10-2080 10-2081	10-0100	J1678	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
11-W-2	11H035	2 1000-ml cubitainers	11-9-82 1100	10-2082	10-1445	MJ9078	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
11-W-2	11H035	1 500-ml cubitainer	11-9-82 1100	10-2083	10-1446	45154	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
11-W-2	11H035	2 40-ml vials	11-9-82 1100	10-2084 10-2085	10-0100	J1678	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 121461 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622704 1000-ml plastic unlined 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preservation	Analysis Requested	Destination
12-S-3'	11H036	1 8-oz. jar w/teflon-lined lid	10-25-82 1130	10-2086	10-1045	J1679	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2087	10-1046	MJ9097	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
12-S-6'	11H036	1 8-oz. jar w/teflon-lined lid	10-25-82 1140	10-2088	10-1045	J1680	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2089	10-1046	MJ9080	grab	iced	heavy metals	California Analytical L Sacramento, CA
12-S-9'	11H036	1 8-oz. jar w/teflon-lined lid	10-25-82 1200	10-2090	10-1045	J1681	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2091	10-1046	MJ9081	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
12-S-12'	11H036	1 8-oz. jar w/teflon-lined lid	10-25-82 1230	10-2092	10-1045	J1682	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2093	10-1046	MJ9082	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
12-S-15'	11H036	1 8-oz. jar w/teflon-lined lid	10-25-82 1240	10-2094	10-1045	J1683	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2095	10-1046	MJ9083	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
12-W-1	11H036	2 1/2-gal. br. btls. w/teflon-lined lid	11-3-82 1200	10-2096 10-2097	10-0089	J1684	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
12-W-1	11H036	2 1000-ml cubitainers	11-3-82 1200	10-0313 10-2098	10-0090	MJ9084	grab	NaOH iced	cyanide heavy metals	California Analytical ! Sacramento, CA
12-W-1	11H036	1 500-ml cubitainer	11-3-82 1200	10-2099	10-0088	44159	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
12-W-1	11H036	2 40-ml vials	11-3-82 1200	10-2100 10-2101	10-0089	J1684	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 121461 VOA BOTTLE LOT NO. 2227984 8-OZ. SOIL SAMPLE BOTTLE NO. 622787 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preservation	Analysis Requested	Destination
13-S-3'	11H037	1 8-oz. jar w/teflon-lined lid	10-27-82 1310	10-2102	10-0081	J1685	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2103	10-0024	MJ9085	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
13-S-6'	11H037	1 8-oz. jar w/teflon-lined lid	10-27-82 1325	10-2104	10-0081	J1686	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2105	10-0024	MJ9086	grab	iced	heavy metals	California Analytical [illegible]s Sacramento, CA
13-S-9'	11H037	1 8-oz. jar w/teflon-lined lid	10-27-82 1400	10-2106	10-0081	J1687	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2107	10-0024	MJ9087	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
13-W-1	11H037	2 1/2-gal. br. btls. w/teflon-lined lid	11-1-82 1500	10-2112 10-2113	10-0083	J1690	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
13-W-1	11H037	2 1000-ml cubitainers	11-1-82 1500	10-0314 10-2114	10-0084	MJ9090	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
13-W-1	11H037	1 500-ml cubitainer	11-1-82 1500	10-2115 10-2116	10-0085	44150	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
13-W-1	11H037	2 40-ml vials	11-1-82	10-2117	10-0083	J1690	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 121461 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622787 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
14-S-3'	11H038	1 8-oz. jar w/teflon-lined lid	10-20-82 0945	10-2118	10-1040	J1691	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2119	10-1039	MJ9091	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
14-S-6'	11H038	1 8-oz. jar w/teflon-lined lid	10-20-82 1020	10-2120	10-1040	J1692	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2121	10-1039	MJ9092	grab	iced	heavy metals	California Analytical Sacramento, CA
14-S-9'	11H038	1 8-oz. jar w/teflon-lined lid	10-20-82 1040	10-2122	10-1040	J1693	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2123	10-1039	MJ9093	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
14-S-12'	11H038	1 8-oz. jar w/teflon-lined lid	10-20-82 1100	10-2124	10-1040	J1694	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2125	10-1039	MJ9094	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
14-S-15'	11H038	1 8-oz. jar w/teflon-lined lid	10-20-82 1145	10-2126	10-1040	J1695	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2127	10-1039	MJ9095	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
14-W-1	11H038	2 1/2-gal. br. btls. w/teflon-lined lid	11-4-82 1400	10-2128 10-2129	10-0092	J1696	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
14-W-1	11H038	2 1000-ml cubitainers	11-4-82 1400	10-0315 10-2130	10-0093	MJ9096	grab	NaOH iced	cyanide heavy metals	California Analytical Sacramento, CA
14-W-1	11H038	1 500-ml cubitainer	11-4-82 1400	10-2131	10-0094	44163	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
14-W-1	11H038	2 40-ml vials	11-4-82 1400	10-2132 10-2133	10-0092	J1696	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 121461 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622704 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preservation	Analysis Requested	Destination
15-S-3'	11H039	1 8-oz. jar w/teflon-lined lid	10-25-82 1500	10-2134	10-1045	J1697	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2135	10-1046	MJ9097	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
15-S-6'	11H039	1 8-oz. jar w/teflon-lined lid	10-25-82 1510	10-2136	10-1045	J1698	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2137	10-1046	MJ9098	grab	iced	heavy metals	California Analytical Sacramento, CA
15-S-9'	11H039	1 8-oz. jar w/teflon-lined lid	10-25-82 1520	10-2138	10-1045	J1699	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2139	10-1046	MJ9099	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
~~15-S-12'~~	~~11H039~~	~~1 8-oz. jar w/teflon-lined lid~~	~~10-25-82~~ ~~1530~~	~~10-2140~~	~~10-1045~~	~~J1700~~	~~grab~~	~~iced~~	~~extractible organics~~	~~Mead Compu/Chem~~ ~~Res. Tri. Park,~~ NC
		~~1 8-oz. jar w/teflon-lined lid~~		~~10-2141~~	~~10-1046~~	~~MJ9100~~	~~grab~~	~~iced~~	~~heavy metals~~	~~California Analy~~tical Labs ~~Sacramento, CA~~
15-W-1	11H039	2 1/2-gal. br. btls. w/teflon-lined lid	11-12-82 1230	10-2144 10-2145	10-1452	J1702	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
15-W-1	11H039	2 1000-ml cubitainers	11-12-82 1230	10-0311 10-2146	10-1453	MJ9102	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
15-W-1	11H039	1 500-ml cubitainer	11-12-82 1230	10-2147	10-1449	45164	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
15-W-1	11H039	2 40-ml vials	11-12-82 1230	10-2148 10-2149	10-1452	J1702	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 041282-1 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622787 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preservation	Analysis Requested	Destination
16-S-3'	11H040	1 8-oz. jar w/teflon-lined lid	10-20-82 1310	10-2150	10-1040	J1703	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2151	10-1039	MJ9103	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
16-S-6'	11H040	1 8-oz. jar w/teflon-lined lid	10-20-82 1325	10-2152	10-1040	J1704	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2153	10-1039	MJ9104	grab	iced	heavy metals	California Analytical s Sacramento, CA
16-S-9'	11H040	1 8-oz. jar w/teflon-lined lid	10-20-82 1345	10-2154	10-1040	J1705	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2155	10-1039	MJ9105	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
16-S-12'	11H040	1 8-oz. jar w/teflon-lined lid	10-20-82 1405	10-2156	10-1040	J1706	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2157	10-1039	MJ9106	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
16-S-15'	11H040	1 8-oz. jar w/teflon-lined lid	10-20-82 1430	10-2158	10-1040	J1707	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2159	10-1039	MJ9107	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
16-W-1	11H040	2 1/2-gal. br. btls. w/teflon-lined lid	11-4-82 1100	10-2160 10-2161	10-0092	J1708	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
16-W-1	11H040	2 1000-ml cubitainers	11-4-82 1100	10-0316 10-2162	10-0093	MJ9108	grab	NaOH iced	cyanide heavy metals	California Analytical s Sacramento, CA
16-W-1	11H040	1 500-ml cubitainer	11-4-82 1100	10-2163	10-0091	44164	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
16-W-1	11H040	2 40-ml vials	11-4-82 1100	10-2164 10-2165	10-0092	J1708	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON IDD 10-8203-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222563 8-OZ. SOIL SAMPLE BOTTLE NO. 622702 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preservation	Analysis Requested	Destination
17-S-3'	11H041	1 8-oz. jar w/teflon-lined lid	10-11-82 1100	10-2166	10-1013	J1709	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2167	10-1014	MJ9109	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
17-S-6'	11H041	1 8-oz. jar w/teflon-lined lid	10-11-82 1120	10-2168	10-1013	J1710	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2169	10-1014	MJ9110	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
17-S-9'	11H041	1 8-oz. jar w/teflon-lined lid	10-11-82 1150	10-2170	10-1013	J1711	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2171	10-1014	MJ9111	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
17-S-12'	11H041	1 8-oz. jar w/teflon-lined lid	10-11-82 1230	10-2172	10-1013	J1712	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2173	10-1014	MJ9112	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
17-S-15'	11H041	1 8-oz. jar w/teflon-lined lid	10-11-82 1300	10-2174	10-1013	J1713	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2175	10-1014	MJ9113	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
17-W-1	11H041	2 1/2-gal. br. btls. w/teflon-lined lid	10-14-82 1600	10-2176 10-2177	10-1032	J1715	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
17-W-1	11H041	1 500-ml cubitainer	10-14-82 1600	10-2178	10-1033	MJ9115	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
17-W-1	11H041	1 500-ml cubitainer	10-14-82 1600	10-2179		41020	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
17-W-1	11H041	2 40-ml vials	10-14-82 1600	10-2180 10-2181	10-1032	J1715	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 041282-1 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622702 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
17-W-1A	11H041	2 1/2-gal. br. btls. w/teflon-lined lid	11-10-82 1000	10-0317 10-0318	10-1447	J0427	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
17-W-1A	11H041	2 1000-ml cubitainers	11-10-82 1000	10-0319 10-0320	10-1448	MJ8042	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
17-W-1A	11H041	1 500-ml cubitainer	11-10-82 1000	10-0321	10-1446	45155	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
17-W-1A	11H041	2 40-ml vials	11-10-82 1000	10-0322 10-0323	10-1447	J0427	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC
17-S-18'	11H041	1 8-oz. jar w/teflon-lined lid	10-13-82 1330	10-2182	10-1030	J1714	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2183	10-1031	MJ9114	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
17-S-21'	11H041	1 8-oz. jar w/teflon-lined lid	10-13-82 1350	10-2184	10-1030	J1716	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2185	10-1031	MJ9116	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
17-S-24'	11H041	1 8-oz. jar w/teflon-lined lid	10-13-82 1400	10-2186	10-1030	J1717	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2187	10-1031	MJ9117	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
17-S-27'	11H041	1 8-oz. jar w/teflon-lined lid	10-13-82 1405	10-2188	10-1030	J1718	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2189	10-1031	MJ9118	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
17-S-30'	11H041	1 8-oz. jar w/teflon-lined lid	10-13-82 1420	10-2190	10-1030	J1719	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2191	10-1031	MJ9119	grab	iced	heavy metals	California Analytical Labs Sacramento, CA

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 041282-1 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622702 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preservation	Analysis Requested	Destination
17-W-2	11H041	2 1/2-gal. br. btls. w/teflon-lined lid	11-10-82 1100	10-2192 10-2193	10-1447	J1720	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
17-W-2	11H041	2 1000-ml cubitainers	11-10-82 1100	10-0324 10-2194	10-1448	MJ9120	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
17-W-2	11H041	1 500-ml cubitainer	11-10-82 1100	10-2195	10-1446	45156	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
17-W-2	11H041	2 40-ml vials	11-10-82 1100	10-2196 10-2197	10-1447	J1720	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 041282-1 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622787 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
18-S-3'	11H042	1 8-oz. jar w/teflon-lined lid	10-26-82 1000	10-2198	10-1049	J1721	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2199	10-1048	MJ9121	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
18-S-6'	11H042	1 8-oz. jar w/teflon-lined lid	10-26-82 1020	10-2200	10-1049	J1722	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2201	10-1048	MJ9122	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
18-S-9'	11H042	1 8-oz. jar w/teflon-lined lid	10-26-82 1030	10-2202	10-1049	J1723	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2203	10-1048	MJ9123	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
18-W-1	11H042	2 1/2-gal. br. btls. w/teflon-lined lid	11-12-82 1130	10-2208 10-2209	10-1452	J1726	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
18-W-1	11H042	2 1000-ml cubitainers	11-12-82 1130	10-0325 10-2210	10-1453	MJ9126	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
18-W-1	11H042	1 500-ml cubitainer	11-12-82 1130	10-2211	10-1449	45163	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
18-W-1	11H042	2 40-ml vials	11-12-82 1130	10-2212 10-2213	10-1452	J1726	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 041282-1 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622787 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
19-S-3'	11H043	1 8-oz. jar w/teflon-lined lid	10-27-82 1000	10-2214	10-0081	J1727	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2215	10-1024	MJ9127	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
19-S-6'	11H043	1 8-oz. jar w/teflon-lined lid	10-27-82 1015	10-2216	10-0081	J1728	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2217	10-1024	MJ9128	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
19-S-9'	11H043	1 8-oz. jar w/teflon-lined lid	10-27-82 1045	10-2218	10-0081	J1729	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2219	10-1024	MJ9129	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
19-S-12'	11H043	1 8-oz. jar w/teflon-lined lid	10-27-82 1120	10-2220	10-0081	J1730	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2221	10-1024	MJ9130	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
19-W-1	11H043	2 1/2-gal. br. btls. w/teflon-lined lid	11-1-82 1600	10-2224 10-2225	10-0083	J1732	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
19-W-1	11H043	2 1000-ml cubitainers	11-1-82 1600	10-0326 10-2226	10-0084	MJ9132	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
19-W-1	11H043	1 500-ml cubitainer	11-1-82 1630	10-2227	10-0085	44151	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
19-W-1	11H043	2 40-ml vials	11-1-82 1600	10-2228 10-2229	10-0083	J1732	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622787 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preservation	Analysis Requested	Destination
20-S-3'	11H044	1 8-oz. jar w/teflon-lined lid	10-21-82 0940	10-2230	10-1041	J1733	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2231	10-1042	MJ9133	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
20-S-6'	11H044	1 8-oz. jar w/teflon-lined lid	10-21-82 1010	10-2232	10-1041	J1734	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2233	10-1042	MJ9134	grab	iced	heavy metals	California Analytical Sacramento, CA
20-S-9'	11H044	1 8-oz. jar w/teflon-lined lid	10-21-82 1030	10-2234	10-1041	J1735	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2235	10-1042	MJ9135	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
20-S-12'	11H044	1 8-oz. jar w/teflon-lined lid	10-21-82 1055	10-2236	10-1041	J1736	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2237	10-1042	MJ9136	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
20-S-15'	11H044	1 8-oz. jar w/teflon-lined lid	10-21-82 1120	10-2238	10-1041	J1737	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2239	10-1042	MJ9137	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
20-W-1	11H044	2 1/2-gal. br. btls. w/teflon-lined lid	11-4-82 1330	10-2240 10-2241	10-0092	J1738	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
20-W-1	11H044	2 1000-ml cubitainers	11-4-82 1330	10-0327 10-2242	10-0093	MJ9138	grab	NaOH iced	cyanide heavy metals	California Analytical Sacramento, CA
20-W-1	11H044	1 500-ml cubitainer	11-4-82 1330	10-2243	10-0094	44165	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
20-W-1	11H044	2 40-ml vials	11-4-82 1330	10-2244 10-2245	10-0092	J1738	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622787 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
21-S-3'	11H045	1 8-oz. jars	10-21-82	10-2246	10-1041	J1739	grab	iced	extractible organics	Mead Compu/Chem
		w/teflon-lined lid	1400							Res. Tri. Park, NC
		1 8-oz. jars		10-2247	10-1042	MJ9139	grab	iced	heavy metals	California Analytical Labs
		w/teflon-lined lid								Sacramento, CA
21-S-6'	11H045	1 8-oz. jar	10-21-82	10-2248	10-1041	J1740	grab	iced	extractible organics	Mead Compu/Chem
		w/teflon-lined lid	1445							Res. Tri. Park, NC
		1 8-oz. jar		10-2249	10-1042	MJ9140	grab	iced	heavy metals	California Analytical Labs
		w/teflon-lined lid								Sacramento, CA
21-S-9'	11H045	1 8-oz. jar	10-21-82	10-2250	10-1041	J1741	grab	iced	extractible organics	Mead Compu/Chem
		w/teflon-lined lid	1510							Res. Tri. Park, NC
		1 8-oz. jar		10-2251	10-1042	MJ9141	grab	iced	heavy metals	California Analytical Labs
		w/teflon-lined lid								Sacramento, CA
21-S-12'	11H045	1 8-oz. jar	10-21-82	10-2252	10-1041	J1742	grab	iced	extractible organics	Mead Compu/Chem
		w/teflon-lined lid	1535							Res. Tri. Park, NC
		1 8-oz. jar		10-2253	10-1042	MJ9142	grab	iced	heavy metals	California Analytical Labs
		w/teflon-lined lid								Sacramento, CA
21-S-15'	11H045	1 8-oz. jar	10-21-82	10-2254	10-1041	J1743	grab	iced	extractible organics	Mead Compu/Chem
		w/teflon-lined lid	1545							Res. Tri. Park, NC
		1 8-oz. jar		10-2255	10-1042	MJ9143	grab	iced	heavy metals	California Analytical Labs
		w/teflon-lined lid								Sacramento, CA
21-W-1	11H045	2 1/2-gal. br. btls.	11-5-82	10-2256	10-0095	J1744	grab	iced	extractible organics	Mead Compu/Chem
		w/teflon-lined lid	1030	10-2257						Res. Tri. Park, NC
21-W-1	11H045	2 1000-ml cubitainers	11-5-82	10-0328	10-0096	MJ9144	grab	NaOH	cyanide	California Analytical Labs
			1030	10-2258				iced	heavy metals	Sacramento, CA
21-W-1	11H045	1 500-ml cubitainer	11-5-82	10-2259	10-0094	44166	grab	iced	TDS and Cl⁻	EPA Laboratory
			1030							Manchester, WA
21-W-1	11H045	2 40-ml vials	11-5-82	10-2260	10-0095	J1744	grab	iced	volatile organics	Mead Compu/Chem
			1030	10-2261						Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622702 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
22-S-3'	11H046	1 8-oz. jar w/teflon-lined lid	10-12-82 0900	10-2262	10-1015	J1745	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2263	10-1029	MJ9145	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
22-S-6'	11H046	1 8-oz. jar w/teflon-lined lid	10-12-82 0930	10-2264	10-1015	J1746	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2265	10-1029	MJ9146	grab	iced	heavy metals	California Analytical Sacramento, CA
22-S-9'	11H046	1 8-oz. jar w/teflon-lined lid	10-12-82 1000	10-2266	10-1015	J1747	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2267	10-1029	MJ9147	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
22-S-12'	11H046	1 8-oz. jar w/teflon-lined lid	10-12-82 1030	10-2268	10-1015	J1748	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2269	10-1029	MJ9148	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
22-S-15'	11H046	1 8-oz. jar w/teflon-lined lid	10-12-82 1100	10-2270	10-1015	J1749	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2271	10-1029	MJ9149	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
22-W-1	11H046	2 1/2-gal. br. btls. w/teflon-lined lid	11-10-82 1200	10-2272 10-2273	10-1447	J1750	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
22-W-1	11H046	2 1000-ml cubitainers	11-10-82 1200	10-0329 10-2274	10-1448	MJ9150	grab	NaOH iced	cyanide heavy metals	California Analytical Sacramento, CA
22-W-1	11H046	1 500-ml cubitainer	11-10-82 1200	10-2275	10-1446	45157	grab	iced	TDS and Cl$^-$	EPA Laboratory Manchester, WA
22-W-1	11H046	2 40-ml vials	11-10-82 1200	10-2276 10-2277	10-1447	J1750	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622702 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser- vation	Analysis Requested	Destination
22-W-2	11H046	2 1/2-gal. br. btls. w/teflon-lined lid	11-10-82 1300	10-2288 10-2289	10-1447	J1756	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
22-W-2	11H046	2 1000-ml cubitainers	11-10-82 1300	10-0330 10-2290	10-1448	MJ9156	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
22-W-2	11H046	1 500-ml cubitainer	11-10-82 1300	10-2291	10-1446	45158	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
22-W-2	11H046	2 40-ml vials	11-10-82 1300	10-2292 10-2293	10-1447	J1756	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622787 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
23-S-3'	11H047	1 8-oz. jar w/teflon-lined lid	10-26-82 1130	10-2294	10-1049	J1757	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2295	10-1048	MJ9157	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
23-S-6'	11H047	1 8-oz. jar w/teflon-lined lid	10-26-82 1150	10-2296	10-1049	J1758	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2297	10-1048	MJ9158	grab	iced	heavy metals	California Analytical [illegible] Sacramento, CA
23-S-9'	11H047	1 8-oz. jar w/teflon-lined lid	10-26-82 1200	10-2298	10-1049	J1759	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2299	10-1048	MJ9159	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
23-W-1	11H047	2 1/2-gal. br. btls. w/teflon-lined lid	10-26-82 1430	10-2304 10-2305	10-1450	J1762	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
23-W-1	11H047	2 1000-ml cubitainers	10-26-82 1430	10-0331 10-2306	10-1451	MJ9162	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
23-W-1	11H047	1 500-ml cubitainer	10-26-82 1430	10-2307	10-1449	45162	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
23-W-1	11H047	2 40-ml vials	10-26-82 1430	10-2308 10-2309	10-1450	J1762	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622704 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
24-S-3'	11H048	1 8-oz. jar w/teflon-lined lid	10-22-82 0950	10-2310	10-1043	J1763	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2311	10-1044	MJ9163	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
24-S-6'	11H048	1 8-oz. jar w/teflon-lined lid	10-22-82 1000	10-2312	10-1043	J1764	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2313	10-1044	MJ9164	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
24-S-9'	11H048	1 8-oz. jar w/teflon-lined lid	10-22-82 1020	10-2314	10-1043	J1765	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2315	10-1044	MJ9165	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
24-S-12'	11H048	1 8-oz. jar w/teflon-lined lid	10-22-82 1045	10-2316	10-1043	J1766	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2317	10-1044	MJ9166	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
24-S-15'	11H048	1 8-oz. jar w/teflon-lined lid	10-22-82 1055	10-2318	10-1043	J1767	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2319	10-1044	MJ9167	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
24-W-1	11H048	2 1/2-gal. br. btls. w/teflon-lined lid	11-5-82 1130	10-2320 10-2321	10-0095	J1768	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
24-W-1	11H048	2 1000-ml cubitainers	11-5-82 1130	10-0332 10-2322	10-0096	MJ9168	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
24-W-1	11H048	1 500-ml cubitainer	11-5-82 1130	10-2323	10-0094	44167	grab	iced	TDS and Cl$^-$	EPA Laboratory Manchester, WA
24-W-1	11H048	2 40-ml vials	11-5-82 1130	10-2324 10-2325	10-0095	J1768	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622787 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
25-S-3'	11H049	1 8-oz. jar w/teflon-lined lid	10-26-82 1340	10-2326	10-1049	J1769	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2327	10-1048	MJ9169	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
25-S-6'	11H049	1 8-oz. jar w/teflon-lined lid	10-26-82 1355	10-2328	10-1049	J1770	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2329	10-1048	MJ9170	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
25-S-9'	11H049	1 8-oz. jar w/teflon-lined lid	10-26-82 1440	10-2330	10-1049	J1771	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2331	10-1048	MJ9171	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
25-W-1	11H049	2 1/2-gal. br. btls. w/teflon-lined lid	11-11-82 1130	10-2336 10-2337	10-1450	J1774	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
25-W-1	11H049	2 1000-ml cubitainers	11-11-82 1130	10-0333 10-2338	10-1451	MJ9174	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
25-W-1	11H049	1 500-ml cubitainer	11-11-82 1130	10-2339	10-1449	45159	grab	iced	TDS and Cl$^-$	EPA Laboratory Manchester, WA
25-W-1	11H049	2 40-ml vials	11-11-82 1130	10-2340 10-2341	10-1450	J1774	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC
25-W-2	11H049	2 1/2-gal. br. btls. w/teflon-lined lid	11-10-82 1500	10-2352 10-2353	10-1447	J1780	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
25-W-2	11H049	2 1000-ml cubitainers	11-10-82 1500	10-0334 10-2354	10-1448	MJ9180	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
25-W-2	11H049	1 500-ml cubitainer	11-10-82 1500	10-2400	10-1446	45160	grab	iced	TDS and Cl$^-$	EPA Laboratory Manchester, WA
25-W-2	11H049	2 40-ml vials	11-10-82 1500	10-2355 10-2356	10-1447	J1780	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622787 1000-ml plastic unmarked 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
26-S-3'	11H050	1 8-oz. jar w/teflon-lined lid	10-26-82 1425	10-2357	10-1049	J1781	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2358	10-1048	MJ9181 ~~MJ1781~~	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
26-S-6'	11H050	1 8-oz. jar w/teflon-lined lid	10-26-82 1440	10-2359	10-1049	J1782	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2360	10-1048	MJ9182	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
26-S-9'	11H050	1 8-oz. jar w/teflon-lined lid	10-26-82 1450	10-2361	10-1049	J1783	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
		1 8-oz. jar w/teflon-lined lid		10-2362	10-1048	MJ9183	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
26-W-1	11H050	2 1/2-gal. br. btls. w/teflon-lined lid	11-11-82 1230	10-2367 10-2368	10-1450	J1786	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
26-W-1	11H050	2 1000-ml cubitainers	11-11-82 1230	10-0335 10-2369	10-1451	MJ9186	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
26-W-1	11H050	1 500-ml cubitainer	11-11-82 1230	10-2370	10-1449	45161	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
26-W-1	11H050	2 40-ml vials	11-11-82 1230	10-2371 10-2372	10-1450	J1786	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222784 8-OZ. SOIL SAMPLE BOTTLE NO. 622787 1000-ml plastic unknown 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
27-S-3'	11H060	1 8-oz. jar w/teflon-lined lid	11-8-82 1100	10-1324	10-0097	J0460	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
27-S-6'	11H060	1 8-oz. jar w/teflon-lined lid	11-8-82 1100	10-1325	10-0097	J0430	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 223563 1000-ml plastic 322882 500-ml plastic 422241										
27-W-1	11H060	2 1/2-gal. br. btls. w/teflon-lined lid	11-16-82 1100	10-0712 10-0713	10-1457	J0462	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
27-W-1	11H060	2 1000-ml cubitainers	11-16-82 1100	10-0714 10-0715	10-1458	MJ8046	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
27-W-1	11H060	1 500-ml cubitainer	11-16-82 1100	10-0716	10-1459	46150	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
27-W-1	11H060	2 40-ml vials	11-16-82 1100	10-0717 10-0718	10-1457	J0462	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222563 1000-ml plastic 322882 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
28-W-1	11H062	2 1/2-gal. br. btls. w/teflon-lined lid	11-16-82 1230	10-0350 10-1326	10-1457	J0463	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
28-W-1	11H062	2 1000-ml cubitainers	11-16-82 1230	10-1496 10-1497	10-1458	MJ8047 ~~MJ8049~~	grab	NaOH iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
28-W-1	11H062	1 500-ml cubitainer	11-16-82 1230	10-1498	10-1459	46151	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
28-W-1	11H062	2 40-ml vials	11-16-82 1230	10-1499 10-0719	10-1457	J0463	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
AMBER BOTTLE LOT NO. 122641 VOA BOTTLE LOT NO. 222563 1000-ml plastic 322882 500-ml plastic 422241

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preservation	Analysis Requested	Destination
29-W-1	11H063	2 1/2-gal. br. btls. w/teflon-lined lid	11-15-82 1300	10-1794 10-1796	10-1456	J0461	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
29-W-1	11H063	2 1000-ml cubitainers	11-15-82 1300	10-1797 10-1798	10-1455	MJ8045	grab	iced	cyanide heavy metals	California Analytical Labs Sacramento, CA
29-W-1	11H063	1 500-ml cubitainer	11-15-82 1300	10-1799	10-1449	46152	grab	iced	TDS and Cl^-	EPA Laboratory Manchester, WA
29-W-1	11H063	2 40-ml vials	11-15-82 1300	10-1800 10-1327	10-1456	J0461	grab	iced	volatile organics	Mead Compu/Chem Res. Tri. Park, NC

WESTERN PROCESSING, INC., KENT, WA TDD 10-8203-04L (Well #30)

Location Number	STORET Station Number	Sample Containers	Date & Time	ID Tag Numbers	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
30-W-1	11H076	2 ½-gal br. btls. w/teflon lined lids	12/20/82 1100	10-1637 10-1638	10-0052	J0465 J0465	grab	iced	extractible organics	Mead Compu/Chem Research Tri. Pk., NC
	11H076	2 1000-ml cubitainers	12/20/82 1100	10-1639 10-1640	10-0053	MJ8033 MJ8033	grab	to pH 12 w/ NaOH iced	cyanide heavy metals	Calif. Analytical Sacramento, CA
	11H076	1 500-ml cubitainer	12/20/82 1100	10-1641	10-0054	51150	grab	iced	TDS and CL^-	EPA Laboratory Manchester, WA
	11H076	2 40-ml vials	12/20/82 1100	10-1642 10-1643	10-0052	J0465 J0465	grab	iced	volatile organics volatile organics	Mead Compu/Chem Research Tri. Pk., NC

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
8-OZ. SOIL SAMPLE BOTTLE NO. 622704

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preservation	Analysis Requested	Destination
BERM-1	11H051	1 8-oz. jar w/teflon-lined lid	10-25-82 1000	10-2373	10-1045	J1787	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H051	1 8-oz. jar w/teflon-lined lid		10-2374	10-1046	MJ9187	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
BERM-2	11H052	1 8-oz. jar w/teflon-lined lid	10-25-82 1015	10-2375	10-1045	J1788	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H052	1 8-oz. jar w/teflon-lined lid		10-2376	10-1046	MJ9188	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
BERM-3	11H053	1 8-oz. jar w/teflon-lined lid	10-25-82 1030	10-2377	10-1045	J1789	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H053	1 8-oz. jar w/teflon-lined lid		10-2378	10-1046	MJ9189	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
BERM-4	11H054	1 8-oz. jar w/teflon-lined lid	10-25-82 1045	10-2379	10-1045	J1790	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H054	1 8-oz. jar w/teflon-lined lid		10-2380	10-1046	MJ9190	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
BERM-5	11H055	1 8-oz. jar w/teflon-lined lid	10-25-82 1100	10-2381	10-1045	J1791	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H055	1 8-oz. jar w/teflon-lined lid		10-2382	10-1046	MJ9191	grab	iced	heavy metals	California Analytical Labs Sacramento, CA

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E
8-OZ. SOIL SAMPLE BOTTLE NO. 622704

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preservation	Analysis Requested	Destination
BERM-6	11H056	1 8-oz. jar w/teflon-lined lid	10-25-82 1115	10-2383	10-1045	J1792	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H056	1 8-oz. jar w/teflon-lined lid		10-2384	10-1046	MJ9192	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
BERM-7	11H057	1 8-oz. jar w/teflon-lined lid	10-25-82 1130	10-2385	10-1045	J1793	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H057	1 8-oz. jar w/teflon-lined lid		10-2386	10-1046	MJ9193	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
BERM-8	11H058	1 8-oz. jar w/teflon-lined lid	10-25-82 1145	10-2387	10-1045	J1794	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H058	1 8-oz. jar w/teflon-lined lid		10-2388	10-1046	MJ9194	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
BERM-9	11H059	1 8-oz. jar w/teflon-lined lid	10-25-82 1200	10-2389	10-1045	J1795	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H059	1 8-oz. jar w/teflon-lined lid		10-2390	10-1046	MJ9195	grab	iced	heavy metals	California Analytical Labs Sacramento, CA

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preservation	Analysis Requested	Destination
SS-2	11H065	1 8-oz. jar w/teflon-lined lid	11-18-82 0952	10-1713	10-1460	J1628	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H065	1 8-oz. jar w/teflon-lined lid		10-1714	10-1461	MJ9328	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
SS-3	11H066	1 8-oz. jar w/teflon-lined lid	11-18-82 0956	10-1715	10-1460	J1629	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H066	1 8-oz. jar w/teflon-lined lid		10-1716	10-1461	MJ9329	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
SS-4	11H067	1 8-oz. jar w/teflon-lined lid	11-18-82 1002	10-1731	10-1460	J1635	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H067	1 8-oz. jar w/teflon-lined lid		10-1732	10-1461	MJ9335	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
SS-5	11H068	1 8-oz. jar w/teflon-lined lid	11-18-82 1008	10-1747	10-1460	J1641	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H068	1 8-oz. jar w/teflon-lined lid		10-1748	10-1461	MJ9341	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
SS-6	11H069	1 8-oz. jar w/teflon-lined lid	11-18-82 1027	10-1952	10-1460	J1646	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H069	1 8-oz. jar w/teflon-lined lid		10-1953	10-1461	MJ9346	grab	iced	heavy metals	California Analytical Labs Sacramento, CA

WESTERN PROCESSING COMPANY, INC. KENT, WASHINGTON TDD 10-8203-04E

Location Number	STORET Station Number	Sample Containers	Date and Time	ID Tag Number	Custody Form Number	Sample Lab. Number	Sample Type (grab)	Means of Preser-vation	Analysis Requested	Destination
SS-7	11H070	1 8-oz. jar w/teflon-lined lid	11-18-82 1036	10-1954	10-1460	J1647	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H070	1 8-oz. jar w/teflon-lined lid		10-1955	10-1461	MJ9347	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
SS-8	11H071	1 8-oz. jar w/teflon-lined lid	11-18-82 1041	10-1986	10-1460	J1659	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H071	1 8-oz. jar w/teflon-lined lid		10-1987	10-1461	MJ9059	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
SS-9	11H072	1 8-oz. jar w/teflon-lined lid	11-18-82 1044	10-2070	10-1460	J1673	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H072	1 8-oz. jar w/teflon-lined lid		10-2071	10-1461	MJ9073	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
SS-10	11H073	1 8-oz. jar w/teflon-lined lid	11-18-82 1048	10-2072	10-1460	J1674	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H073	1 8-oz. jar w/teflon-lined lid		10-2073	10-1461	MJ9074	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
SS-11	11H074	1 8-oz. jar w/teflon-lined lid	11-18-82 1050	10-2074	10-1460	J1675	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H074	1 8-oz. jar w/teflon-lined lid		10-2075	10-1461	MJ9075	grab	iced	heavy metals	California Analytical Labs Sacramento, CA
SS-12	11H075	1 8-oz. jar w/teflon-lined lid	11-18-82 1053	10-2076	10-1460	J1676	grab	iced	extractible organics	Mead Compu/Chem Res. Tri. Park, NC
	11H075	1 8-oz. jar w/teflon-lined lid		10-2077	10-1461	MJ9076	grab	iced	heavy metals	California Analytical Labs Sacramento, CA

APPENDIX E

QUALITY ASSURANCE FORMS

QUALITY CONTROL REGION 10
FIELD SAMPLE

SITE: ____________

SAMPLE: ____________

FRACTION: ____________

	NOT ACCEPTABLE	ACCEPTABLE
I. Sample Run Checks		
(a) RIC/EIC's	______	______
(b) Internal Standard (RT, Spectrum)	______	______
(c) Surrogate Recoveries	______	______
(d) Compounds Identified	______	______
(1) Priority Pollutants:		
(a) Number Identified	______	
(b) RI's Acceptable?	______	______
(c) Spectra Acceptable?	______	______

(d) Compounds in Blank? YES _____ NO _____

(Blank) $\overset{1}{5}$ (Sample)? YES _____ NO _____

(e) Number Compounds Accepted? _____

(f) Remarks:

II. Non-Priority Pollutants

(a) Number Identified ______

(b) RI's Acceptable	______	______
(c) Spectra Acceptable?	______	______

(d) Compounds in Blank? YES _____ NO _____

(Blank) $\overset{1}{5}$ (Sample)? YES _____ NO _____

(e) Number of Compounds Accepted _____

(f) Remarks:

APPENDIX F

SITE SAFETY PLAN

ecology and environment, inc.
108 SOUTH WASHINGTON, SUITE 302, SEATTLE, WASHINGTON 98104, TEL. 206-624-9537
International Specialists in the Environmental Sciences

DATE: October 6, 1982

TO: Bruce Zaczynski, NPMO

FROM: Thomas Tobin, RSC
Region X FIT

Thomas A. Tobin
10-6-82

SUBJ: Site Safety Plan for Well Installation
and Soil/Groundwater Sampling
Western Processing Company, Inc.
Kent, WA

REF: TDD 10-8203-04 D & E

CC: Ron Blair

Enclosed is the site safety plan for drilling services and soil and groundwater sampling at Western Processing Company, Inc., Kent, WA (see attached figures). EPA personnel have agreed to follow our safety protocol.

Per our phone conversations and with your suggestions, field personnel and the drillers will wear Level C respiratory protective equipment (APRs) to protect against the possible and sudden release of dust, gases and/or vapors from the drilling and/or sampling of the groundwater monitoring wells. Personnel within 10 feet of the operating drill rig will wear MSA combination cartridges, GMA-H type; personnel greater than 10 feet from the drill rig will wear chemical cartridges, GMA type. The breathing zone above and around the drill hole will be monitored constantly with the Organic Vapor Analyzer (OVA) in the survey mode. Based on the list of synthetic organic compounds that were detected in soil samples collected at Western Processing (see Table 1), an action level of 25 ppm (25 ppm is the TWA for cyclohexanone, a cyclic aliphatic ketone similar in structure to detected 2,4-dimethylcyclobutenone) has been set for the OVA. OVA readings greater than 25 ppm in the breathing zone will require the use of SCBAs by all on-site drilling/field personnel.

EPA and FIT personnel and vehicles entering and exiting the site will be decontaminated at the Personnel and Vehicle Decontamination Station (see Fig. 3). Vehicles and equipment will be steam cleaned and the contaminated waste water will be collected into 55-gallon drums; likewise, personnel wash water will be stored in these drums. Drummed waste wash water will be analyzed to determine if it meets METRO standards. If the water does, it will be dumped into the nearest sewer for disposal.

Water generated from the development and purging of the groundwater monitoring wells will be left on-site with the owner's permission. If this is not possible, the water will be drummed for later off site disposal by the EPA.

Work coveralls will be removed after decontamination and stored in the off-site EPA dress-out van; coveralls will be washed once a week. The respirators will be wiped with water and sanitized once a week. Cartridge changes will be determined in the field. The inside of onsite vehicles will be lined with a polyethylene sheet to prevent contamination by on-site personnel. These polyethylene sheets and any additional disposables will be bagged for later off-site disposal by the FIT/EPA.

Western Processing is an active facility with employees and vehicles moving on-site with little regard for the field team. As this may pose an additional safety problem to us and our equipment, a Federal marshal will be with the field team for the first week. The owner of Western Processing will sign an agreement with the EPA stating that neither he nor his employees will interfer with our on-site work. Also, they will not touch the drilling equipment.

Enclosures as stated
TT:jg
FIT/16
wp-s-10/6

ECOLOGY AND ENVIRONMENT, INC.
FIELD INVESTIGATION TEAM
SITE SAFETY PLAN

A. GENERAL INFORMATION

SITE: Western Processing Company, Inc. TDD NO: 10-8203-04 D & E
7215 So. 196th Street WSTS NO:
LOCATION: Kent, WA
PLAN PREPARED BY: Thomas Tobin DATE: 10-6-82
APPROVED BY: Thomas Tobin DATE: 10-6-82
OBJECTIVE(S): Collect assorted samples from the Western Processing site

PROPOSED DATE OF INVESTIGATION: October 6-27, 1982
BACKGROUND REVIEW: Complete: X Preliminary:
DOCUMENTATION/SUMMARY: OVERALL HAZARD: Serious: Moderate: X
Low: Unknown:

B. SITE/WASTE CHARACTERISTICS

WASTE TYPES(S): Liquid X Solid X Sludge X Gas
CHARACTERISTIC(S): Corrosive X Ignitable Radioactive
Volatile X Toxic X Reactive X Unknown X Other (Name)
FACILITY DESCRIPTION: Industrial waste recycling facility

Principal Disposal Method (type and location): unknown; on-site burial of waste material suspected

Unusual Features (dike integrity, power lines, terrain, etc.) site perimeter bermed

Status: (active, inactive, unknown) Active

History: (Worker or non-worker injury; complaints from public; previous agency action):
RCRA violations [3008 RCRA order (6-4-81); 3013 RCRA order (8-17-82)]
NPDES violations; SPCC violations (1975)

C. HAZARD EVALUATION

Western Processing is an active recycler/reclaimer of hazardous materials. Spills from drums, waste lagoons, and pits and poor housekeeping procedures may be contributing to the water quality of Mill Creek and the shallow groundwater table. Analyses of soil samples collected from this site revealed a number of organic synthetic compounds (see Table 1) at levels $\leq$ 10 ppm. These compounds may be volatized into the air during the drilling process. Level C protective clothing will be worn by the field team, including the drillers, at all times on the site and will be upgraded to level B if necessary.

D. SITE SAFETY WORK PLAN

PERIMETER ESTABLISHMENT: Map/Sketch Attached X Site Secured? X

Perimeter Identified? X Zone(s) of Contamination Identified? No

Suggested contamination of shallow groundwater table.

PERSONAL PROTECTION

Level of Protection: A ___ B ___ C X D ___

Modifications: For environmental sampling, we will not be wearing butyl rubber booties or disposable booties. The decision to wear the butyl rubber apron will be made in the field.

Surveillance Equipment and Materials: OVA, HNU, Draeger pump and tubes for miscellaneous chemicals, radiation monitoring equipment, Monitox Compur 4100 for HCN.

DECONTAMINATION PROCEDURES: Modified level C decontamination procedures. (see cover memo)

Special Equipment, Facilities, or Procedures:
Team will be briefed each day prior to site entry.

SITE ENTRY PROCEDURES:

Team Member	**Responsibility**
Thomas Tobin	Team Coordinator/Safety Advisor
Peter Evers	OVA Operator/On-site Safety
Jackie Betz	Sampler
Larry Gorelik	Sampler/Safety Person/Decon
Carol Mitrani	Geologist
Will Kemper	Possible OVA Operator
Various EPA Personnel	Observation
Fred Wolf	EPA Geologist and On-site Coordinator

WORK LIMITATIONS (Time of day, etc.): None

INVESTIGATION-DERIVED MATERIAL DISPOSAL: See cover memo

E. EMERGENCY INFORMATION

LOCAL RESOURCES

Ambulance Shepard Ambulance Service, 1307 S. 159th St., Renton, 322-0330

Hospital Emergency Room Valley General Hospital, 16200 85th W., Renton, 244-9970

Poison Control Center 634-5252

Police 911/State Highway Patrol, 464-6610

Fire Department Fire Bryn-Mawr - Skyway - Lakeridge District 20, 852-2121

Airport Renton Airport 767-2545

Explosives Unit 911

EPA Contact John Osborn, ESD 442-0837

SITE RESOURCES

Water Supply FIT arranging for City of Kent to supply EPA trailor with water

Telephone EPA arranging to have phone line installed at EPA trailor

Radio Walkie-talkies from EPA and FIT

Other

EMERGENCY CONTACTS

1.	Dr. Raymond Harbison (University of Arkansas) . . .	(501) 661-5766 or 661-5767 (501) 370-8263 (24 hour)
2.	Regional Safety Officer	Thomas Tobin
3.	FIT Leader	Hussein Aldis
4.	FIT office	Region X; 206-624-9537
5.	Ecology and Environment, Inc. NPMO	(703) 522-6065 (24 hour; call forwarding)
6.	Regional Health Maintenance Program Contact	
7.	TAT Emergency Paging System	(716) 882-2804
8.	CHEMTREX	1-800-424-9300
9.	Bruce Zaczynski	(703) 522-6065
10.	Dave Dahlstrom	(716) 632-4491/741-2884

F. EMERGENCY ROUTES

(Give road or other directions; attach map)

HOSPITAL: VALLEY GENERAL HOSPITAL: take 196th S. to West Valley Road (north) to 43rd St. SW (east) to Talbot Road (north) -- should see the hospital.

OTHER:

EQUIPMENT CHECKOUT

SCBA ☒ CYLINDERS ☒
APR ☒ CARTRIDGES ☒
EXPLOSIMETER ☐
O_2 INDICATOR ☐
DRAEGER PUMP ☒ TUBES ☒
RADIATION SURVEY METER ☐
RADIATION CONTAMINATION METER ☒

EYE WASH UNIT ☒
FIRST AID KIT ☒
DRINKING WATER SUPPLY ☒
PERSONAL CLOTHING ☒
DECONTAMINATION MATERIALS ☒
DOSIMETER BADGES ☒
OVA ☒
HNU ☒


1578 IV NE
(DES MOINES)
35
36
31
BM
24
BM
17
T. 23 N.
T. 22 N.
GRADE
BURLINGTON
PACIFIC
RAILRO
AND
NORTHERN
Mill
Creek
BM
22
2
WESTERN PROCESSING
Drive-in
Theater
BM
28
100
25
167
300
BM
25'
5252
KITSAP
KING
SEATTLE
PUGET
SOUND
COUNTY
PIERCE
COUNTY
COUNTY
TACOMA
LOCATION MAP
WESTERN PROCESSING

Figure 1
WESTERN PROCESSING
Kent, Washington


South 196th Street
N
1
2
3
4
5
6
7
8
9
10
10
11
12
13
14
15
16
17
18
19
20
20
20
20
20
KEY:
(1) Main gate
(2) King County drainage ditch # 1
(3) Fill material
(4) Storage lagoons for acid/caustic/cyanide wastes
(5) Fertilizer/exoskeleton plant
(6) Powerline drainage ditch
(7) Railroad drainage ditch
(8) Burlington Northern railroad tracks
(9) Public jogging track
(10) Foundry sand
(11) Scrap metal/construction debris
(12) Cyclone fence
(13) Water recharge area with dikes/berm
(14) Solvent recovery plant with storage area
(15) Bulk storage tanks
(16) Cooling water lagoons
(17) Chlorine gas tank storage house
(18) Laboratory
(19) Naphtha storage tanks
(20) 55-gallon drum storage area

Figure 2: Site Plan (1980)
Western Processing Co., Inc.
Kent, WA


WESTERN PROCESSING COMPANY, INC.
Mill Creek
55-gal drums for waste water
Personnel and Vehicle Decontamination Station
So.196th Street
12'
VEHICLES
Soapy water
Rinse water
Hand water
Fire hydrant for water
Steam cleaner
50'
to EPA trailor →
North ↓

FIGURE 3
PERSONNEL AND VEHICLE DECONTAMINATION STATION
WESTERN PROCESSING COMPANY, INC.


TUKWILA
RENTON
ORILLIA
O'BRIEN
KENT
EAST HILL
VALLEY
167
181
515

FIGURE 4
LOCATION MAP
VALLEY GENRAL HOSPITAL
RENTON, WASHINGTON

TABLE 1
ANALYSES OF SOIL SAMPLES COLLECTED AT WESTERN PROCESSING COMPANY, INC.
SEPTEMBER 23, 1982[a]

Station Number	Chemical	Decected Levels	IDLH level[b] (ppm)	TWA[c] (ppm)	SFEL[c] (ppm)
17	acetone	≤ 10 ppm	20,000	1,000	1,250
	MEK	"	3,000	200	300
	MIBK	"	NL	50	75
	2-pentanone	"	5,000	200	250
	2,4-dimethylcyclobutenone	"	NL	NL	NL
	ethylbenzene	"	2,000	100	125
	xylene	"	10,000	NL	NL
	toluene	≅ 50	2,000	(skin) 100	150
18A	trichloroethylene	≤ 1 ppm	1,000	(skin) 50	(150)
	1,2,3-trimethylcycloclohexane	"	NL	NL	NL
	toluene	"	2,000	(skin) 100	150
	ethylbenzene	"	2,000	100	125
20	trichloro-tri-floroethane	ND	NL	NL	NL
	trichloroethylene	≤ 10 ppm	1,000	(skin) 50	(150)
	tetrachloroethylene	"	500	(skin) 50	(150)
	toluene	"	2,000	(skin) 100	150
	2-methyl 1-pentene	≅ 1 ppm	NL	NL	NL
	methyl cyclohexane	"	10,000	400	500
	ethyl cyclohexane	"	asphyxiant	NL	NL
3 + 11		ND			
22		ND			

NL - Not Listed ND - Not Detected

[a] Analyses performed by EEI corporate laboratory

[b] NIOSH/OSHA Pocket Guide to Chemical Hazards, USDHHS, 1978

[c] Threshold Limit Values for Chemical Substances in the Workroom Air, Adopted by the ACGIH for 1981.

TO: All TAT/FIT Team Members

THRU: Regional Safety Officers

FROM: David L. Dahlstrom, Corporate Safety Director

SUBJECT: Emergency Incident Response Procedures

DATE: July 31, 1981

cc: Dr. R. Harbison, Dr. R. James, Dr. J. Nolan, Dr. E. Carr,
Dr. C. Zenz R. Gray, ~~L. Adams~~, G. Gallagher

So as to provide better and more comprehensive response service in the event of an emergency exposure in the field requiring immediate medical treatment, the procedure will be to initially contact Dr. Raymond Harbison via the emergency toxicological phone system. If for any reason Dr. Harbison does not respond within 15 minutes of activation, you are to contact your respective national program offices.

Since the TAT NPMO operates on a beeper system that is manned 24 hours a day, contact with a responsive individual will occur within minutes of activation. The FIT NPMO operates after hours on a call forwarding basis. Therefore, in the rare possibility that someone from this office cannot be reached, all FIT are to contact the TAT NPMO paging system. The respective numbers are:

Emergency Toxicological Phone System	501/370-8263
TAT Emergency Paging System	716/882-2804
FIT Emergency Call-Forwarding System	703/522-5065

Please remember three things if an emergency incident occurs:

1. without hesitation get the injured person to the nearest treatment facility immediately;
2. contact Dr. Harbison or responsible emergency system, and,
3. contact your respective NPMO to notify them of the emergency.

Under no circumstances should activation of emergency notification systems preclude the immediate care of the injured individual.

Concurrence:

G. A. Gallagher

R. G. Gray

R. Gray

LEVEL C

Equipment

1. Ultra-Twin respirator*
2. Robertshaw escape mask
3. Apron, butyl rubber, ankle length with sleeves
4. Gloves, butyl rubber
5. Gloves, surgical
6. Boot, neoprene, steel toe and shank
7. Booties, butyl rubber
8. Coveralls, chemical resistant
9. Underwear, cotton
10. Booties, disposable** (additional pair)
11. Gloves, disposable** (additional pair)
12. Hard hat with face shield**

When to Use

1. Open areas, no IDLH conditions
2. Well-documented history of site
3. Well-documented patterns of prior entry to site
4. Proximity to populated area
5. No evidence of chronic health effects
6. Continuous monitoring must take place

Used By

1. PDS Operators
2. Safety Officer
3. Work Parties

---

*Appropriate cartridge must be selected
**Optional